



SAFETY DATA SHEET

Revision Date 25-April-2016

Version 1

1. PRODUCT AND COMPANY IDENTIFICATION

Product Identifier

Product Name F-1715-ES Gold Pre-Paint Coating

UN/ID No UN3264
Product Code F-1715-ES

Recommended Use of the Chemical and Restrictions on Use

Recommended Use Cleaning agent.

Details of the Supplier of the Safety Data Sheet

Supplier Address

Delta Foremost Chemical Corporation
3915 Air Park St.
Memphis, Tennessee 38118

Emergency Telephone Number

Company Phone Number (901) 363-4340
Emergency Telephone INFOTRAC 1-352-323-3500 (International)
1-800-535-5053 (North America)

2. HAZARDS IDENTIFICATION

Classification

Acute toxicity - Oral	Category 3
Acute toxicity - Dermal	Category 2
Acute toxicity - Inhalation (Dusts/Mists)	Category 3
Skin Corrosion/Irritation	Category 2
Serious Eye Damage/Eye Irritation	Category 2A
Oxidizing Liquids	Category 3
Germ Cell Mutagenicity	Category 2
Carcinogenicity	Category 2
Reproductive Toxicity	Category 2
Specific Target Organ Toxicity, Repeated Exposure – Inhalation	Category 2

Signal Word

DANGER

Hazard Statements

Toxic if swallowed or inhaled
Fatal in contact with skin
Causes skin and serious eye irritation
May intensify fire; oxidizer
Suspected of causing genetic defects
Suspected of causing cancer
Suspected of damaging fertility or the unborn child
May cause damage to organs through prolonged or repeated exposure if inhaled

**Appearance** Clear, yellow liquid**Physical State** Liquid**Odor** Acidic**Precautionary Statements - Prevention**

Wash face, hands and any exposed skin thoroughly after handling
 Do not eat, drink or smoke when using this product
 Wear protective gloves/protective clothing/eye protection/face protection
 Use only outdoors or in a well-ventilated area
 Do not breathe dust/fume/gas/mist/vapors/spray
 Obtain special instructions before use
 Do not handle until all safety precautions have been read and understood
 Keep away from heat
 Keep/store away from clothing/combustible materials

Precautionary Statements - Response

Immediately call a POISON CENTER or doctor/physician for all exposures
 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
 Immediately call a POISON CENTER or doctor/physician
 Wash contaminated clothing before reuse
 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower
 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
 Immediately call a POISON CENTER or doctor/physician
 IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. Rinse mouth. Do NOT induce vomiting

Precautionary Statements - Storage

Store locked up
 Store in a well-ventilated place. Keep container tightly closed

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Other Hazards

Harmful to aquatic life with long lasting effects
 Harmful to aquatic life

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%
Sodium Bichromate	7789-12-0	Proprietary
Hydrogen Fluoride	7664-39-3	Proprietary
Nitric Acid	7697-37-2	Proprietary

Product contains a proprietary mixture of ingredients.

4. FIRST AID MEASURES

First Aid Measures

General Advice

Provide this SDS to medical personnel for treatment. Hydrofluoric (HF) acid burns require immediate and specialized first aid and medical treatment. Symptoms may be delayed up to 24 hours depending on the concentration of HF. After decontamination with water, further damage can occur due to penetration/absorption of the fluoride ion. Treatment should be directed toward binding the fluoride ion as well as the effects of exposure. Skin exposures can be treated with a 2.5% calcium gluconate gel repeated until burning ceases. More serious skin exposures may require subcutaneous calcium gluconate except for digital areas unless the physician is experienced in this technique, due to the potential for tissue injury from increased pressure. Absorption can readily occur through the subungual areas and should be considered when undergoing decontamination. Prevention of absorption of the fluoride ion in cases of ingestion can be obtained by giving milk, chewable calcium carbonate tablets or Milk of Magnesia to conscious victims. Conditions such as hypocalcemia, hypomagnesemia and cardiac arrhythmias should be monitored for, since they can occur after exposure. Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

Eye Contact

Flush with plenty of water for at least 15 minutes. See physician immediately.

Skin Contact

Immediately flush with large amounts of water while removing contaminated clothing and shoes, paying particular attention to skin under nails. Follow by applying iced alcoholic or aqueous benzalkonium chloride solution. Get medical attention immediately.

Inhalation

Remove to fresh air. Seek immediate medical attention/advice.

Ingestion

Do NOT induce vomiting. Drink large quantities of water without delay. Drink milk or milk of magnesia. Get medical attention immediately.

Most Important Symptoms and Effects, both Acute and Delayed

Symptoms

EYES: Causes severe irritation and painful burning of the eyes and eyelids. If not quickly removed, may cause permanent visual impairment.

INGESTION: It causes severe burns of the mucous membranes of the mouth, esophagus, and stomach. Causes intense thirst, nausea, and vomiting.

Indication of any Immediate Medical Attention and Special Treatment Needed

Note to Physicians

Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Foam, carbon dioxide or dry chemical extinguisher, or water.

Unsuitable Extinguishing Media Not determined.

Specific Hazards Arising from the Chemical

Product is not flammable.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures

Personal Precautions Wear protective clothing as described in Section 8 of this safety data sheet. Ventilate affected area.

Environmental Precautions See Section 12 for additional ecological information.

Methods and Material for Containment and Cleaning Up

Methods for Containment Prevent further leakage or spillage if safe to do so. Contain and absorb with suitable absorbent for disposal.

Methods for Cleaning Up Soak up with inert absorbent material. Reclaim spilled material into approved container for proper disposal. Remaining material may be neutralized. For waste disposal, see section 13 of the SDS. Neutralize with a lime or soda ash and flush area with large amounts of water.

7. HANDLING AND STORAGE

Precautions for Safe Handling

Advice on Safe Handling Use personal protection recommended in Section 8. Wash face, hands, and any exposed skin thoroughly after handling. Do not breathe vapors or spray mist. Use only in well-ventilated areas. Do not eat, drink or smoke when using this product.

Conditions for Safe Storage, Including any Incompatibilities

Storage Conditions Keep container tightly closed and store in a cool, dry and well-ventilated place. Store locked up.

Packaging Materials Do not use glass containers.

Incompatible Materials Bases, Strong oxidizing agents. Reacts with soft metals and forms hydrogen gas.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Sodium Bichromate 7789-12-0	TWA: 0.05 mg/m ³	TWA: 0.005 mg/m ³	
Hydrogen Fluoride 7664-39-3	TWA: 0.5 ppm F TWA: 2.5 mg/m ³ F S* Ceiling: 2 ppm F	TWA: 3 ppm F TWA: 2.5 mg/m ³ F TWA: 2.5 mg/m ³ dust (vacated) TWA: 3 ppm F (vacated) TWA: 2.5 mg/m ³ (vacated) STEL: 6 ppm F	IDLH: 30 ppm Ceiling: 6 ppm 15 min Ceiling: 5 mg/m ³ 15 min TWA: 3 ppm TWA: 2.5 mg/m ³
Nitric Acid 7697-37-2	STEL: 4 mg/m ³ TWA: 2 mg/m ³	TWA: 5 mg/m ³	TWA: 5 mg/m ³

Appropriate Engineering Controls

Engineering Controls Ventilation must be adequate to maintain the ambient workplace atmosphere below the exposure limit(s) outlined in the SDS. Showers, Eyewash stations, Ventilation systems.

Individual Protection Measures, such as Personal Protective Equipment

Eye/Face Protection Goggles or face shield.

Skin and Body Protection	Wear protective Neoprene™ gloves, Rubber gloves.
Respiratory Protection	Use solvent type mask if continued exposure.
General Hygiene Considerations	Do not eat, drink or smoke when using this product. Wash contaminated clothing before reuse.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on Basic Physical and Chemical Properties

Physical State	Liquid	Odor	Acidic
Appearance	Clear liquid	Odor Threshold	Not determined
Color	Pale yellow		
Property	Values	Remarks • Method	
pH	1.5 – 2.5		
Melting Point/Freezing Point	Not available		
Boiling Point/Boiling Range	98.88 °C / 210 °F		
Flash Point	None		
Evaporation Rate	Not available		
Flammability (Solid, Gas)	Not determined		
Upper Flammability Limits	Not listed		
Lower Flammability Limit	Not listed		
Vapor Pressure	Unknown		
Vapor Density	Unknown		
Specific Gravity	1.007	(1=Water)	
Water Solubility	Soluble in water		
Solubility in Other Solvents	Not determined		
Partition Coefficient	Not determined		
Autoignition Temperature	Not determined		
Decomposition Temperature	Not determined		
Kinematic Viscosity	Not determined		
Dynamic Viscosity	Not determined		
Explosive Properties	Not determined		
Oxidizing Properties	Not determined		

10. STABILITY AND REACTIVITY

Reactivity

Not reactive under normal conditions. Will react with incompatible materials.

Chemical Stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Hazardous Polymerization	Hazardous polymerization does not occur.
---------------------------------	--

Conditions to Avoid

Keep out of reach of children.

Incompatible Materials

Bases, Strong oxidizing agents. Reacts with soft metals and forms hydrogen gas.

Hazardous Decomposition Products

None known based on information supplied.

11. TOXICOLOGICAL INFORMATION

Information on Likely Routes of Exposure

Product Information

Eye Contact	Causes severe eye damage.
Skin Contact	Causes severe skin burns, Toxic in contact with skin.
Inhalation	Toxic if inhaled.
Ingestion	Toxic if swallowed.

Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Hydrogen Fluoride 7664-39-3			= 850 mg/m ³ (Rat) 1 h = 1,276 ppm (Rat) 1 h
Sodium Bichromate 7789-12-0	= 50 mg/kg (Rat)		

Information on Physical, Chemical and Toxicological Effects

Symptoms	Please see section 4 of this SDS for symptoms.
-----------------	--

Delayed and Immediate Effects as well as Chronic Effects from Short and Long-term Exposure

Carcinogenicity	Suspected of causing cancer. The table below indicates whether each agency has listed any ingredient as a carcinogen. However, the product as a whole has not been tested.
------------------------	--

Chemical Name	ACGIH	IARC	NTP	OSHA
Sodium Bichromate 7789-12-0		Group 1	Known to be a human carcinogen	Specifically regulated carcinogen

ACGIH (American Conference of Governmental Industrial Hygienists)

A2 - Suspected Human Carcinogen

A3 - Animal Carcinogen

IARC (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans

Group 2A - Probably Carcinogenic to Humans

STOT - Single Exposure	None known.
-------------------------------	-------------

Chronic Toxicity	May cause damage to organs through prolonged or repeated exposure if inhaled.
-------------------------	---

Aspiration Hazard	Fatal if swallowed and enters airways.
--------------------------	--

Numerical Measures of Toxicity

Not determined

12. ECOLOGICAL INFORMATION

Ecotoxicity

Harmful to aquatic life. Harmful to aquatic life with long lasting effects.

Chemical Name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Hydrogen Fluoride 7664-39-3		660: 48 h Leuciscus idus mg/L LC50		270: 48 h Daphnia species mg/L EC50

Persistence and Degradability

Not determined

Bioaccumulation

Not determined

Mobility

Chemical Name	Partition Coefficient
Hydrogen Fluoride 7664-39-3	-1.4

Other Adverse Effects

Not determined

13. DISPOSAL CONSIDERATIONS

Waste Treatment Methods**Disposal of Wastes**

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated Packaging

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Chemical Name	RCRA	RCRA - Basis for Listing	RCRA - D Series Wastes	RCRA - U Series Wastes
Hydrogen Fluoride 7664-39-3	U134			U134

This product contains no substances that are listed with the State of California as a hazardous waste.

14. TRANSPORT INFORMATION

Note

Please see current shipping paper for most up to date shipping information, including exemptions and special circumstances.

DOT

UN/ID No	UN3264
Proper Shipping Name	Corrosive liquid, acidic, inorganic, n.o.s. (Sodium chromate, Hydrofluoric acid)
Hazard Class	8
Packing Group	II
Reportable Quantity (RQ)	100lbs for HF

IATA

UN/ID No	UN3264
Proper Shipping Name	Corrosive liquid, acidic, inorganic, n.o.s. (Sodium chromate, Hydrofluoric acid)
Hazard Class	8
Packing Group	II

IMDG

UN/ID No	UN3264
Proper Shipping Name	Corrosive liquid, acidic, inorganic, n.o.s. (Sodium chromate, Hydrofluoric acid)
Hazard Class	8
Packing Group	II

15. REGULATORY INFORMATION

International Inventories

Not Determined

Legend:

*TSCA - United States Toxic Substances Control Act Section 8(b) Inventory**DSL/NDL - Canadian Domestic Substances List/Non-Domestic Substances List**EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances**ENCS - Japan Existing and New Chemical Substances**IECSC - China Inventory of Existing Chemical Substances**KECL - Korean Existing and Evaluated Chemical Substances**PICCS - Philippines Inventory of Chemicals and Chemical Substances*

US Federal Regulations

CERCLA

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Hydrogen Fluoride 7664-39-3	100 lb	100 lb	RQ 100 lb final RQ RQ 45.4 kg final RQ

SARA 313

Chemical Name	CAS No	Weight-%	SARA 313 - Threshold Values %
Sodium Bichromate	7789-12-0	Proprietary	1.0
Hydrogen Fluoride	7664-39-3	Proprietary	1.0

CWA (Clean Water Act)

Component	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Hydrogen Fluoride 7664-39-3	100 lb			X

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals.

Chemical Name	California Proposition 65
Sodium Bichromate 7789-12-0	Carcinogen

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Sodium Bichromate 7789-12-0	X	X	X
Hydrogen Fluoride 7664-39-3	X	X	X
Nitric Acid 7697-37-2	X	X	X

16. OTHER INFORMATION**NFPA****Health Hazards****Flammability****Instability****Special Hazards**

3

0

0

Not determined

HMIS**Health Hazards****Flammability****Physical Hazards****Personal Protection**

3

0

0

Not determined

Revision Date

25-April-2016

Revision Note

New format

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet