

SAFETY DATA SHEET

Revision Date 5-May-2016

Version 1

1. PRODUCT AND COMPANY IDENTIFICATION

Product Identifier

Product Name F-1723-ES Ink Factor

UN/ID No UN1230 Product Code F-1723-ES

Recommended Use of the Chemical and Restrictions on Use

Recommended Use Industrial cleaner.

Details of the Supplier of the Safety Data Sheet

Supplier Address

Delta Foremost Chemical Corporation

3915 Air Park St.

Memphis, Tennessee 38118

Emergency Telephone Number

Company Phone Number (901) 363-4340

Emergency Telephone INFOTRAC 1-352-323-3500 (International)

1-800-535-5053 (North America)

2. HAZARDS IDENTIFICATION

Classification

| Specific Target Organ Toxicity - Single Exposure (Eyes, Central Nervous System) | Category 1 |
|---|------------|
| Acute Toxicity – Oral | Category 3 |
| Acute Toxicity – Dermal | Category 3 |
| Acute Toxicity – Inhalation | Category 3 |
| Flammable Liquids | Category 2 |

Signal Word DANGER

Hazard Statements

Causes damage to organs (eyes, central nervous system) Highly flammable liquid and vapor Toxic if swallowed, in contact with skin, or inhaled







Appearance Clear liquid

Physical State Liquid

Odor Alcohol

Precautionary Statements - Prevention

Avoid breathing dust/fume/gas/mist/vapors/spray

Keep away from heat/sparks/open flames/hot surfaces. — No smoking

Keep container tightly closed

Ground/bond container and receiving equipment

Use explosion-proof equipment

Use only non-sparking tools

Take precautionary measures against static discharge

Wear protective gloves/protective clothing/eye protection/face protection

Keep cool

Wash skin thoroughly after handling.

Do not eat, drink, or smoke when using this product.

<u>Precautionary Statements - Response</u>

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/physician.

IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. Rinse mouth.

In case of fire: Use CO2, dry chemical, or foam for extinction

Precautionary Statements - Storage

Store in a well-ventilated place. Keep container tightly closed Store locked up

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

3. COMPOSITION/INFORMATION ON INGREDIENTS

| Chemical Name | CAS No | Weight-% |
|---------------|---------|-------------|
| Methanol | 67-56-1 | Proprietary |

Product contains a proprietary mixture of ingredients.

4. FIRST AID MEASURES

First Aid Measures

General Advice Provide this SDS to medical personnel for treatment.

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If

eye irritation persists: Get medical advice/attention.

Skin Contact Wash off immediately with plenty of water for at least 15 minutes. If irritation persists, seek

medical attention.

Inhalation Remove exposed individual(s) to fresh air for 20 minutes. Consult a physician / poison

center if individual's condition declines or if symptoms persist.

Ingestion Do NOT induce vomiting. Immediate medical attention is required.

Most Important Symptoms and Effects, both Acute and Delayed

Symptoms Nausea, dizziness, irritation to skin and/or mucous membranes.

Indication of any Immediate Medical Attention and Special Treatment Needed

Note to Physicians

Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Alcohol resistant foam, carbon dioxide, dry chemical, or water spray.

Unsuitable Extinguishing Media Water may be ineffective, but can be used to protect firemen and cool containers.

Specific Hazards Arising from the Chemical

Flammable/combustible material. May be ignited by heat, sparks or flames. Vapors may travel to source of ignition and flash back. Container may explode in heat or fire.

Hazardous Combustion Products Carbon monoxide.

Sensitivity to Static Discharge Flammable mixtures of this product are readily ignited even by static discharge.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Water may be used to cool closed containers to prevent pressure buildups and possible ignition or explosion when exposed to extreme heat. Use air-supplied equipment for enclosed areas.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures

Personal Precautions ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). In

case of a spill, clear the affected area and protect people. Wear protective clothing as

described in Section 8 of this safety data sheet.

Environmental Precautions Prevent entry into waterways, sewers, basements or confined areas.

Methods and Material for Containment and Cleaning Up

Methods for Containment For small spills, absorb on polypads or other suitable non-reactive absorbent materials. For

large spills, dike far ahead of spill for later disposal. Absorb with materials such as: non-

combustible material, cat litter / sand.

Methods for Cleaning UpUse clean non-sparking tools to collect absorbed material. Sweep up absorbed material

and shovel into suitable containers for disposal. Discard any product, residue, disposable container or liner in full compliance with federal, state, and local regulations. For waste

disposal, see section 13 of the SDS.

7. HANDLING AND STORAGE

Precautions for Safe Handling

Advice on Safe Handling Handle in accordance with good industrial hygiene and safety practice. Use personal

protection recommended in Section 8. Ensure containers are properly labeled. Keep away from heat/sparks/open flames/hot surfaces. — No smoking. Avoid contact with skin, eyes or clothing. Wash contaminated clothing before reuse. Wash face, hands, and any exposed skin thoroughly after handling. When using do not eat, drink or smoke. Keep containers closed when not in use. Use non-sparking hand tools and explosion-proof electrical equipment. Take precautionary measures against static discharges. Ground all equipment

to prevent buildup of static charge. Avoid breathing vapors or mists.

Conditions for Safe Storage, Including any Incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place.

Incompatible Materials Oxidizing materials, strong bases, strong organic acids.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines

| Chemical Name | ACGIH TLV | OSHA PEL | NIOSH IDLH |
|---------------|---------------|---------------|---------------|
| Methanol | TWA: 200 ppm | TWA: 200 ppm | STEL: 250 ppm |
| 67-56-1 | STEL: 250 ppm | STEL: 250 ppm | TWA: 200 ppm |

Appropriate Engineering Controls

Engineering Controls Ventilation must be adequate to maintain the ambient workplace atmosphere below the

exposure limit(s) outlined in the SDS.

Individual Protection Measures, such as Personal Protective Equipment

Eye/Face Protection Splash goggles or safety glasses.

Skin and Body Protection Wear impervious protective clothing, including boots, gloves, lab coat, apron or coveralls,

as appropriate, to prevent skin contact.

No personal respiratory protective equipment is normally required. In the case of vapor **Respiratory Protection**

formation, use a respirator with an approved filter.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

(butyl acetate = 1)

Information on Basic Physical and Chemical Properties

Physical State

Appearance Clear liquid Odor Alcohol

Color Colorless **Odor Threshold** 4.2 - 8,940 ppm

Values Property Remarks • Method

Liquid

Not determined pН Melting Point/Freezing Point -97.8°C (-144.0°F) **Boiling Point/Boiling Range** 64°C (147°F) Flash Point 11°C (52°F)

Evaporation Rate 5.9

Flammability (Solid, Gas) Not determined **Upper Flammability Limits** Not determined

Lower Flammability Limit Not determined

Vapor Pressure 96 mmHg @ 20°C (68°F)

Vapor Density 1.01 @ 15 - 20°C (59 - 68°F) (Air=1)0.792 **Specific Gravity** (1=Water)

Water Solubility Soluble in water

Solubility in Other Solvents Soluble in most solvents **Partition Coefficient** Log Pow: -0.82 - -0.66

Autoignition Temperature Not determined **Decomposition Temperature** Not determined **Kinematic Viscosity** Not determined **Dynamic Viscosity** Not determined **Explosive Properties** Not determined **Oxidizing Properties** Not determined

10. STABILITY AND REACTIVITY

Reactivity

Not reactive under normal conditions.

Chemical Stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Hazardous Polymerization Hazardous polymerization does not occur.

Conditions to Avoid

Keep away from oxidizers, heat and open flame.

Incompatible Materials

Oxidizing materials, strong bases, strong organic acids.

Hazardous Decomposition Products

None known based on information supplied.

11. TOXICOLOGICAL INFORMATION

Information on Likely Routes of Exposure

Product Information

Eye Contact May cause eye irritation.

Skin Contact Prolonged contact may cause redness and irritation.

Inhalation Over-exposure to vapors could result in upper respiratory tract irritation.

Ingestion Ingestion may cause irritation to mucous membranes.

Component Information

| Chemical Name | Oral LD50 | Dermal LD50 | Inhalation LC50 |
|---------------|---------------------|------------------------|------------------|
| Methanol | = 100 mg/kg (Rat) | = 300 mg/kg (Rabbit) | = 5 mg/L (Rat) |
| 67-56-1 | | | |

Information on Physical, Chemical and Toxicological Effects

Symptoms Please see section 4 of this SDS for symptoms.

Delayed and Immediate Effects as well as Chronic Effects from Short and Long-term Exposure

Carcinogenicity This product does not contain any carcinogens or potential carcinogens as listed by OSHA,

IARC or NTP.

Numerical Measures of Toxicity

Not determined

12. ECOLOGICAL INFORMATION

Ecotoxicity

There is no specific data available for this product; however, very large releases of this product may be harmful or fatal to overexposed aquatic life.

| Chemical Name | Algae/aquatic plants | Fish | Toxicity to | Crustacea |
|---------------|--------------------------|-----------------------|-----------------------|-----------|
| | | | microorganisms | |
| Methanol | 22,000: 96 h Scenedesmus | 15,400: 96 h Lepomis | >10,000: 48 h Daphnia | |
| 67-56-1 | capricorutum mg/L EC50 | macrochirus mg/L LC50 | magna mg/L EC50 | |
| | growth inhibition | mortality | | |

Persistence and Degradability

Not determined

Bioaccumulation

Not determined

Other Adverse Effects

Not determined

13. DISPOSAL CONSIDERATIONS

Waste Treatment Methods

Disposal of Wastes Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated Packaging Disposal should be in accordance with applicable regional, national and local laws and

regulations.

14. TRANSPORT INFORMATION

Note Please see current shipping paper for most up to date shipping information, including

exemptions and special circumstances.

DOT

UN/ID No UN1230 Proper Shipping Name Methanol

Hazard Class 3
Packing Group ||

Reportable Quantity (RQ) 5,000 lbs.

<u>IATA</u>

UN/ID No UN1230
Proper Shipping Name Methanol

Hazard Class 3
Packing Group ||

IMDG

UN/ID No UN1230 Proper Shipping Name Methanol

Hazard Class 3
Packing Group ||

15. REGULATORY INFORMATION

International Inventories

Not Determined

US Federal Regulations

CERCLA

Methanol, CAS No. 67-56-1, RQ 5,000 lbs.

Clean Air Act

Methanol, CAS No. 67-56-1, 100%

SARA 311/312 Hazard Categories

Fire Hazard Yes Acute Health Hazard Yes

SARA 313

The following components are subject to reporting levels established by SARA Title III, Section 313: Methanol, CAS No. 67-56-1

US State Regulations

California Prop 65

WARNING: This product contains a chemical known to the State of California to cause birth defects or other reproductive harm: Methanol, CAS No. 67-56-1

U.S. State Right-to-Know Regulations

| Chemical Name | New Jersey | Massachusetts | Pennsylvania |
|---------------|------------|---------------|--------------|
| Methanol | X | X | X |
| 67-56-1 | | | |

16. OTHER INFORMATION

| <u>NFPA</u> | Health Hazards | Flammability | Instability | Special Hazards |
|-------------|-----------------------|--------------|------------------|---------------------|
| | 2 | 3 | 0 | Not determined |
| <u>HMIS</u> | Health Hazards | Flammability | Physical Hazards | Personal Protection |
| | 2 | 3 | 0 | Not determined |

Revision Date 5-May-2016 Revision Note 5-May-2016 New format

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet