



# SAFETY DATA SHEET

Revision Date 20-August-2015

Version 1

## 1. PRODUCT AND COMPANY IDENTIFICATION

### Product Identifier

Product Name F-1927 Smut Remover

UN/ID No UN2031  
Product Code F-1927

### Recommended Use of the Chemical and Restrictions on Use

Recommended Use Cleaning agent.

### Details of the Supplier of the Safety Data Sheet

#### Supplier Address

Delta Foremost Chemical Corporation  
3915 Air Park St.  
Memphis, Tennessee 38118

#### Emergency Telephone Number

Company Phone Number (901) 363-4340  
Emergency Telephone INFOTRAC 1-352-323-3500 (International)  
1-800-535-5053 (North America)

## 2. HAZARDS IDENTIFICATION

### Classification

Oxidizing liquids	Category 3
Skin Corrosion/Irritation	Category 1 Sub-category A
Serious Eye Damage/Eye Irritation	Category 1
Acute toxicity - Oral	Category 3
Acute toxicity - Dermal	Category 3
Acute toxicity - Inhalation (Dusts/Mists)	Category 3

### Signal Word

**DANGER**

### Hazard Statements

May intensify fire; oxidizer.  
Toxic if swallowed  
Toxic in contact with skin  
Toxic if inhaled  
Causes severe skin burns and eye damage.  
Causes serious eye damage.



**Appearance** Clear Colorless Liquid**Physical State** Liquid**Odor** Acidic**Precautionary Statements - Prevention**

Keep away from heat.  
Keep/store away from clothing and combustible materials.  
Take any precaution to avoid mixing with combustibles.  
Use only outdoors or in a well-ventilated area.  
Do not breathe dust/fume/gas/mist/vapors/spray.  
Wash face, hands and any exposed skin thoroughly after handling  
Wear protective gloves/protective clothing/eye protection/face protection

**Precautionary Statements - Response**

Immediately call a POISON CENTER or doctor/physician  
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing  
Immediately call a POISON CENTER or doctor/physician  
IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower  
Wash contaminated clothing before reuse  
IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing  
Immediately call a POISON CENTER or doctor/physician  
IF SWALLOWED: Rinse mouth. DO NOT induce vomiting

**Precautionary Statements - Storage**

Store locked up. Store in a well-ventilated place. Keep container tightly closed.

**Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

**Other Hazards**

Harmful to aquatic life with long lasting effects  
Harmful to aquatic life

**3. COMPOSITION/INFORMATION ON INGREDIENTS**

Chemical Name	CAS No	Weight-%
Nitric Acid	7697-37-2	Proprietary
Hydrogen fluoride	7664-39-3	Proprietary
Phosphoric acid	7664-38-2	Proprietary

Product contains a proprietary mixture of ingredients.

#### 4. FIRST AID MEASURES

##### First Aid Measures

###### **General Advice**

Provide this SDS to medical personnel for treatment. Hydrofluoric (HF) acid burns require immediate and specialized first aid and medical treatment. Symptoms may be delayed up to 24 hours depending on the concentration of HF. After decontamination with water, further damage can occur due to penetration/absorption of the fluoride ion. Treatment should be directed toward binding the fluoride ion as well as the effects of exposure. Skin exposures can be treated with a 2.5% calcium gluconate gel repeated until burning ceases. More serious skin exposures may require subcutaneous calcium gluconate except for digital areas unless the physician is experienced in this technique, due to the potential for tissue injury from increased pressure. Absorption can readily occur through the subungual areas and should be considered when undergoing decontamination. Prevention of absorption of the fluoride ion in cases of ingestion can be obtained by giving milk, chewable calcium carbonate tablets or Milk of Magnesia to conscious victims. Conditions such as hypocalcemia, hypomagnesemia and cardiac arrhythmias should be monitored for, since they can occur after exposure. Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area. .

###### **Eye Contact**

Flush with plenty of water for at least 15 minutes. See physician immediately.

###### **Skin Contact**

Immediately flush with large amounts of water while removing contaminated clothing and shoes, paying particular attention to skin under nails. Follow by applying iced alcoholic or aqueous benzalkonium chloride solution. Get medical attention immediately.

###### **Inhalation**

Remove to fresh air. Seek immediate medical attention/advice.

###### **Ingestion**

Do NOT induce vomiting. Drink large quantities of water without delay. Drink milk or milk of magnesia. Get medical attention immediately.

##### Most Important Symptoms and Effects, both Acute and Delayed

###### **Symptoms**

EYES: Causes severe irritation and painful burning of the eyes and eyelids. If not quickly removed, may cause permanent visual impairment.

INGESTION: It causes severe burns of the mucous membranes of the mouth, esophagus, and stomach. Causes intense thirst, nausea, and vomiting.

##### Indication of any Immediate Medical Attention and Special Treatment Needed

###### **Note to Physicians**

Treat symptomatically.

#### 5. FIRE-FIGHTING MEASURES

##### Suitable Extinguishing Media

Foam, carbon dioxide or dry chemical extinguisher, or water.

**Unsuitable Extinguishing Media** Not determined.

##### Specific Hazards Arising from the Chemical

Product is not flammable.

##### Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

## 6. ACCIDENTAL RELEASE MEASURES

### Personal Precautions, Protective Equipment and Emergency Procedures

**Personal Precautions**      Wear protective clothing as described in Section 8 of this safety data sheet. Ventilate affected area.

**Environmental Precautions**      See Section 12 for additional ecological information.

### Methods and Material for Containment and Cleaning Up

**Methods for Containment**      Prevent further leakage or spillage if safe to do so. Contain and absorb with suitable absorbent for disposal.

**Methods for Cleaning Up**      Soak up with inert absorbent material. Reclaim spilled material into approved container for proper disposal. Remaining material may be neutralized. For waste disposal, see section 13 of the SDS. Neutralize with a lime or soda ash and flush area with large amounts of water.

## 7. HANDLING AND STORAGE

### Precautions for Safe Handling

**Advice on Safe Handling**      Use personal protection recommended in Section 8. Wash face, hands, and any exposed skin thoroughly after handling. Do not breathe vapors or spray mist. Use only in well-ventilated areas. Do not eat, drink or smoke when using this product.

### Conditions for Safe Storage, Including any Incompatibilities

**Storage Conditions**      Keep container tightly closed and store in a cool, dry and well-ventilated place. Store locked up.

**Incompatible Materials**      Bases, Strong oxidizing agents. Reacts with soft metals and forms hydrogen gas.

**Packaging Materials**      Do not use glass containers.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Phosphoric acid 7664-38-2	STEL: 3 mg/m <sup>3</sup> TWA: 1 mg/m <sup>3</sup>	TWA: 1 mg/m <sup>3</sup> (vacated) TWA: 1 mg/m <sup>3</sup> (vacated) STEL: 3 mg/m <sup>3</sup>	IDLH: 1000 mg/m <sup>3</sup> TWA: 1 mg/m <sup>3</sup> STEL: 3 mg/m <sup>3</sup>
Nitric Acid 7697-37-2	STEL: 4 mg/m <sup>3</sup> TWA: 2 mg/m <sup>3</sup>	TWA: 5 mg/m <sup>3</sup>	TWA: 5 mg/m <sup>3</sup>
Hydrogen fluoride 7664-39-3	TWA: 0.5 ppm F TWA: 2.5 mg/m <sup>3</sup> F S* Ceiling: 2 ppm F	TWA: 3 ppm F TWA: 2.5 mg/m <sup>3</sup> F TWA: 2.5 mg/m <sup>3</sup> dust (vacated) TWA: 3 ppm F (vacated) TWA: 2.5 mg/m <sup>3</sup> (vacated) STEL: 6 ppm F	IDLH: 30 ppm Ceiling: 6 ppm 15 min Ceiling: 5 mg/m <sup>3</sup> 15 min TWA: 3 ppm TWA: 2.5 mg/m <sup>3</sup>

### Appropriate Engineering Controls

**Engineering Controls**      Ventilation must be adequate to maintain the ambient workplace atmosphere below the exposure limit(s) outlined in the SDS.

### Individual Protection Measures, such as Personal Protective Equipment

**Eye/Face Protection**      Goggles or face shield.

<b>Skin and Body Protection</b>	Wear protective Neoprene™ gloves, Rubber gloves.
<b>Respiratory Protection</b>	Ensure adequate ventilation, especially in confined areas. Use solvent type mask if continued exposure.
<b>General Hygiene Considerations</b>	Handle in accordance with good industrial hygiene and safety practice. Do not eat, drink or smoke when using this product. Wash contaminated clothing before reuse.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

### Information on Basic Physical and Chemical Properties

<b>Physical State</b>	Liquid	<b>Odor</b>	Acidic
<b>Appearance</b>	Clear Liquid	<b>Odor Threshold</b>	Not determined
<b>Color</b>	Colorless		
<b>Property</b>	<b>Values</b>	<b>Remarks • Method</b>	
pH	1.2 – 1.4		
Melting Point/Freezing Point	Not available		
Boiling Point/Boiling Range	100 °C / 212 °F		
Flash Point	Not available		
Evaporation Rate	Not available		
Flammability (Solid, Gas)	Not determined		
Upper Flammability Limits	Not available		
Lower Flammability Limit	Not available		
Vapor Pressure	Same as water		
Vapor Density	Same as water		
Specific Gravity	1.274	(1=Water)	
Water Solubility	Soluble in water		
Solubility in Other Solvents	Not determined		
Partition Coefficient	Not determined		
Autoignition Temperature	Not determined		
Decomposition Temperature	Not determined		
Kinematic Viscosity	Not determined		
Dynamic Viscosity	Not determined		
Explosive Properties	Not determined		
Oxidizing Properties	Not determined		

## 10. STABILITY AND REACTIVITY

### Reactivity

Not reactive under normal conditions. Will react with incompatible materials.

### Chemical Stability

Stable under recommended storage conditions.

### Possibility of Hazardous Reactions

None under normal processing.

<b>Hazardous Polymerization</b>	Hazardous polymerization does not occur.
---------------------------------	--

### Conditions to Avoid

Keep out of reach of children.

### Incompatible Materials

Bases, Strong oxidizing agents. Reacts with soft metals and forms hydrogen gas.

### Hazardous Decomposition Products

None known based on information supplied.

## 11. TOXICOLOGICAL INFORMATION

### Information on Likely Routes of Exposure

#### Product Information

<b>Eye Contact</b>	Causes serious eye irritation.
<b>Skin Contact</b>	Causes severe skin burns. Toxic in contact with skin.
<b>Inhalation</b>	Toxic if inhaled.
<b>Ingestion</b>	Toxic if swallowed.

#### Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Phosphoric acid 7664-38-2	= 1530 mg/kg ( Rat )	= 2730 mg/kg ( Rabbit )	> 850 mg/m <sup>3</sup> ( Rat ) 1 h
Hydrogen fluoride 7664-39-3	-	-	= 850 mg/m <sup>3</sup> ( Rat ) 1 h = 1276 ppm ( Rat ) 1 h

### Information on Physical, Chemical and Toxicological Effects

**Symptoms** Please see section 4 of this SDS for symptoms.

### Delayed and Immediate Effects as well as Chronic Effects from Short and Long-term Exposure

**Carcinogenicity** This product does not contain any carcinogens or potential carcinogens as listed by OSHA, IARC or NTP.

### Numerical Measures of Toxicity

Not determined

## 12. ECOLOGICAL INFORMATION

### Ecotoxicity

Harmful to aquatic life. Harmful to aquatic life with long lasting effects.

Chemical Name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Phosphoric acid 7664-38-2		3 - 3.5: 96 h <i>Gambusia affinis</i> mg/L LC50		4.6: 12 h <i>Daphnia magna</i> mg/L EC50
Hydrogen fluoride 7664-39-3		660: 48 h <i>Leuciscus idus</i> mg/L LC50		270: 48 h <i>Daphnia</i> species mg/L EC50

### Persistence and Degradability

Not determined

### Bioaccumulation

Not determined

### Mobility

Chemical Name	Partition Coefficient
Hydrogen fluoride 7664-39-3	-1.4

**Other Adverse Effects**

Not determined

**13. DISPOSAL CONSIDERATIONS****Waste Treatment Methods****Disposal of Wastes**

Disposal should be in accordance with applicable regional, national and local laws and regulations.

**Contaminated Packaging**

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Chemical Name	RCRA	RCRA - Basis for Listing	RCRA - D Series Wastes	RCRA - U Series Wastes
Hydrogen fluoride 7664-39-3	U134			U134

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical Name	California Hazardous Waste Status
Phosphoric acid 7664-38-2	Corrosive

**14. TRANSPORT INFORMATION****Note**

Please see current shipping paper for most up to date shipping information, including exemptions and special circumstances.

**DOT**

UN/ID No UN2031  
 Proper Shipping Name Nitric Acid Solution  
 Hazard Class 8  
 Packing Group II

**IATA**

UN/ID No UN2031  
 Proper Shipping Name Nitric Acid Solution  
 Hazard Class 8  
 Packing Group II

**IMDG**

UN/ID No UN2031  
 Proper Shipping Name Nitric Acid Solution  
 Hazard Class 8  
 Packing Group II

**15. REGULATORY INFORMATION****International Inventories**

Not Determined

**Legend:***TSCA - United States Toxic Substances Control Act Section 8(b) Inventory**DSL/NDL - Canadian Domestic Substances List/Non-Domestic Substances List**EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances**ENCS - Japan Existing and New Chemical Substances**IECSC - China Inventory of Existing Chemical Substances**KECL - Korean Existing and Evaluated Chemical Substances**PICCS - Philippines Inventory of Chemicals and Chemical Substances*

**US Federal Regulations****CERCLA**

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Phosphoric acid 7664-38-2	5000 lb		RQ 5000 lb final RQ RQ 2270 kg final RQ
Hydrogen fluoride 7664-39-3	100 lb	100 lb	RQ 100 lb final RQ RQ 45.4 kg final RQ

**SARA 302**

Nitric Acid, CAS No. 7697-37-2

**SARA 313**

Nitric Acid, CAS No. 7697-37-2

Hydrogen Fluoride, CAS No. 7664-39-3

**CWA (Clean Water Act)**

Component	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Phosphoric acid 7664-38-2	5000 lb			X
Hydrogen fluoride 7664-39-3	100 lb			X

**US State Regulations****U.S. State Right-to-Know Regulations**

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Phosphoric acid 7664-38-2	X	X	X
Nitric Acid 7697-37-2	X	X	X
Hydrogen fluoride 7664-39-3	X	X	X

**16. OTHER INFORMATION****NFPA****Health Hazards**

3

**Flammability**

0

**Instability**

0

**Special Hazards**

Not determined

**HMIS****Health Hazards**

3

**Flammability**

0

**Physical Hazards**

0

**Personal Protection**

Not determined

Revision Date

20-August-2015

Revision Note

New format

**Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet