

SAFETY DATA SHEET

Revision Date 27-April-2016

Version 1

1. PRODUCT AND COMPANY IDENTIFICATION

Product Identifier

Product Name F-2030-ES Glue Buster

UN/ID No UN1993 Product Code F-2030-ES

Recommended Use of the Chemical and Restrictions on Use

Recommended Use Industrial cleaner

Details of the Supplier of the Safety Data Sheet

Supplier Address

Delta Foremost Chemical Corporation

3915 Air Park St.

Memphis, Tennessee 38118

Emergency Telephone Number

Company Phone Number (901) 363-4340

Emergency Telephone INFOTRAC 1-352-323-3500 (International)

1-800-535-5053 (North America)

2. HAZARDS IDENTIFICATION

Classification

Flammable Liquids	Category 3
Aspiration toxicity	Category 2
Skin Corrosion/Irritation	Category 3
Carcinogenicity	Category 2

Signal Word WARNING

Hazard Statements

Flammable liquid and vapor May be harmful if swallowed and enters airways Causes mild skin irritation Suspected of causing cancer





Appearance Pale yellow liquid

Physical State Liquid

Odor Solvent

Precautionary Statements - Prevention

Use personal protective equipment as required

Avoid breathing dust/fume/gas/mist/vapors/spray

Use only outdoors or in a well-ventilated area

Wash face, hands and any exposed skin thoroughly after handling

Wear eye/face protection

Keep away from heat/sparks/open flames/hot surfaces. — No smoking

Keep container tightly closed

Ground/bond container and receiving equipment

Use explosion-proof equipment

Use only non-sparking tools

Take precautionary measures against static discharge

Precautionary Statements - Response

IF exposed or concerned: Get medical advice/attention

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Get medical attention if irritation occurs

IF ON SKIN: Wash with plenty of soap and water

If skin irritation persists: Get medical advice/attention

Take off contaminated clothing and wash it before reuse

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician

Do NOT induce vomiting

Precautionary Statements - Storage

Store locked up

Store in a well-ventilated place. Keep container tightly closed

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards Not Otherwise Classified (HNOC)

May be harmful if swallowed

Other Hazards

Toxic to aquatic life with long lasting effects

Toxic to aquatic life

3. COMPOSITION/INFORMATION ON INGREDIENTS

Che	emical Name	CAS No	Weight-%
Deode	orized Kerosene	64742-88-7	Proprietary
Aromatic I	lydrocarbon Solvent	64742-94-5	Proprietary

Product contains a proprietary mixture of ingredients.

4. FIRST AID MEASURES

First Aid Measures

General Advice If exposed or concerned: Get medical advice/attention. Provide this SDS to medical

personnel for treatment.

Eye Contact IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. Get medical attention if irritation occurs.

Skin Contact Flush with water while removing contaminated clothing and shoes before reuse. If irritation

persists, get medical attention.

Inhalation Remove victim to fresh air and provide oxygen if breathing is difficult. Give artificial

respiration if not breathing. If symptoms persist, call a physician.

Ingestion Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth

to an unconscious person. Do NOT induce vomiting. Seek medical attention immediately.

Most Important Symptoms and Effects, both Acute and Delayed

Symptoms May cause skin and eye irritation. Ingestion may result in irritation of mouth and

gastrointestinal tract. Overexposure by inhalation can cause irritation of the respiratory tract

and adverse effects on the central nervous system.

Indication of any Immediate Medical Attention and Special Treatment Needed

Note to Physicians Aspiration into the lungs may occur during ingestion or vomiting, causing lung damage.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Foam, carbon dioxide or dry chemical extinguisher, or water. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media Not determined.

Specific Hazards Arising from the Chemical

Vapor concentrated in a confined or poorly ventilated area can be ignited upon contact with a high energy spark, flame, or high intensity heat source.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures

Personal Precautions Wear protective clothing as described in Section 8 of this safety data sheet. Avoid contact

with skin and eyes and inhalation of vapors.

Methods and Material for Containment and Cleaning Up

Methods for Containment Prevent further leakage or spillage if safe to do so. Absorb liquid with sawdust, sand or

industrial absorbent.

Methods for Cleaning Up Sweep up absorbed material and shovel into suitable containers for disposal. Discard any

product, residue, disposable container or liner in full compliance with federal, state, and

local regulations. For waste disposal, see section 13 of the SDS.

7. HANDLING AND STORAGE

Precautions for Safe Handling

Advice on Safe Handling Handle in accordance with good industrial hygiene and safety practice. Obtain special

instructions before use. Do not handle until all safety precautions have been read and understood. Use personal protection recommended in Section 8. Wear eye/face protection. Avoid contact with skin, eyes or clothing. Avoid breathing vapors. Avoid breathing mists.

Use only in well-ventilated areas.

Conditions for Safe Storage, Including any Incompatibilities

Storage Conditions Keep container tightly closed and store in a cool, dry and well-ventilated place. Keep in

properly labeled containers. Store locked up.

Incompatible Materials Caustic soda, caustic potash, liquid oxygen or other oxidizing materials, alkali metals.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Deodorized Kerosene	TWA: 200 ppm		
64742-88-7			
Aromatic Hydrocarbon Solvent	TWA: 10 ppm	TWA: 10 ppm	-
64742-94-5	STEL: 15 ppm		

Appropriate Engineering Controls

Engineering Controls Ventilation must be adequate to maintain the ambient workplace atmosphere below the

exposure limit(s) outlined in the SDS.

Individual Protection Measures, such as Personal Protective Equipment

Eye/Face Protection Goggles or face shield.

Skin and Body Protection Wear impervious protective clothing, including boots, gloves, lab coat, apron or coveralls,

as appropriate, to prevent skin contact. Wear protective Neoprene™ gloves, Rubber

gloves.

Respiratory ProtectionUse self-contained breathing apparatus if there is a heavy vapor about 300 ppm.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice. Wash hands after

use and wash contaminated clothes before reuse.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on Basic Physical and Chemical Properties

Physical State Liquid

Appearance Clear liquid Odor Solvent

Color Pale yellow Odor Threshold Not determined

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

Not determined **Melting Point/Freezing Point** Not determined 86.66 °C / 188 °F **Boiling Point/Boiling Range** Flash Point Not determined **Evaporation Rate** Not established Flammability (Solid, Gas) Not determined **Upper Flammability Limits** Not applicable **Lower Flammability Limit** Not determined **Vapor Pressure** Not established

Vapor DensityNot establishedSpecific Gravity0.868(1=Water)

Water Solubility
Solubility in Other Solvents
Partition Coefficient
Autoignition Temperature
Decomposition Temperature
Not determined
Not determined
Not determined

Kinematic Viscosity

Dynamic Viscosity

Explosive Properties

Oxidizing Properties

Not determined
Not determined
Not determined

10. STABILITY AND REACTIVITY

Reactivity

Not reactive under normal conditions.

Chemical Stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Hazardous Polymerization Hazardous polymerization does not occur.

Conditions to Avoid

Avoid heat, sparks, open flames and other ignition sources.

Incompatible Materials

Caustic soda, caustic potash, liquid oxygen or other oxidizing materials, alkali metals.

Hazardous Decomposition Products

Hydrogen chloride, and traces of chlorine or phosgene gases.

11. TOXICOLOGICAL INFORMATION

Information on Likely Routes of Exposure

Product Information

Eye Contact Causes eye irritation.

Skin Contact Causes skin irritation.

Inhalation Harmful if inhaled.

Ingestion May be harmful if swallowed.

Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Deodorized Kerosene 64742-88-7	> 5,000 mg/kg (Rat)	-	> 5.28 mg/L (Rat) 4 h
Aromatic Hydrocarbon Solvent 64742-94-5	= 7050 mg/kg (Rat)	>2000 mg/kg (Rabbit)	= 5100 mg/L (Rat) 4 h

Information on Physical, Chemical and Toxicological Effects

Symptoms Please see section 4 of this SDS for symptoms.

Delayed and Immediate Effects as well as Chronic Effects from Short and Long-term Exposure

Germ Cell Mutagenicity Suspected of causing genetic defects.

Carcinogenicity May cause cancer; The table below indicates whether each agency has listed any

ingredient as a carcinogen. However, the product as a whole has not been tested. Large

doses caused malignant tumors in mice.

Chemical Name	ACGIH	IARC	NTP	OSHA
Aromatic Hydrocarbon Solvent		Group 2B		
64742-94-5				

ACGIH (American Conference of Governmental Industrial Hygienists)

A2 - Suspected Human Carcinogen

A3 - Animal Carcinogen

IARC (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans

Group 2A - Probably Carcinogenic to Humans

STOT - Single Exposure May cause respiratory irritation. May cause drowsiness or dizziness.

Chronic Toxicity Prolonged exposure above the OSHA permissible limits may result in liver and/or kidney

damage.

Aspiration Hazard May be harmful if swallowed and enters airways.

Numerical Measures of Toxicity

Not determined

12. ECOLOGICAL INFORMATION

Ecotoxicity

Toxic to aquatic organisms. Toxic to aquatic life with long lasting effects.

Component Information

Chemical Name	Algae/aquatic plants	Fish	Toxicity to	Crustacea
			microorganisms	
Aromatic Hydrocarbon Solvent 64742-94-5	<1: 96 h Skeletonema costatum mg/L EC50	41: 96 h Pimephales promelas mg/L LC50		0.95: 48 h Daphnia magna mg/L E50

Persistence and Degradability

Not determined

Bioaccumulation

Not determined

Other Adverse Effects

Not determined

13. DISPOSAL CONSIDERATIONS

Waste Treatment Methods

Disposal of Wastes Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated Packaging Disposal should be in accordance with applicable regional, national and local laws and

regulations.

14. TRANSPORT INFORMATION

Note Please see current shipping paper for most up to date shipping information, including

exemptions and special circumstances.

DOT UN/ID No NA1993

Proper Shipping Name Combustible Liquid (Contains Petroleum Distillates)

Hazard Class N/A
Packing Group III

<u>IATA</u>

UN/ID No NA1993

Proper Shipping Name Combustible Liquid (Contains Petroleum Distillates)

Hazard Class N/A
Packing Group III

IMDG

UN/ID No NA1993

Proper Shipping Name Combustible Liquid (Contains Petroleum Distillates)

Hazard Class N/A Packing Group III

15. REGULATORY INFORMATION

International Inventories

Not Determined

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

US Federal Regulations

SARA 313

None

US State Regulations

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Deodorized Kerosene 64742-88-7	X	X	X
Aliphatic Hydrocarbon Solvent 64742-88-7	X		

16. OTHER INFORMATION

NFPAHealth HazardsFlammabilityInstabilitySpecial Hazards220Not determinedHMISHealth HazardsFlammabilityPhysical HazardsPersonal Protection220Not determined

Revision Date 27-April-2016 Revision Note 27-April-2016 New format

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet
