



SAFETY DATA SHEET

Revision Date 21-Feb-2023

Version 1

1. PRODUCT AND COMPANY IDENTIFICATION

Product Identifier

Product Name F-2201-ES Citri Slick

UN/ID No NA 1993

Product Code F-2201-ES

Recommended Use of the Chemical and Restrictions on Use

Recommended Use Industrial cleaner.

Details of the Supplier of the Safety Data Sheet

Supplier Address

Delta Foremost Chemical Corporation
3915 Air Park St.
Memphis, Tennessee 38118

Emergency Telephone Number

Company Phone Number (901) 363-4340

Emergency Telephone INFOTRAC 1-352-323-3500 (International)
1-800-535-5053 (North America)

2. HAZARDS IDENTIFICATION

Classification

| | |
|---------------------------|-------------|
| Skin Corrosion/Irritation | Category 2 |
| Aspiration toxicity | Category 1 |
| Eye Damage/Eye Irritation | Category 2B |
| Flammable liquids | Category 4 |

Signal Word

DANGER

Hazard Statements

Causes skin irritation
May be fatal if swallowed and enters airways
Combustible liquid and vapor
Causes eye irritation
Very toxic to aquatic life with long lasting effects



Appearance Clear Liquid

Physical State Liquid

Odor Citrus

Precautionary Statements - Prevention

Wash face, hands and any exposed skin thoroughly after handling
Wear protective gloves/protective clothing/eye protection/face protection
Keep away from heat/sparks/open flames/hot surfaces. — No smoking
Keep container tightly closed
Ground/bond container and receiving equipment
Use explosion-proof equipment
Use only non-sparking tools
Take precautionary measures against static discharge

Precautionary Statements - Response

If skin irritation occurs: Get medical advice/attention
IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower
Wash contaminated clothing before reuse
IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. Do NOT induce vomiting
In case of fire: Use CO₂, dry chemical, or foam for extinction

Precautionary Statements - Storage

Store locked up
Store in a well-ventilated place.

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards Not Otherwise Classified (HNOC)

May be harmful if swallowed

Other Hazards

Very toxic to aquatic life with long lasting effects

3. COMPOSITION/INFORMATION ON INGREDIENTS

| Chemical Name | CAS No | Weight-% |
|---------------------|------------|-------------|
| d-Limonene | 5989-27-5 | Proprietary |
| Deodorized Kerosene | 64742-88-7 | Proprietary |

Product contains a proprietary mixture of ingredients.

4. FIRST AID MEASURES**First Aid Measures**

| | |
|-----------------------|---|
| General Advice | Provide this SDS to medical personnel for treatment. |
| Eye Contact | Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Get immediate medical advice/attention. |
| Skin Contact | Wash affected areas with copious amount of soap and water. If there is dryness and skin irritation, use a skin cream or Vaseline on skin. If irritation persists, see physician. |
| Inhalation | Remove exposed individual(s) to fresh air for 20 minutes. Consult a physician / poison center if individual's condition declines or if symptoms persist. |
| Ingestion | Do not induce vomiting unless directed by medical personnel. If vomiting occurs, lean patient forward to maintain an open airway & prevent aspiration. Get immediate medical attention. |

Most Important Symptoms and Effects, both Acute and Delayed

| | |
|-----------------|--|
| Symptoms | May cause skin and eye irritation. Direct contact with eyes may cause temporary irritation.. |
|-----------------|--|

Indication of any Immediate Medical Attention and Special Treatment Needed

| | |
|---------------------------|------------------------|
| Note to Physicians | Treat symptomatically. |
|---------------------------|------------------------|

5. FIRE-FIGHTING MEASURES**Suitable Extinguishing Media**

Foam, carbon dioxide or dry chemical extinguisher. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

| | |
|---------------------------------------|--------|
| Unsuitable Extinguishing Media | Water. |
|---------------------------------------|--------|

Specific Hazards Arising from the Chemical

Closed containers may explode due to buildup of pressure when exposed to extreme heat.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Water may be used to cool closed containers to prevent pressure buildups and possible ignition or explosion when exposed to extreme heat.

6. ACCIDENTAL RELEASE MEASURES**Personal Precautions, Protective Equipment and Emergency Procedures**

| | |
|-----------------------------|--|
| Personal Precautions | Wear protective clothing as described in Section 8 of this safety data sheet. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). |
|-----------------------------|--|

Methods and Material for Containment and Cleaning Up

| | |
|--------------------------------|--|
| Methods for Containment | Prevent further leakage or spillage if safe to do so. Absorb spill with inert material (e.g. dry sand or earth). |
|--------------------------------|--|

| | |
|--------------------------------|---|
| Methods for Cleaning Up | Use clean non-sparking tools to collect absorbed material. Sweep up absorbed material and shovel into suitable containers for disposal. Discard any product, residue, disposable container or liner in full compliance with federal, state, and local regulations. For waste disposal, see section 13 of the SDS. |
|--------------------------------|---|

7. HANDLING AND STORAGE**Precautions for Safe Handling**

| | |
|--------------------------------|--|
| Advice on Safe Handling | Handle in accordance with good industrial hygiene and safety practice. Wash face, hands, and any exposed skin thoroughly after handling. Use personal protection recommended in Section 8. Keep away from heat/sparks/open flames/hot surfaces. — No smoking. Use spark-proof tools and explosion-proof equipment. Take precautionary measures against static discharges. Keep container closed when not in use. |
|--------------------------------|--|

Conditions for Safe Storage, Including any Incompatibilities

| | |
|---------------------------|--|
| Storage Conditions | Keep container tightly closed and store in a cool, dry and well-ventilated place. Store locked up. |
|---------------------------|--|

| | |
|-------------------------------|--------------------------|
| Incompatible Materials | Strong oxidizing agents. |
|-------------------------------|--------------------------|

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines

The following information is given as general guidance

| Chemical Name | ACGIH TLV | OSHA PEL | NIOSH IDLH |
|-----------------------------------|--------------|----------|------------|
| Deodorized Kerosene 64742-88-7 | TWA: 200 ppm | | |

Appropriate Engineering Controls

Engineering Controls

Good general mechanical ventilation. Local exhaust recommended.

Individual Protection Measures, such as Personal Protective Equipment

Eye/Face Protection

Goggles or face shield.

Skin and Body Protection

Wear rubber or neoprene gloves, Rubber apron.

Respiratory Protection

For normal use, none necessary.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on Basic Physical and Chemical Properties

| | | | |
|----------------|--------------|----------------|----------------|
| Physical State | Liquid | Odor | Citrus |
| Appearance | Clear Liquid | Odor Threshold | Not determined |
| Color | Colorless | | |

| <u>Property</u> | <u>Values</u> | <u>Remarks • Method</u> |
|------------------------------|-----------------------------|-------------------------|
| pH | Not determined | |
| Melting Point/Freezing Point | Not applicable | |
| Boiling Point/Boiling Range | 176 °C / 348.8 °F | |
| Flash Point | 43.33-46.11 °C / 110-115 °F | Tag Closed Cup |
| Evaporation Rate | Not applicable | |
| Flammability (Solid, Gas) | Not determined | |
| Upper Flammability Limits | Not established | |
| Lower Flammability Limit | Not established | |
| Vapor Pressure | Not established | |
| Vapor Density | Not established | |
| Specific Gravity | 0.906 | (1=Water) |
| Water Solubility | Not soluble | |
| Solubility in Other Solvents | Not determined | |
| Partition Coefficient | Not determined | |
| Autoignition Temperature | Not determined | |
| Decomposition Temperature | Not determined | |
| Kinematic Viscosity | Not determined | |
| Dynamic Viscosity | Not determined | |
| Explosive Properties | Not determined | |
| Oxidizing Properties | Not determined | |

10. STABILITY AND REACTIVITY

Reactivity

Not reactive under normal conditions.

Chemical Stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Hazardous Polymerization

Hazardous polymerization does not occur.

Conditions to Avoid

Heat, flames and sparks.

Incompatible Materials

Strong oxidizing agents.

Hazardous Decomposition Products

None known based on information supplied.

11. TOXICOLOGICAL INFORMATION**Information on Likely Routes of Exposure****Product Information**

| | |
|---------------------|------------------------------|
| Eye Contact | Causes eye irritation. |
| Skin Contact | May cause skin irritation. |
| Inhalation | May be harmful if inhaled. |
| Ingestion | May be harmful if swallowed. |

Component Information

| Chemical Name | Oral LD50 | Dermal LD50 | Inhalation LC50 |
|-----------------------------------|-----------------------|-------------------------|-------------------------|
| d-Limonene 5989-27-5 | = 4400 mg/kg (Rat) | > 2000 mg/kg (Rabbit) | - |
| Deodorized Kerosene 64742-88-7 | > 5,000 mg/kg (Rat) | - | > 5.28 mg/L (Rat) 4 h |

Information on Physical, Chemical and Toxicological Effects

Symptoms Please see section 4 of this SDS for symptoms.

Delayed and Immediate Effects as well as Chronic Effects from Short and Long-term Exposure

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen. However, the product as a whole has not been tested.

| Chemical Name | ACGIH | IARC | NTP | OSHA |
|-------------------------|-------|---------|-----|------|
| d-Limonene 5989-27-5 | - | Group 3 | - | X |

IARC (International Agency for Research on Cancer)

Group 3 IARC components are "not classifiable as human carcinogens"

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

Aspiration Hazard May be fatal if swallowed and enters airways.

Numerical Measures of Toxicity

Not determined

12. ECOLOGICAL INFORMATION

Ecotoxicity

Very toxic to aquatic life. Very toxic to aquatic life with long lasting effects.

| Chemical Name | Algae/aquatic plants | Fish | Toxicity to microorganisms | Crustacea |
|-------------------------|----------------------|---|----------------------------|-----------|
| d-Limonene 5989-27-5 | | 0.619 - 0.796: 96 h Pimephales promelas mg/L LC50 flow-through 35: 96 h Oncorhynchus mykiss mg/L LC50 | | |

Persistence and Degradability

Not determined

Bioaccumulation

Not determined

Mobility

Not determined

Other Adverse Effects

Not determined

13. DISPOSAL CONSIDERATIONS

Waste Treatment Methods

Disposal of Wastes

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated Packaging

Disposal should be in accordance with applicable regional, national and local laws and regulations.

| Chemical Name | California Hazardous Waste Status |
|-------------------------|-----------------------------------|
| d-Limonene 5989-27-5 | Toxic |

14. TRANSPORT INFORMATION

Note

Please see current shipping paper for most up to date shipping information, including exemptions and special circumstances.

DOT

| | |
|-----------------------------|---|
| UN/ID No | NA1993 |
| Proper Shipping Name | Combustible liquid, N.O.S. (Contains petroleum distillates) |
| Hazard Class | N/A |
| Packing Group | III |

IATA

| | |
|-----------------------------|---|
| UN/ID No | NA1993 |
| Proper Shipping Name | Combustible liquid, N.O.S. (Contains petroleum distillates) |
| Hazard Class | N/A |
| Packing Group | III |

IMDG

| | |
|-----------------------------|---|
| UN/ID No | NA1993 |
| Proper Shipping Name | Combustible liquid, N.O.S. (Contains petroleum distillates) |

Hazard Class N/A
Packing Group III

15. REGULATORY INFORMATION

International Inventories

Not Determined

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

US Federal Regulations

CERCLA

None.

SARA 313

None.

CWA (Clean Water Act)

None.

California Proposition 65

This product contains no ingredients known by the state of California to cause birth defects.

U.S. State Right-to-Know Regulations

| Chemical Name | New Jersey | Pennsylvania | Massachusetts |
|-----------------------------------|------------|--------------|---------------|
| Deodorized Kerosene 64742-88-7 | X | X | X |

16. OTHER INFORMATION

NFPA

Health Hazards

2

Flammability

1

Instability

0

Special Hazards

Not determined

HMIS

Health Hazards

2

Flammability

1

Physical Hazards

0

Personal Protection

Not determined

Revision Date

21-Feb-2023

Revision Note

New format

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet