

# SAFETY DATA SHEET

Issue Date 02-Dec-2003

Revision Date 20-June-2013

Version 1

### **1. PRODUCT AND COMPANY IDENTIFICATION**

Product Identifier Product Name

F-2276-ES Liquid Spray Cabinet Cleaner

 UN/ID No
 UN3266

 Product Code
 F-2276-ES

Recommended Use of the Chemical and Restrictions on UseRecommended UseDetergent, degreaser.

### Details of the Supplier of the Safety Data Sheet

Supplier Address Delta Foremost Chemical Corporation 3915 Air Park St. Memphis, Tennessee 38118

### Emergency Telephone Number

Company Phone Number Emergency Telephone (901) 363-4340 INFOTRAC 1-352-323-3500 (International) 1-800-535-5053 (North America)

### 2. HAZARDS IDENTIFICATION

### **Classification**

Skin Corrosion/Irritation	Category 1 Sub-category B
Serious Eye Damage/Eye Irritation	Category 1

### Signal Word DANGER

### Hazard Statements

Causes severe skin burns and eye damage



Appearance Clear, colorless liquid

Physical State Liquid

Odor Detergent

### **Precautionary Statements - Prevention**

Do not breathe dust/fume/gas/mist/vapors/spray Wash face, hands and any exposed skin thoroughly after handling Wear protective gloves/protective clothing/eye protection/face protection

### Precautionary Statements - Response

Immediately call a POISON CENTER or doctor/physician

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a POISON CENTER or doctor/physician IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower Wash contaminated clothing before reuse IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing Immediately call a POISON CENTER or doctor/physician IF SWALLOWED: Rinse mouth. DO NOT induce vomiting

### Precautionary Statements - Storage

Store locked up

### Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

#### Hazards Not Otherwise Classified (HNOC)

May be harmful if swallowed

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%
Potassium hydroxide	1310-58-3	Proprietary

### 4. FIRST AID MEASURES

### First Aid Measures

General Advice	Provide this SDS to medical personnel for treatment.	
Eye Contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention immediately.	
Skin Contact	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. If irritation persists, seek medical attention.	
Inhalation	Remove exposed individual(s) to fresh air for 20 minutes. Consult a physician / poison center if individual's condition declines or if symptoms persist.	
Ingestion	Do NOT induce vomiting. Give diluted vinegar or lemon juice to conscious person. Get medical attention immediately.	
Most Important Symptoms and Effe	ects, both Acute and Delayed	
Symptoms	Causes skin irritation, Causes eye irritation, Ingestion may cause severe burns to mouth, throat or stomach. May cause irritation to the mucous membranes and upper respiratory tract.	
Indication of any Immediate Medical Attention and Special Treatment Needed		
Note to Physicians	Treat symptomatically.	

### **5. FIRE-FIGHTING MEASURES**

### Suitable Extinguishing Media

Foam, carbon dioxide or dry chemical extinguisher, or water.

#### Unsuitable Extinguishing Media Not determined.

#### Specific Hazards Arising from the Chemical

Product is not flammable or combustible.

#### Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

### 6. ACCIDENTAL RELEASE MEASURES

#### Personal Precautions, Protective Equipment and Emergency Procedures

Personal Precautions Wear protective clothing as described in Section 8 of this safety data sheet.

#### Methods and Material for Containment and Cleaning Up

Methods for Containment	Prevent further leakage or spillage if safe to do so. Soak up and contain spill with an absorbent material.
Methods for Cleaning Up	Sweep up absorbed material and shovel into suitable containers for disposal. For waste disposal, see section 13 of the SDS.

### 7. HANDLING AND STORAGE

#### Precautions for Safe Handling

Advice on Safe Handling Handle in accordance with good industrial hygiene and safety practice. Wash face, hands, and any exposed skin thoroughly after handling. Use personal protection recommended in Section 8. Do not breathe vapors or spray mist.

### Conditions for Safe Storage, Including any Incompatibilities

**Storage Conditions** Keep container tightly closed and store in a cool, dry and well-ventilated place. Store locked up.

Incompatible Materials

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Potassium hydroxide 1310-58-3	Ceiling: 2 mg/m <sup>3</sup>	(vacated) Ceiling: 2 mg/m <sup>3</sup>	Ceiling: 2 mg/m <sup>3</sup>

#### Appropriate Engineering Controls

**Engineering Controls** Ventilation must be adequate to maintain the ambient workplace atmosphere below the exposure limit(s) outlined in the SDS. Eyewash stations, Showers.

#### Individual Protection Measures, such as Personal Protective Equipment

Acids.

Eye/Face Protection	Splash goggles or safety glasses.
Skin and Body Protection	Wear protective Neoprene™ gloves, Rubber gloves.

### **Respiratory Protection**

Ensure adequate ventilation, especially in confined areas.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice. Wash contaminated clothing before reuse.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

### Information on Basic Physical and Chemical Properties

Property pHValues 12.0-12.5Remarks • MethodMelting Point/Freezing PointNot availableBoiling Point/Boiling Range739 °FFlash PointNoneEvaporation RateSame as waterFlammability (Solid, Gas)Not determinedUpper Flammability LimitsNot determinedLower Flammability LimitNot determinedVapor PressureNot establishedVapor DensityNot establishedSpecific Gravity1.450Water SolubilitySoluble in waterSolubility in Other SolventsNot determinedPartition CoefficientNot determinedAutoignition TemperatureNot determinedDecomposition TemperatureNot determinedPartitic ViscosityNot determinedEvapore SolubilityNot determinedEvapore SolubilityNot determinedExplosive PropertiesNot determined	Physical State Appearance Color	Liquid Water white Colorless	Odor Odor Threshold	Detergent Not determined
Oxidizing Properties Not determined	Property pH Melting Point/Freezing Point Boiling Point/Boiling Range Flash Point Evaporation Rate Flammability (Solid, Gas) Upper Flammability Limits Lower Flammability Limit Vapor Pressure Vapor Density Specific Gravity Water Solubility Solubility in Other Solvents Partition Coefficient Autoignition Temperature Decomposition Temperature Kinematic Viscosity Dynamic Viscosity Explosive Properties	Values         12.0-12.5         Not available         739 °F         None         Same as water         Not determined         Not determined         Not determined         Not established         Not established         1.450         Soluble in water         Not determined         Not determined		

# **10. STABILITY AND REACTIVITY**

### Reactivity

Not reactive under normal conditions.

### Chemical Stability

Stable under recommended storage conditions.

### Possibility of Hazardous Reactions

None under normal processing.

**Hazardous Polymerization** 

Hazardous polymerization does not occur.

# Conditions to Avoid

Keep out of reach of children.

# Incompatible Materials

Acids.

# Hazardous Decomposition Products

None known based on information supplied.

# **11. TOXICOLOGICAL INFORMATION**

### Information on Likely Routes of Exposure

Eye Contact	Causes eye damage.
Skin Contact	Causes severe skin burns.
Inhalation	May cause irritation to the mucous membranes and upper respiratory tract.
Ingestion	May be harmful if swallowed.

### Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Potassium hydroxide	= 214 mg/kg (Rat)	-	-
1310-58-3			

### Information on Physical, Chemical and Toxicological Effects

Symptoms Please see section 4 of this SDS for symptoms.

#### Delayed and Immediate Effects as well as Chronic Effects from Short and Long-term Exposure

Carcinogenicity

This product does not contain any carcinogens or potential carcinogens as listed by OSHA, IARC or NTP.

### **Numerical Measures of Toxicity**

Not determined

### 12. ECOLOGICAL INFORMATION

### **Ecotoxicity**

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Chemical Name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Potassium hydroxide 1310-58-3		80: 96 h Gambusia affinis mg/L LC50 static		

### Persistence and Degradability

Not determined

### **Bioaccumulation**

Not determined

### <u>Mobility</u>

Chemical Name	Partition Coefficient
Potassium hydroxide	0.65
1310-58-3	0.83

### Other Adverse Effects

Not determined

### **13. DISPOSAL CONSIDERATIONS**

### Waste Treatment Methods

Disposal of Wastes	Disposal should be in accordance with applicable regional, national and local laws and regulations.
Contaminated Packaging	Disposal should be in accordance with applicable regional, national and local laws and regulations.

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical Name	California Hazardous Waste Status
Potassium hydroxide	Toxic
1310-58-3	Corrosive

### 14. TRANSPORT INFORMATION

<u>Note</u>	Please see current shipping paper for most up to date shipping information, including exemptions and special circumstances.		
<u>DOT</u> UN/ID No Proper Shipping Name Hazard Class Packing Group Reportable Quantity (RQ)	UN3266 Corrosive liquid, basic, inorganic, n.o.s. (Potassium hydroxide) 8 II 1000lbs for Potassium hydroxide		
<u>IATA</u> UN/ID No Proper Shipping Name Hazard Class Packing Group	UN3266 Corrosive liquid, basic, inorganic, n.o.s. (Potassium hydroxide) 8 II		
<u>IMDG</u> UN/ID No Proper Shipping Name Hazard Class Packing Group	UN3266 Corrosive liquid, basic, inorganic, n.o.s. (Potassium hydroxide) 8 II		

### **15. REGULATORY INFORMATION**

# International Inventories

Not Determined

#### Legend:

 TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

 DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

 EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

 ENCS - Japan Existing and New Chemical Substances

 IECSC - China Inventory of Existing Chemical Substances

 KECL - Korean Existing and Evaluated Chemical Substances

 PICCS - Philippines Inventory of Chemicals and Chemical Substances

### US Federal Regulations

### CERCLA

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Potassium hydroxide	1000 lb		RQ 1000 lb final RQ
1310-58-3			RQ 454 kg final RQ

### <u>SARA 313</u>

Not determined

### CWA (Clean Water Act)

Component	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Potassium hydroxide 1310-58-3 (Proprietary)	1000 lb			Х

### US State Regulations

### U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Potassium hydroxide	Х	Х	Х
1310-58-3			

### **16. OTHER INFORMATION**

<u>NFPA</u>	Health Hazards	Flammability	Instability	Special Hazards
<u>HMIS</u>	2	0	0	Not determined
	Health Hazards	<b>Flammability</b>	<b>Physical Hazards</b>	Personal Protection
	3	0	0	Not determined

Issue Date	02-Dec-2003
Revision Date	20-June-2013
Revision Note	New format

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

### End of Safety Data Sheet