



4841-ES
HI-POWER
WASP AND HORNET KILLER

SPECIALTIES FOR MAINTENANCE AND SANITATION SINCE 1947

**KILLS WASPS AND OTHER STINGING INSECTS
INSTANTLY AT A DISTANCE
IN THE NEST . . . OR ON THE FLY!**



NOW! LASTING — RESIDUAL PROTECTION!

HIGHLY EFFECTIVE —
HI-POWER delivers fast paralytic knockdown and kill to ensure freedom from annoying pests. Superior insecticidal agents are the lethal weapons! High performance formula provides residual killing activity that will prevent reinfestation for 2 to 4 weeks.

Net Wt. 14 oz.

**Dielectric Strength
Non-Conducting Up
To 47,300 Volts.
Works Around
High Power.**

KILLS ALL THESE PESTS:
WASPS • BEES
HORNETS
YELLOW JACKETS

PROTECTS your personnel. Guarantees rapid and complete kill. Completely saturates a nest from a distance up to 16 feet instantly.

SOLD IN handy, self-contained aerosol dispensers for the ultimate in convenience and ease of use.


16 Doz. or	8 Doz. or	4 Doz. or
4/48 cases	2/48 cases	1/48 cases

Rev. 7-30-18

Toll Free: 800-238-5150
Local: 901-363-4340
Fax: 901-375-3600

Delta Foremost Chemical Corp.
3915 AIR PARK ST. • P.O. BOX 30310 • MEMPHIS, TENNESSEE 38130-310

Visit our Web Site at:
www.deltaforemost.com





TECHNICAL DATA

FOREMOST 4841-ES HI-POWER WASP & HORNET KILLER

Rev. 7-30-18

DESCRIPTION: An effective synthetic pyrethroid in aerosol for controlling and killing, on contact, wasps and other stinging insects at a distance, in the nest or on the fly. Foremost 4841-ES Hi-Power Wasp & Hornet Killer delivers fast paralytic knockdown and kill. It delivers a jet stream up to 16 ft. range and has a dielectric strength, non-conducting up to 47,300 volts.

APPLICATION: For use in and around hotels, motels, greenhouses and lathouses, food handling establishments, packaging and processing plants, seed houses, commercial, industrial, office, institutional and storage buildings, milk handling areas, cheese and ice cream plants, milk storage rooms, egg processing plants, canneries, flour and feed mills, bakeries, boats, ship cabins, and hospitals. Also for use in buses, automobiles, trucks, boxcars, and ship cargo holds. Also for use in dog kennels and horse stables.

DIRECTIONS: It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Remove protective cap. Aim spray opening away from person. Push button to spray. **FOR HOUSEHOLD AND INDUSTRIAL USE, INDOOR AND AROUND PREMISES.** In hospitals, patients should be removed prior to treatment. Ventilate for 2 hours after treatment. Do not return patients to room until after ventilation. In horse stables, not for application if horses will be used for food. In food handling areas, food should be removed or covered previous to treatment. All food processing surfaces should be covered or thoroughly cleaned before using. Apply only when facility is not in operation.

INDOORS: To kill Wasps, Hornets, Yellow Jackets, Bees - Application should be made late in the evening when insects are at rest. Spray liberally into hiding and breeding places, particularly under rafters, contacting as many insects as possible. Saturate areas in and around nest openings. Repeat as necessary.

OUTDOORS: Apply as a contact spray. Spray directly on insects. Aim spray opening away from person. Avoid spraying plants or turf except to spray infested areas. To kill Wasps, Hornets, Yellow Jackets, Bees - same as directed for indoor use. Aim spray at nest openings in trees, bushes, under eaves, chimneys, cracks and crevices to saturate in and around the nest openings. Contact as many insects as possible. Repeat as necessary.

PRECAUTIONS: HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION—Harmful if swallowed. Contains petroleum distillate. Do not induce vomiting because of aspiration pneumonia hazard. Do not breath vapors or spray mist. Causes slight eye irritation. Do not get in eyes. Avoid contact with skin and clothing. Wash contaminated skin promptly with soap and warm water. Avoid contamination of food and feedstuffs. Do not use in commercial food processing, preparation, food storage or serving areas. In the home, all food processing surfaces and utensils should be covered during treatment, or thoroughly washed before use. Exposed food should be covered or removed. Remove pets, birds, and cover fish aquariums before spraying.

STATEMENT OF PRACTICAL TREATMENT: IF SWALLOWED: Call a physician or Poison Control Center immediately. Do not induce vomiting because of aspiration pneumonia hazard. **IF IN EYES:** Flush with plenty of water. Get medical attention if irritation persists. **IF ON SKIN OR CLOTHING:** Remove contaminated clothing and wash before reuse. Wash skin with soap and warm water. Get medical attention if irritation persists. **IF INHALED:** Remove victim to fresh air. Apply artificial respiration if indicated.

ENVIRONMENTAL HAZARDS—This product is toxic to fish and other aquatic invertebrates. Do not apply directly to water, or to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water by cleaning of equipment or disposal of wastes.

PHYSICAL OR CHEMICAL HAZARDS —Contents under pressure. Keep away from heat, sparks, and open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.