



PRESENTS

SUPER KLEEN

DETERGENT — DEGREASER

*Foam On...
Rinse Off*

FORMULATED
To Help Meet
OSHA
and
ENVIRONMENTAL
REQUIREMENTS

USDA ACCEPTED

Delta Foremost Chemical Corp.

SPECIALTIES FOR MAINTENANCE AND SANITATION SINCE 1947

Delta
Foremost 1553-ES
SUPER KLEEN

**The One Industrial Grime Fighter
 That Out-Muscles Them All!**



**SUPER KLEEN REACHES THOSE
 "HARD TO GET AT" SURFACES
 On Meat and Food Processing
 Equipment**

- **USDA Accepted**
- **Bio-Degradable**
- **Free Rinsing**

**Unsurpassed for breaking up tough grease and
 grime in restaurants. Clinging foam makes short
 work of cleaning vent hoods and vertical surfaces.**

Greasy Ceiling Tiles

Greasy Hoods and Filters



BEFORE



AFTER



BEFORE



AFTER

Speed End-of-Shift Clean-up In:

- Meat Packers**
- Meat Markets**
- Restaurants-Kitchens**
- Food Processing Plants**
- Bakeries**
- Dairies**
- Bottling Plants**
- Institutions**



BEFORE



AFTER

Grime Covered Garbage Cans

Economically Packed in 55 Gallon Drums

Tough Enough for Automotive and Industrial Applications



Simply
"Foam 'n Rinse"
with FM 8357
Econo-Foamer



Easy, Versatile Application...

Super Kleen can be applied by any convenient method: Foamer, Pressure Washer, Steam Cleaner, Immersion, Brush or Mop or Simply Spray On--Wipe or Rinse Off.



TECHNICAL DATA

DESCRIPTION

A concentrated liquid cleaner with alkaline builders, formulated for fast, efficient removal of oil, and grease bonded soils. It contains detergent plus solvent action boosted with emulsifiers and wetting agents combined to deliver fast and thorough cleaning. The foam keeps the cleaning power on the surfaces longer, therefore waste is minimized.

APPLICATION

FOR FOAM APPLICATOR:

1. Place concentrate in foam applicator and dispense with water pressure similar to ordinary spraying.
2. Allow foam solution to remain on surface 2 to 15 minutes.
3. Rinse surface before solution dries.

FOR POWER SPRAY OR STEAMCLEANING:

1. Charge solution tank with one part of Foremost 1553-ES Super Kleen to 5-100 parts water depending on severity of soiling.
2. After cleaning, rinse with clean water.

FOR MANUAL USE:

1. Dilute the concentrate with 5 to 40 parts water, depending on severity of soiling.
2. Apply solution to surface by spray, brush or mop.
3. Agitate if needed, or simply rinse or wipe off.

NOTE: Not recommended for cleaning glass. If incidental contact occurs, rinse immediately with water.

CAUTION ON ALUMINUM: Always dilute with at least 10 parts water. Do not clean in direct sun or on hot surfaces. Do not allow excessive contact time as etching might occur.

PRECAUTIONS

KEEP OUT OF REACH OF CHILDREN: Contains sodium metasilicate and ethylene glycol monobutyl ether. May cause eye and skin irritation. Avoid contact with skin, eyes, and clothing. No irritation is likely following short contact periods with human skin. Prolonged and/or repeated exposure may lead to redness, swelling, or irritation. Do not take internally.

FIRST AID: SKIN: In case of contact, immediately flush with plenty of water. **EYES:** In case of contact, immediately flush with plenty of water for at least 15 minutes. Get medical attention immediately.

Before using this product, read the Safety Data Sheet (SDS) for more detailed information regarding safe handling.

BILINGUAL MATERIAL SAFETY DATA AVAILABLE

**FOR CHEMICAL EMERGENCY CALL:
INFOTRAC 1-800-535-5053**

GSA # GS-07F-9458S

CALL NATIONWIDE 1-800-238-5150

LOCAL 901-363-4340 • FAX 1-800-238-5173

www.deltaforemost.com



Delta Foremost Chemical Corp.

3915 AIR PARK STREET • MEMPHIS, TENNESSEE 38118

