



SAFETY DATA SHEET

Revision Date 9-January-2025

Version 1

1. PRODUCT AND COMPANY IDENTIFICATION

Product Identifier

Product Name Foremost 2042 Penetrating Gel Lube Aerosol

UN/ID No Consumer Commodity
Product Code 2042

Recommended Use of the Chemical and Restrictions on Use

Recommended Use Industrial lubricant.

Details of the Supplier of the Safety Data Sheet

Supplier Address

Delta Foremost Chemical Corporation
3915 Air Park St.
Memphis, Tennessee 38118

Emergency Telephone Number

Company Phone Number (901) 363-4340
Emergency Telephone INFOTRAC 1-352-323-3500 (International)
1-800-535-5053 (North America)

2. HAZARDS IDENTIFICATION

Classification

Aerosols	Category 2
Gases Under Pressure	Liquefied Gas
Aspiration Hazard	Category 1
Eye Irritation	Category 2
Skin Irritation	Category 2
Specific Target Organ Toxicity- Single Exposure (Narcotic Effects)	Category 3

Signal Word

Danger

Hazard Statements

Flammable aerosol, Pressurized container may burst if heated
May be fatal if swallowed and enters airways
Causes serious eye irritation
Causes skin irritation.
May cause drowsiness or dizziness.
May cause respiratory irritation.
Keep out of reach of children.



Appearance Water white gel**Physical State** Liquid**Odor** Solvent**Precautionary Statements - Prevention**

Keep away from heat, hot surfaces, sparks, open flames, and other ignition sources. No smoking.
Avoid release into the environment.
Wear protective gloves, protective clothing, eye protection, and face protection.
Do not spray into and open flame or other ignition source.
Do not pierce or burn, even after use.
Avoid breathing dust, fumes, gas, vapor, mist, or spray.
Use only outdoors or in a well ventilated area.
Wash thoroughly after handling.
Do not handle until all safety precautions have been read and understood.
If medical advice is needed, have product container or label at hand.
Keep out of reach of children.
Read label before use.

Precautionary Statements – Response

If ON SKIN: Wash with plenty of soap and water.
If EXPOSED OR CONCERNED: Get medical advice/ attention.
Specific treatment (see supplemental first aid instructions on this label).
If SKIN IRRITATION OCCURS: Get medical advice/ attention.
Take off contaminated clothing and wash before reuse.
If SWALLOWED: Immediately call a poison control center or physician. Do NOT induce vomiting.
If INHALED: Remove person to fresh air and keep comfortable for breathing. Call a poison control center or doctor/physician if you feel unwell.
If IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
If eye irritation occurs: get medical advice/ attention.
In case of fire: Use water fog, dry chemical, or carbon dioxide to extinguish.

Precautionary Statements - Storage

Store locked up
Protect from sunlight.
Do not expose to temperatures exceeding 50°C/122°F.
Store in a well-ventilated place. Keep cool.

Precautionary Statements - Disposal

Dispose of contents and container in accordance with all local, regional, national, and international regulations.

Hazards Not Otherwise Classified (HNOC)

None.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%
Acetone	67-64-1	Proprietary
Mineral Oil, Petroleum Distillates, Hydrotreated (Mild) Heavy Naphthenic	64742-52-5	Proprietary
N-Heptane	142-82-5	Proprietary
Carbon Dioxide	124-38-9	Proprietary
Mineral Oil	8042-47-5	Proprietary

Product contains a proprietary mixture of ingredients.

4. FIRST AID MEASURES**First Aid Measures****General Advice**

If exposed or concerned: Get medical advice/attention. Provide this SDS to medical personnel for treatment.

Eye Contact	Remove source of exposure or move person to fresh air. Rinse eyes cautiously with lukewarm, gently flowing water for several minutes, while holding the eyelids open. Remove contact lenses, if present and easy to do. Continue rinsing for a duration of 15-20 minutes. Take care not to rinse contaminated water into the unaffected eye or onto the face. If eye irritation persists, get medical advice or attention.
Skin Contact	Immediately remove all contaminated clothing, shoes, and leather goods (e.g. watchbands or belts). Gently blot or brush away excess product. Wash with plenty of lukewarm, gently flowing water for a duration of 15-20 minutes. Call a poison control center or physician of you feel unwell. Store contaminated clothing under water and wash before reuse or discard.
Inhalation	Remove source of exposure or move person to fresh air and keep comfortable for breathing. If exposed, feeling unwell, or concerned; contact a poison control center or physician. Eliminate all ignition sources if safe to do so.
Ingestion	Rinse mouth. Do NOT induce vomiting. Immediately call a poison center or doctor. If vomiting occurs naturally, lie on your side, in the recovery position. Never give anything by mouth to an unconscious or convulsing victim. Keep person warm and quiet.

Most Important Symptoms and Effects, both Acute and Delayed

Symptoms	Defatting of the skin. May cause skin dryness and irritation. May be fatal if swallowed and enters airways. Ingestion may result in nausea, vomiting, and/or diarrhea.
-----------------	--

Indication of any Immediate Medical Attention and Special Treatment Needed

Note to Physicians	Aspiration into the lungs may occur during ingestion or vomiting, causing lung damage.
---------------------------	--

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Foam, alcohol foam, carbon dioxide, dry chemical, water fog.

Unsuitable Extinguishing Media Water may be ineffective but can be used to cool containers exposed to heat or flame.

Specific Hazards Arising from the Chemical

Contents under pressure. Keep away from ignition sources and open flames. Exposure of containers to extreme heat and flames can cause them to rupture often with violent force.

Aerosol cans may rupture when heated.

Heated cans may burst.

In fire, will decompose to carbon dioxide, carbon monoxide.

Protective Equipment and Precautions for Firefighters

Isolate immediate hazard area and keep unauthorized personnel out. Stop spill if it can be done safely. Move undamaged containers from immediate hazard area if it can be done easily. Water spray may be useful in minimizing or dispersing vapors to protect personnel. Dispose of fire debris and contaminated extinguishing water in accordance with official regulations.

Wear protective pressure self-contained breathing apparatus (SCBA) and full turnout gear.

Care should always be exercised in dusty or misty areas.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures

Personal Precautions	Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Use explosion proof equipment. Avoid breathing vapor. Avoid contact with skin, eyes, or clothing. Do not touch damaged containers or spilled materials unless wearing appropriate protective clothing.
-----------------------------	--

Emergency Procedure

Flammable/combustible material.
 Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area).
 Stay upwind; keep out of low areas. Immediately turn off or isolate any source of ignition.
 Keep unnecessary people away; isolate hazard area and deny entry. Do not touch or
 Walk through spilled material. Clean up immediately. Use absorbent sweeping compound
 And put into suitable container for proper disposal.

Methods and Material for Containment and Cleaning Up**Methods for Containment**

Prevent further leakage or spillage if safe to do so. Absorb liquid with sawdust, sand or industrial absorbent. May require excavation of severely contaminated soil.

Methods for Cleaning Up

Sweep up absorbed material and shovel into suitable containers for disposal. Discard any product, residue, disposable container or liner in full compliance with federal, state, and local regulations. For waste disposal, see section 13 of the SDS.

7. HANDLING AND STORAGE

Precautions for Safe Handling**Advice on Safe Handling**

Handle in accordance with good industrial hygiene and safety practice. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Use personal protection recommended in Section 8. Wear eye/face protection. Avoid contact with skin, eyes or clothing. Avoid breathing vapors. Avoid breathing mists. Use only in well-ventilated areas.

Conditions for Safe Storage, Including any Incompatibilities**Storage Conditions**

Keep container tightly closed and store in a cool, dry and well-ventilated place. Keep in properly labeled containers. Store locked up.

Incompatible Materials

None known.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Acetone	TWA: 250 ppm STEL: 500 ppm	TWA: 1000 ppm TWA: 2400 mg/m ³	TWA: 250 ppm TWA: 590 mg/m ³
Carbon Dioxide	TWA: 5000 ppm	TWA: 5000 ppm TWA: 9000 mg/m ³	TWA: 5000 ppm TWA: 9000 mg/m ³
Mineral Oil, Petroleum Distillates, Hydrotreated (Mild) Heavy Naphthenic	-	TWA: 500 ppm TWA: 2000 mg/m ³	-
N-Heptane	TWA: 500 ppm	TWA: 500 ppm TWA: 2000 mg/m ³	TWA: 85 ppm TWA: 350 mg/m ³

Appropriate Engineering Controls**Engineering Controls**

Ventilation must be adequate to maintain the ambient workplace atmosphere below the exposure limit(s) outlined in the SDS. Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of the workday.

Individual Protection Measures, such as Personal Protective Equipment**Eye/Face Protection**

Goggles or face shield. Contact lenses may absorb irritants. Particles may adhere to lenses and cause corneal damage.

Skin and Body Protection	Wear impervious protective clothing, including boots, gloves, lab coat, apron or coveralls, as appropriate, to prevent skin contact. Wear protective Neoprene™ gloves, Rubber gloves.
Respiratory Protection	If engineering controls do not maintain airborne concentrations to a level which is adequate to protect worker, a respiratory protection program that meets or is equivalent to OSHA 29 CFR 1910.134 and ANSI Z88.2 should be followed. Check with respiratory protective equipment suppliers. Wear air-filtering respirators are suitable, select an appropriate combination of mask and filter. Select a filter suitable for combined particulate, organic gases, and vapors. When spraying more than one half can continuously or more than one can consecutively, use NIOSH approved respirator.
General Hygiene Considerations	Handle in accordance with good industrial hygiene and safety practice. Wash hands after use and wash contaminated clothes before reuse.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on Basic Physical and Chemical Properties

Physical State	Liquid	Odor	Solvent
Appearance	Clear gel	Odor Threshold	Not determined
Color	Water white		
Property	Values	Remarks • Method	
pH	Not determined		
Melting Point/Freezing Point	N/A		
Boiling Point/Boiling Range	N/A		
Flash Point	Flash point below 73°F / 23°C		
Evaporation Rate	9.1	(1 = Butyl Acetate)	
Flammability (Solid, Gas)	Not determined		
Upper Flammability Limits	Not determined		
Lower Flammability Limit	Not determined		
Vapor Pressure	2.4 x 10 ⁴ Pa		
Vapor Density	Not determined	(1 = Air)	
Specific Gravity	0.659	(1=Water)	
Water Solubility	Insoluble in water		
Solubility in Other Solvents	Not determined		
Partition Coefficient	Not determined		
Autoignition Temperature	Not determined		
Decomposition Temperature	Not determined		
Kinematic Viscosity	<20.5 cSt (40°C)		
Dynamic Viscosity	Not determined		
Lower Explosive Level	2.5%		
Upper Explosive Level	12.8%		
Oxidizing Properties	Not determined		
VOC	10%		

10. STABILITY AND REACTIVITY

Reactivity

Stable

Chemical Stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Hazardous Polymerization	Hazardous polymerization does not occur.
---------------------------------	--

Conditions to Avoid

Dropping containers may cause bursting.

Avoid heat, sparks, flame, high temperature and contact with incompatible materials.

Incompatible Materials

Avoid strong oxidizers, reducers, acids, and alkalis.

Hazardous Decomposition Products

No data available.

11. TOXICOLOGICAL INFORMATION

Information on Likely Routes of Exposure**Product Information**

Eye Contact	Causes serious eye irritation. Overexposure will cause redness and burning sensation.
Skin Contact	Causes skin irritation. Overexposure will cause defatting of the skin.
Inhalation	Harmful if inhaled.
Ingestion	May be harmful if swallowed.

Information on Physical, Chemical and Toxicological Effects

Symptoms	Please see section 4 of this SDS for symptoms.
-----------------	--

Delayed and Immediate Effects as well as Chronic Effects from Short and Long-term Exposure

Germ Cell Mutagenicity	Based on available data, the classification criteria are not met.
Carcinogenicity	Based on available data, the classification criteria are not met.
Reproductive Toxicity	Based on available data, the classification criteria are not met.
STOT - Single Exposure	May cause drowsiness or dizziness.
Chronic Toxicity	May cause damage to organs through prolonged or repeated exposure.
Aspiration Hazard	May be harmful if swallowed and enters airways.

12. ECOLOGICAL INFORMATION

Ecotoxicity

No data available.

Harmful to aquatic life with long lasting effects.

Component Information

Not Determined

Persistence and Degradability

No data available

Bioaccumulation

No data available

Mobility in Soil

No data available.

Results of the PBT and vPvB Assessment

No data available.

Other Adverse Effects

Not determined

13. DISPOSAL CONSIDERATIONS**Waste Treatment Methods****Disposal of Wastes**

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated Packaging

Disposal should be in accordance with applicable regional, national and local laws and regulations.

14. TRANSPORT INFORMATION**Note**

Please see current shipping paper for most up to date shipping information, including exemptions and special circumstances.

DOT

UN/ID No	UN1950
Proper Shipping Name	Aerosols
Hazard Class	2.1
Packing Group	N/A

IATA

UN/ID No	UN1950
Proper Shipping Name	Aerosols
Hazard Class	2.1
Packing Group	N/A

IMDG

UN/ID No	UN1950
Proper Shipping Name	Aerosols
Hazard Class	2.1
Packing Group	N/A

15. REGULATORY INFORMATION**International Inventories**

Not Determined

Legend:*TSCA - United States Toxic Substances Control Act Section 8(b) Inventory**DSL/NDL - Canadian Domestic Substances List/Non-Domestic Substances List**EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances**ENCS - Japan Existing and New Chemical Substances**IECSC - China Inventory of Existing Chemical Substances**KECL - Korean Existing and Evaluated Chemical Substances*

PICCS - Philippines Inventory of Chemicals and Chemical Substances

CAS	Chemical Name	Regulation List
67-64-1	Acetone	CERCLA, SARA312, TSCA, RCRA, ACGIH, OSHA
64742-52-5	Mineral Oil, Petroleum Distillates, Hydrotreated (Mild) Heavy Naphthenic	SARA312, VOC, TSCA, ACGIH, OSHA
142-85-5	N-Heptane	SARA312, VOC, TSCA, ACGIH, OSHA
124-38-9	Carbon Dioxide	SARA312, TSCA, ACGIH, OSHA
8042-47-5	Mineral Oil	SARA312, TSCA, ACGIH

16. OTHER INFORMATION

NFPA**Health Hazards**

2

Flammability

3

Instability

0

Special Hazards

Not determined

HMIS**Health Hazards**

2

Flammability

4

Physical Hazards

0

Personal Protection

A

Revision Date

9-January-2025

Revision Note

New format

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet