



SAFETY DATA SHEET

Revision Date 15-March-2022

Version 1

1. PRODUCT AND COMPANY IDENTIFICATION

Product Identifier

Product Name Foremost 3349A-ES Concrete Crack Filler, Part A

Product Code 3349A-ES

Recommended Use of the Chemical and Restrictions on Use

Recommended Use Crack Filler

Details of the Supplier of the Safety Data Sheet

Supplier Address

Delta Foremost Chemical Corporation
3915 Air Park St.
Memphis, Tennessee 38118

Emergency Telephone Number

Company Phone Number (901) 363-4340
Emergency Telephone INFOTRAC 1-352-323-3500 (International)
1-800-535-5053 (North America)

2. HAZARDS IDENTIFICATION

Classification

Specific Target Organ Toxicity Repeated Exposure	Category 1
Carcinogen	Category 1A

Signal Word

DANGER

Hazard Statements

Normal precautions common to safe manufacturing practice should be followed in handling and storage.
May cause eye irritation. Non-toxic. May cause cancer by inhalation. Causes damage to lungs through prolonged or repeated exposure by inhalation.



Appearance Dark gray paste

Physical State Liquid

Odor Amide

Precautionary Statements - Prevention

Wear protective clothing/eye protection

Do not breathe dust.

Causes damage to lungs through prolonged or repeated exposure through inhalation.

In case of inadequate ventilation, wear respiratory protection.

Precautionary Statements - Response

IF IN EYES: May cause irritation. Rinse thoroughly with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

If eye irritation persists: Get medical advice/attention

Precautionary Statements - Storage

Keep away from extreme heat. Store below 110°F.

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%
Silica Sand	14808-60-7	Proprietary
Portland Cement	65997-15-1	Proprietary

Product contains a proprietary mixture of ingredients.

4. FIRST AID MEASURES**First Aid Measures**

General Advice	Provide this SDS to medical personnel for treatment.
Eye Contact	Flush with plenty of water for at least 15 minutes.
Skin Contact	No irritation expected.
Inhalation	First aid is not generally required. If irritation develops from breathing dust, move the person from the overexposure and seek medical attention if needed. If the individual is not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. If unconscious, place in a recovery position and get medical attention immediately. Maintain an open airway.
Ingestion	Do NOT induce vomiting. Drink promptly a large quantity of water.

Most Important Symptoms and Effects, both Acute and Delayed

Symptoms	Mild irritation to eyes. May cause respiratory irritation.
----------	--

Indication of any Immediate Medical Attention and Special Treatment Needed

Note to Physicians	Treat symptomatically.
--------------------	------------------------

5. FIRE-FIGHTING MEASURES**Suitable Extinguishing Media**

Foam, carbon dioxide or dry chemical extinguisher, or water.

Unsuitable Extinguishing Media Not determined.

Specific Hazards Arising from the Chemical

Product is not flammable.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures

Personal Precautions	Wear suitable protective equipment.
Environmental Precautions	See Section 12 for additional ecological information.

Methods and Material for Containment and Cleaning Up

Methods for Containment	Prevent further leakage or spillage if safe to do so. Contain and absorb with suitable absorbent for disposal.
Methods for Cleaning Up	Soak up with inert absorbent material. Reclaim spilled material into approved container for proper disposal. For waste disposal, see section 13 of the SDS. Flush area with large amounts of water.

7. HANDLING AND STORAGE

Precautions for Safe Handling

Advice on Safe Handling	Use personal protection recommended in Section 8. Wash face, hands, and any exposed skin thoroughly after handling. Use only in well-ventilated areas. Do not eat, drink or smoke when using this product.
--------------------------------	--

Conditions for Safe Storage, Including any Incompatibilities

Storage Conditions	Keep container tightly closed and store in a cool, dry and well-ventilated place. Store locked up.
Incompatible Materials	None.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Silica Sand 14808-60-7	0.025 mg/m ³ TWA (respirable dust)	0.05 mg/m ³ TWA (respirable dust)	0.05 mg/m ³ TWA (respirable dust)
Portland Cement 65997-15-1	TWA: 1 mg/m ³ 8hours. Form: Respirable fraction	TWA: 5mg/m ³ . 8 hours. Form: Respirable fraction TWA: 15 mg/m ³ . 8 hours. Form: Total dust	TWA: 5 mg/m ³ 10 hours. Form: Respirable fraction TWA: 10 mg/m ³ 10 hours. Form: Total

Appropriate Engineering Controls

Engineering Controls	Ventilation must be adequate to maintain the ambient workplace atmosphere below the exposure limit(s) outlined in the SDS.
-----------------------------	--

Individual Protection Measures, such as Personal Protective Equipment

Eye/Face Protection	None required.
Skin and Body Protection	Wear protective Neoprene™ gloves, Rubber gloves.
Respiratory Protection	Ensure adequate ventilation, especially in confined areas.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on Basic Physical and Chemical Properties

Physical State	Liquid	Odor	Amide
Appearance	Gray paste	Odor Threshold	Not determined
Color	Dark Gray		
Property	Values	Remarks • Method	
pH	Not applicable		
Melting Point/Freezing Point	Not available		
Boiling Point/Boiling Range	100 °C / 212 °F		
Flash Point	Not available		
Evaporation Rate	Not available		
Flammability (Solid, Gas)	Not determined		
Upper Flammability Limits	Not available		
Lower Flammability Limit	Not available		
Vapor Pressure	Same as water		
Vapor Density	Same as water		
Specific Gravity	1.578	(1=Water)	
Water Solubility	Insoluble in water		
Solubility in Other Solvents	Not determined		
Partition Coefficient	Not determined		
Autoignition Temperature	Not determined		
Decomposition Temperature	Not determined		
Kinematic Viscosity	Not determined		
Dynamic Viscosity	Not determined		
Explosive Properties	Not determined		
Oxidizing Properties	Not determined		

10. STABILITY AND REACTIVITY

Reactivity

Not reactive under normal conditions.

Chemical Stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Hazardous Polymerization

Hazardous polymerization does not occur.

Conditions to Avoid

Keep out of reach of children.

Incompatible Materials

None.

Hazardous Decomposition Products

None known based on information supplied.

11. TOXICOLOGICAL INFORMATION

Information on Likely Routes of Exposure

Product Information

Eye Contact	May cause eye irritation.
Skin Contact	No irritation expected.
Inhalation	Inhalation of dust may cause respiratory tract irritation. Symptoms of exposure may include cough, sore throat, nasal congestion, sneezing, wheezing and shortness of breath.
Ingestion	May cause irritation to mouth, throat, and stomach.

Component Information

No acute or chronic toxic effects expected when used according to directions.

Information on Physical, Chemical and Toxicological Effects

Symptoms	Please see section 4 of this SDS for symptoms.
-----------------	--

Delayed and Immediate Effects as well as Chronic Effects from Short and Long-term Exposure

Carcinogenicity	California Proposition 65: Crystalline silica (airborne particles of respirable size) is classified as a substance known to the State of California to be a carcinogen.
------------------------	---

Numerical Measures of Toxicity

Not determined

12. ECOLOGICAL INFORMATION**Ecotoxicity**

There is no specific data available for this product; however, not considered environmentally harmful from normal, expected usage and typical drainage to sewers, septic systems, and treatment plants.

Persistence and Degradability

Not determined

Bioaccumulation

Not determined

Mobility

Not determined

Other Adverse Effects

Not determined

13. DISPOSAL CONSIDERATIONS**Waste Treatment Methods**

Disposal of Wastes	Disposal should be in accordance with applicable regional, national and local laws and regulations.
Contaminated Packaging	Disposal should be in accordance with applicable regional, national and local laws and regulations.

14. TRANSPORT INFORMATION

Note

Please see current shipping paper for most up to date shipping information, including exemptions and special circumstances.

Not classified as a hazardous material.

DOT

Not regulated.

IATA

Not regulated.

IMDG

Not regulated.

15. REGULATORY INFORMATION**International Inventories**

Not Determined

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

US Federal Regulations**CERCLA**

This material contains no Reportable Quantity (RQ) Substances.

SARA 311/312 Hazard Categories

None

SARA 313

None

US State Regulations**U.S. State Right-to-Know Regulations**

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Silica Sand 14808-60-7	X		X
Portland Cement 65997-15-1	X	X	X

California Prop 65

Crystalline silica (airborne particles of respirable size) is classified as a substance known to the State of California to be a carcinogen.

California Inhalation Reference Exposure Level (REL)

California established a chronic non-cancer effect REL of 3µg for silica (crystalline, respirable). A chronic REL is an airborne level of a substance at or below which no non-cancer health effects are anticipated in individuals indefinitely exposed to the substance at that level..

16. OTHER INFORMATION

<u>NFPA</u>	Health Hazards	Flammability	Instability	Special Hazards
	1	0	0	Not determined
<u>HMIS</u>	Health Hazards	Flammability	Physical Hazards	Personal Protection
	1	0	0	Not determined

Revision Date 15-March-2022

Revision Note New format

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet