

SAFETY DATA SHEET

Revision Date 16-July-2020

Version 1

1. PRODUCT AND COMPANY IDENTIFICATION

Product Identifier

Product Name Foremost 4505-ES Sani-Wipes

EPA Registration No. 59894-10-1203 **Product Code** 4505-ES

Recommended Use of the Chemical and Restrictions on Use

Recommended Use Cleaning wipes

Details of the Supplier of the Safety Data Sheet

Supplier Address

Delta Foremost Chemical Corporation 3915 Air Park St.

Memphis, Tennessee 38118

Emergency Telephone Number

Company Phone Number (901) 363-4340

Emergency Telephone INFOTRAC 1-352-323-3500 (International)

1-800-535-5053 (North America)

2. HAZARDS IDENTIFICATION

Classification

Flammable Solids Category 3

Signal Word WARNING

Hazard Statements

Flammable liquid and vapor



Appearance Clear liquid Physical State Liquid / Wipe Odor Alcohol

Precautionary Statements - Prevention

Keep away from heat/sparks/open flames/hot surfaces. — No smoking Keep container tightly closed Ground/bond container and receiving equipment

Use explosion-proof equipment

Use only non-sparking tools

Take precautionary measures against static discharge

Wear protective gloves/protective clothing/eye protection/face protection

If medical advice is needed, have product container or label at hand. Read label before use.

Foremost 4505-ES Sani-Wipes

Revision Date 16-July-2020

Precautionary Statements - Response

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

In case of fire: Use CO2, dry chemical, or foam for extinction

Precautionary Statements - Storage

Store in a well-ventilated place. Keep container tightly closed Store locked up

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%
Isopropyl Alcohol	67-63-0	Proprietary
Alkyl (C12,C14,C16) Dimethylbenzyl Ammonium Chloride	68391-01-5	Proprietary
Alkyl Dimethylethylbenzyl Ammonium Chloride	85409-23-0	Proprietary

Product contains a proprietary mixture of ingredients.

4. FIRST AID MEASURES

First Aid Measures

General Advice Provide this SDS to medical personnel for treatment.

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If

eye irritation persists: Get medical advice/attention.

Skin Contact Wash off immediately with plenty of water for at least 15 minutes. If irritation persists, seek

medical attention.

Inhalation Remove exposed individual(s) to fresh air for 20 minutes. Loosen clothing as necessary

and position individual in a comfortable position. Consult a physician / poison center if

individual's condition declines or if symptoms persist.

Ingestion Immediate medical attention is required. Dilute mouth with water or milk after rinsing.

Induce vomiting if directed to do so by medical personnel.

Most Important Symptoms and Effects, both Acute and Delayed

Symptoms Nausea, dizziness, irritation to skin and/or mucous membranes.

Indication of any Immediate Medical Attention and Special Treatment Needed

Note to Physicians Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Alcohol resistant foam, carbon dioxide, water, or dry chemical.

Unsuitable Extinguishing Media None.

Specific Hazards Arising from the Chemical

Flammable/combustible material. May be ignited by heat, sparks or flames. Vapors may travel to source of ignition and flash back. Container may explode in heat or fire.

Hazardous Combustion Products Carbon monoxide.

Sensitivity to Static Discharge Flammable solid.

Protective Equipment and Precautions for Firefighters

Wear protective eyewear, gloves, and clothing. Refer to Section 8. Ensure adequate ventilation. Avoid contact with skin, eyes, and clothing. Do not inhale gases, fumes, dust, mist, vapor, and aerosols.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures

Personal Precautions ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). In

case of a spill, clear the affected area and protect people. Wear protective clothing as

described in Section 8 of this safety data sheet.

Environmental Precautions Prevent entry into waterways, sewers, basements or confined areas.

Methods and Material for Containment and Cleaning Up

Methods for ContainmentFor small spills, absorb on polypads or other suitable non-reactive absorbent materials. For

large spills, dike far ahead of spill for later disposal. Absorb with materials such as: non-

combustible material, cat litter / sand.

Methods for Cleaning Up

Use clean non-sparking tools to collect absorbed material. Sweep up absorbed material

and shovel into suitable containers for disposal. Discard any product, residue, disposable container or liner in full compliance with federal, state, and local regulations. For waste

disposal, see section 13 of the SDS.

7. HANDLING AND STORAGE

Precautions for Safe Handling

Advice on Safe Handling Handle in accordance with good industrial hygiene and safety practice. Use personal

protection recommended in Section 8. Ensure containers are properly labeled. Keep away from heat/sparks/open flames/hot surfaces. — No smoking. Avoid contact with skin, eyes or clothing. Wash contaminated clothing before reuse. Wash face, hands, and any exposed skin thoroughly after handling. When using do not eat, drink or smoke. Keep containers closed when not in use. Use non-sparking hand tools and explosion-proof electrical equipment. Take precautionary measures against static discharges. Ground all equipment

to prevent buildup of static charge. Avoid broothing vapore or misto

to prevent buildup of static charge. Avoid breathing vapors or mists.

Conditions for Safe Storage, Including any Incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place.

Incompatible Materials Oxidizing materials.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Isopropyl Alcohol	STEL: 400 ppm	TWA: 400 ppm	IDLH: 500 ppm
67-63-0	TWA: 200 ppm	TWA: 980 mg/m ³	IDLH: 1,225 mg/m ³
		STEL: 500 ppm	TWA: 400 ppm
		STEL: 1,225 mg/m ³	TWA: 980 mg/m ³

Appropriate Engineering Controls

Engineering Controls

Ventilation must be adequate to maintain the ambient workplace atmosphere below the

exposure limit(s) outlined in the SDS. Emergency eyewash fountains and safety showers

(1=Water)

should be available in the immediate vicinity of use or handling.

Individual Protection Measures, such as Personal Protective Equipment

Eye/Face Protection Splash goggles or safety glasses.

Skin and Body ProtectionWear impervious protective clothing, including boots, gloves, lab coat, apron or coveralls,

as appropriate, to prevent skin contact.

Respiratory Protection Not required under normal conditions of use. Use suitable respiratory protective device

when high concentrations are present.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice. Wash hands before

breaks and at the end of work. Avoid contact with the eyes and skin.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on Basic Physical and Chemical Properties

Physical StateLiquid / WipeAppearanceClear liquidOdorAlcohol

Color Colorless Odor Threshold Not determined

Property Values Remarks • Method

pH Not determined

Melting Point/Freezing PointBelow -88°CBoiling Point/Boiling RangeApprox. 82°CFlash Point82°F / 27°C

Evaporation Rate 3.0 (butyl acetate = 1)

Flammability (Solid, Gas)
Upper Flammability Limits
Lower Flammability Limit
Vapor Pressure
Flammability Limit
Not determined
Approx. 33 @ 20°C

Approx. 33 @ 20°C @ 39.5°C, 104°F

Vapor Density Not established (Air=1)

Specific Gravity 0.880
Water Solubility Soluble in water

Solubility in Other Solvents Not determined **Partition Coefficient** Loa Pow: 0.05 425.0°C **Autoignition Temperature Decomposition Temperature** Not determined **Kinematic Viscosity** Not determined **Dynamic Viscosity** Not determined **Explosive Properties** Not determined **Oxidizing Properties** Not determined

Revision Date 16-July-2020

10. STABILITY AND REACTIVITY

Reactivity

Not reactive under normal conditions.

Chemical Stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

Flammable. Used empty containers may contain product gases that form explosive mixtures with air.

Hazardous Polymerization Hazardous polymerization does not occur.

Conditions to Avoid

Keep away from oxidizers, heat and open flame.

Incompatible Materials

Oxidizing materials.

Hazardous Decomposition Products

Toxic oxides of carbon, acrid and irritating fumes.

11. TOXICOLOGICAL INFORMATION

Information on Likely Routes of Exposure

Product Information

Eye Contact May cause eye irritation.

Skin Contact Prolonged contact may cause redness and irritation.

Inhalation Over-exposure to vapors could result in upper respiratory tract irritation.

Ingestion Ingestion may cause irritation to mucous membranes.

Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Isopropyl Alcohol	= 5,045 mg/kg (Rat)	= 12,800 mg/kg (Rabbit)	= 16,000 ppm (Rat) 8 h
67-63-0			

Information on Physical, Chemical and Toxicological Effects

Symptoms Please see section 4 of this SDS for symptoms.

Delayed and Immediate Effects as well as Chronic Effects from Short and Long-term Exposure

Carcinogenicity This product does not contain any carcinogens or potential carcinogens as listed by OSHA,

IARC or NTP.

Revision Date 16-July-2020

12. ECOLOGICAL INFORMATION

Ecotoxicity

There is no specific data available for this product; however, very large releases of this product may be harmful or fatal to overexposed aquatic life.

Chemical Name	Algae/aquatic plants	Fish	Toxicity to	Crustacea
			microorganisms	
Isopropyl Alcohol	>2,000: 72 h	9,640: 96 h Pimephales	EC50 = 5,102 mg/L 24 h	-
6763-0	Desmodesmus subspicatus (green algae) mg/L EC50 >1,000: 24 h Algae mg/L EC50	promelas mg/L LC50 static	Daphnia magna (Water flea)	

Persistence and Degradability

Not determined

Bioaccumulation

Not determined

Other Adverse Effects

Isopropanol has acute toxicity with effects of death in animals and low growth rates and death in plants.

Mobility

Aqueous solution has high mobility in soil.

13. DISPOSAL CONSIDERATIONS

Waste Treatment Methods

Disposal of WastesDisposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated Packaging Disposal should be in accordance with applicable regional, national and local laws and

regulations.

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical Name	California Hazardous Waste Status
Isopropyl Alcohol	Ignitable
6763-0	Toxic

14. TRANSPORT INFORMATION

Note Please see current shipping paper for most up to date shipping information, including

exemptions and special circumstances.

<u>DOT</u>

Proper Shipping Name Ltd Qty, Compound, Cleaning Liquid

Hazard Class 550

<u>IATA</u>

Proper Shipping Name Ltd Qty, Compound, Cleaning Liquid

Hazard Class 550

IMDG

Proper Shipping Name Ltd Qty, Compound, Cleaning Liquid

Hazard Class 550

Revision Date 16-July-2020

15. REGULATORY INFORMATION

International Inventories

Not Determined

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

US Federal Regulations

SARA 311/312 Hazard Categories

Fire hazard Yes

SARA 313

The following components are subject to reporting levels established by SARA Title III, Section 313:

Isopropyl Alcohol, CAS No. 67-63-0

US State Regulations

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Isopropyl Alcohol	X	X	X
6763-0			

16. OTHER INFORMATION

NFPA	Health Hazards	Flammability	Instability	Special Hazards
	1	2	0	Not determined
<u>HMIS</u>	Health Hazards	Flammability	Physical Hazards	Personal Protection
<u> </u>	i icaitii i iazai us	i iaiiiiiabiiity	riiysicai nazarus	Personal Protection

Revision Date 16-July-2020 Revision Note New format

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet