



SAFETY DATA SHEET

Revision Date 30-July-2015

Version 1

1. PRODUCT AND COMPANY IDENTIFICATION

Product Identifier

Product Name Foremost 4536-ES Smoke Eater Berry Good

UN/ID No

Product Code 4536-ES

Recommended Use of the Chemical and Restrictions on Use

Recommended Use Air Freshener.

Details of the Supplier of the Safety Data Sheet

Supplier Address

Delta Foremost Chemical Corporation
3915 Air Park St.
Memphis, Tennessee 38118

Emergency Telephone Number

Company Phone Number (901) 363-4340

Emergency Telephone INFOTRAC 1-352-323-3500 (International)
1-800-535-5053 (North America)

2. HAZARDS IDENTIFICATION

Classification

Serious Eye Damage/Eye Irritation	Category 2A
Flammable Aerosols	Category 1
Specific Target Organ Toxicity – Single Exposure	Category 3
Acute toxicity Oral	Category 5

Signal Word

DANGER

Hazard Statements

Causes serious eye irritation
Extremely flammable aerosol, Pressurized container may burst if heated
May cause drowsiness or dizziness
May be harmful if swallowed



Appearance Clear, colorless liquid

Physical State Liquid

Odor Berry

Precautionary Statements - Prevention

Use personal protective equipment as required
Use only outdoors or in a well-ventilated area
Wash face, hands and any exposed skin thoroughly after handling
Keep away from heat/sparks/open flames/hot surfaces. No smoking.
Pressurized container. Do not pierce or burn, even after use.
Protect from sunlight. Do not expose to temperatures exceeding 122°F.
Avoid breathing mist or vapor.

Precautionary Statements - Response

IF exposed or concerned: Get medical advice/attention
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
Get medical attention if irritation occurs
IF ON SKIN: Wash with plenty of soap and water
If skin irritation persists: Get medical advice/attention
Take off contaminated clothing and wash it before reuse
IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician
Do NOT induce vomiting

Precautionary Statements - Storage

Store locked up
Store in a well-ventilated place. Keep container tightly closed
Protect from sunlight. Do not expose to temperatures exceeding 50°C.

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards Not Otherwise Classified (HNOC)

May be harmful if swallowed

Other Hazards

None.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%
Acetone	67-64-1	Proprietary
Propane	74-98-6	Proprietary

Product contains a proprietary mixture of ingredients.

4. FIRST AID MEASURES**First Aid Measures****General Advice**

If exposed or concerned: Get medical advice/attention. Provide this SDS to medical personnel for treatment.

Eye Contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation occurs.

Skin Contact

Flush with water while removing contaminated clothing and shoes before reuse. If irritation persists, get medical attention.

Inhalation	Remove victim to fresh air and provide oxygen if breathing is difficult. Give artificial respiration if not breathing. If symptoms persist, call a physician.
Ingestion	Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth to an unconscious person. Do NOT induce vomiting. Seek medical attention immediately.

Most Important Symptoms and Effects, both Acute and Delayed

Symptoms	May cause drowsiness and dizziness. Headache. Nausea, vomiting. Irritation of the nose and throat. Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision.
-----------------	--

Indication of any Immediate Medical Attention and Special Treatment Needed

Note to Physicians	Treat symptomatically.
---------------------------	------------------------

5. FIRE-FIGHTING MEASURES**Suitable Extinguishing Media**

Dry chemical, foam, or carbon dioxide.

Unsuitable Extinguishing Media Not determined.

Specific Hazards Arising from the Chemical

Contents under pressure. Pressurized container may explode when exposed to heat or flame.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES**Personal Precautions, Protective Equipment and Emergency Procedures**

Personal Precautions	Wear protective clothing as described in Section 8 of this safety data sheet. Avoid contact with skin and eyes and inhalation of vapors.
-----------------------------	--

Methods and Material for Containment and Cleaning Up

Methods for Containment	Prevent further leakage or spillage if safe to do so. Absorb liquid with sawdust, sand or industrial absorbent.
Methods for Cleaning Up	Sweep up absorbed material and shovel into suitable containers for disposal. Discard any product, residue, disposable container or liner in full compliance with federal, state, and local regulations. For waste disposal, see section 13 of the SDS.

7. HANDLING AND STORAGE**Precautions for Safe Handling**

Advice on Safe Handling	Pressurized container. Do not pierce or burn, even after use. Do not use if spray button is missing or defective. Do not spray on a naked flame or any other incandescent material. Do not smoke while using or until sprayed surface is thoroughly dry. Do not cut, weld, solder, drill, grind, or expose containers to heat, flame, sparks, or other sources of ignition. All equipment used when handling the product must be grounded. Ground and bond containers when transferring material. Do not re-use empty containers. Avoid contact with skin, eyes or clothing. Avoid breathing vapors. Avoid breathing mists. Use only in well-ventilated areas. Avoid prolonged exposure. Observe good industrial hygiene practices.
--------------------------------	---

Conditions for Safe Storage, Including any Incompatibilities

Storage Conditions	Keep container tightly closed and store in a cool, dry and well-ventilated place. Keep in properly labeled containers. Store locked up.
Incompatible Materials	Oxidizing agents.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION**Exposure Guidelines**

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Acetone 67-64-1	STEL: 750 ppm TWA: 500 ppm	TWA: 1000 ppm TWA: 2400 mg/m ³ (vacated) TWA: 750 ppm (vacated) TWA: 1800 mg/m ³ (vacated) STEL: 2400 mg/m ³ The acetone STEL does not apply to the cellulose acetate fiber industry. It is in effect for all other sectors (vacated) STEL: 1000 ppm	IDLH: 2500 ppm TWA: 250 ppm TWA: 590 mg/m ³
Propane 74-98-6	-	TWA: 1,000 ppm TWA: 1,800 mg/m ³	TWA: 1,000 ppm TWA: 1,800 mg/m ³

Appropriate Engineering Controls

Engineering Controls	Ventilation must be adequate to maintain the ambient workplace atmosphere below the exposure limit(s) outlined in the SDS.
-----------------------------	--

Individual Protection Measures, such as Personal Protective Equipment

Eye/Face Protection	Goggles or face shield.
Skin and Body Protection	Wear impervious protective clothing, including boots, gloves, lab coat, apron or coveralls, as appropriate, to prevent skin contact. Wear protective Neoprene™ gloves, Rubber gloves.
Respiratory Protection	Use self-contained breathing apparatus if there is a heavy vapor about 300 ppm.
General Hygiene Considerations	Handle in accordance with good industrial hygiene and safety practice. Wash hands after use and wash contaminated clothes before reuse.

9. PHYSICAL AND CHEMICAL PROPERTIES**Information on Basic Physical and Chemical Properties**

Physical State	Liquid / aerosol	Odor	Berry
Appearance	Clear liquid	Odor Threshold	Not determined
Color	Colorless		
Property	Values	Remarks • Method	
pH	Not determined		
Melting Point/Freezing Point	Not determined		
Boiling Point/Boiling Range	132.89°F		
Flash Point	Below 73°F Propellant estimated		
Evaporation Rate	>1		
Flammability (Solid, Gas)	Not determined		
Upper Flammability Limits	9.5%		

Lower Flammability Limit	1.9%	
Vapor Pressure	333.37psig @ 70F estimated	
Vapor Density	Not determined	
Specific Gravity	0.679 estimated	(1=Water)
Water Solubility	Not determined	
Solubility in Other Solvents	Not determined	
Partition Coefficient	Not determined	
Autoignition Temperature	Not determined	
Decomposition Temperature	Not determined	
Kinematic Viscosity	Not determined	
Dynamic Viscosity	Not determined	
Explosive Properties	Not determined	
Oxidizing Properties	Not determined	

10. STABILITY AND REACTIVITY

Reactivity

Not reactive under normal conditions.

Chemical Stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Hazardous Polymerization Hazardous polymerization does not occur.

Conditions to Avoid

Avoid heat, sparks, open flames and other ignition sources.

Incompatible Materials

Acids, oxidizing agents. Nitrates, Fluorine, Chlorine.

Hazardous Decomposition Products

No hazardous decomposition products are known.

11. TOXICOLOGICAL INFORMATION

Information on Likely Routes of Exposure

Product Information

Eye Contact	Causes serious eye irritation.
Skin Contact	No irritation expected.
Inhalation	Prolonged inhalation may be harmful. May cause drowsiness and dizziness. Nausea, vomiting.
Ingestion	Expected to be a low ingestion hazard.

Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Acetone 67-64-1	= 5800 mg/kg (Rat)	>7426mg/kg, 24 Hours (Guinea Pig)	55700ppm, 3 Hours (Rat)
Propane 74-98-6	-	-	= 1,237 mg/L (Mouse) 120 min = 1,355 mg/L (Rat) 4 h

Information on Physical, Chemical and Toxicological Effects

Symptoms Please see section 4 of this SDS for symptoms.

Delayed and Immediate Effects as well as Chronic Effects from Short and Long-term Exposure

Germ Cell Mutagenicity None.

Carcinogenicity None.

STOT - Single Exposure May cause drowsiness or dizziness.

Chronic Toxicity Prolonged inhalation may be harmful.

Aspiration Hazard Not likely.

Numerical Measures of Toxicity

Not determined

12. ECOLOGICAL INFORMATION**Ecotoxicity**

Toxic to aquatic life with long lasting effects.

Component Information

Chemical Name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Acetone 67-64-1		4.74 - 6.33: 96 h Oncorhynchus mykiss mL/L LC50 6210 - 8120: 96 h Pimephales promelas mg/L LC50 static 8300: 96 h Lepomis macrochirus mg/L LC50	EC50 = 14500 mg/L 15 min	10294 - 17704: 48 h Daphnia magna mg/L EC50 Static 12600 - 12700: 48 h Daphnia magna mg/L EC50

Persistence and Degradability

Not determined.

Bioaccumulation

Not determined

Mobility

Chemical Name	Partition Coefficient
Acetone 67-64-1	-0.24
Propane 74-98-6	2.36

Other Adverse Effects

Not determined

13. DISPOSAL CONSIDERATIONS**Waste Treatment Methods**

Disposal of Wastes	Disposal should be in accordance with applicable regional, national and local laws and regulations. Do not puncture, incinerate, or crush.
Contaminated Packaging	Disposal should be in accordance with applicable regional, national and local laws and regulations. Do not puncture, incinerate, or crush.

Chemical Name	RCRA	RCRA - Basis for Listing	RCRA - D Series Wastes	RCRA - U Series Wastes
Acetone 67-64-1		Included in waste stream: F039		U002

14. TRANSPORT INFORMATION

Note Please see current shipping paper for most up to date shipping information, including exemptions and special circumstances.

DOT

UN/ID No Consumer Commodity, ORM-D
 Proper Shipping Name
 Hazard Class
 Packing Group

IATA

UN/ID No Consumer Commodity, ORM-D
 Proper Shipping Name
 Hazard Class
 Packing Group

IMDG

UN/ID No Consumer Commodity, ORM-D
 Proper Shipping Name
 Hazard Class
 Packing Group

15. REGULATORY INFORMATION

International Inventories

Not Determined

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory
DSL/NDL - Canadian Domestic Substances List/Non-Domestic Substances List
EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances
ENCS - Japan Existing and New Chemical Substances
IECSC - China Inventory of Existing Chemical Substances
KECL - Korean Existing and Evaluated Chemical Substances
PICCS - Philippines Inventory of Chemicals and Chemical Substances

US Federal Regulations

CERCLA

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Acetone 67-64-1	5000 lb		RQ 5000 lb final RQ RQ 2270 kg final RQ

SARA 313

Not determined.

CAA (Clean Air Act)

Butane, CAS No. 106-97-8

Propane, CAS No. 74-98-6

US State Regulations**U.S. State Right-to-Know Regulations**

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Acetone 67-64-1	X	X	X
Propane 74-98-6	X	X	X

16. OTHER INFORMATION**NFPA****Health Hazards**

1

Flammability

3

Instability

0

Special Hazards

Not determined

HMIS**Health Hazards**

1

Flammability

3

Physical Hazards

0

Personal Protection

Not determined

Revision Date

30-July-2015

Revision Note

New format

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet