

SAFETY DATA SHEET

Revision Date 17-Oct-2023

Version 1

1. PRODUCT AND COMPANY IDENTIFICATION

Product Identifier

Product Name Foremost 4571-ES Bombs Away TR Air Freshener

UN/ID No

Product Code 4571-ES

Recommended Use of the Chemical and Restrictions on Use

Recommended Use Air Freshener.

Details of the Supplier of the Safety Data Sheet

Supplier Address

Delta Foremost Chemical Corporation 3915 Air Park St.

Memphis, Tennessee 38118

Emergency Telephone Number

Company Phone Number (901) 363-4340

Emergency Telephone INFOTRAC 1-352-323-3500 (International)

1-800-535-5053 (North America)

2. HAZARDS IDENTIFICATION

Classification

Aerosols	Category 1
Gases Under Pressure	Liquefied Gas
Eye Irritation	Category 2
Skin Sensitizer	Category 1
Specific Target Organ Toxicity- Single Exposure	Category 3

Signal Word DANGER

Hazard Statements

Extremely flammable aerosol.

Contains gas under pressure; may explode if heated.

Causes serious eye irritation.

May cause an allergic skin reaction.

May cause drowsiness or dizziness.

If medical advice is needed, have product container or label at hand.

Keep out of reach of children.

Read label before use.



Appearance Clear, light yellow liquid

Physical State Liquid

Odor Citrus creme

Precautionary Statements - Prevention

Use personal protective equipment as required

Use only outdoors or in a well-ventilated area

Wash face, hands and any exposed skin thoroughly after handling

Keep away from heat/sparks/open flames/hot surfaces. No smoking.

Pressurized container. Do not pierce or burn, even after use.

Protect from sunlight. Do not expose to temperatures exceeding 122°F.

Avoid breathing mist or vapor.

Keep away from heat, hot surfaces, sparks, open flames, and other ignition sources. No smoking.

Do not spray on an open flame or other ignition source.

Do not pierce or burn, even after use.

Wash hands thoroughly after handling.

Wear protective gloves, eye protection, and face protection.

Precautionary Statements - Response

IF exposed or concerned: Get medical advice/attention

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

Get medical attention if irritation occurs

IF ON SKIN: Wash with plenty of soap and water

If skin irritation persists: Get medical advice/attention

Take off contaminated clothing and wash it before reuse

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician

Do NOT induce vomiting

Precautionary Statements - Storage

Store locked up

Store in a well-ventilated place. Keep container tightly closed

Protect from sunlight. Do not expose to temperatures exceeding 50°C.

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards Not Otherwise Classified (HNOC)

May be harmful if swallowed

Other Hazards

None.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%
Acetone	67-64-1	Proprietary
Propane	74-98-6	Proprietary
D-limonene	5989-27-5	Proprietary
Fragrance	Mixture	Proprietary

Product contains a proprietary mixture of ingredients.

4. FIRST AID MEASURES

First Aid Measures

General Advice If exposed or concerned: Get medical advice/attention. Provide this SDS to medical

personnel for treatment.

Eye Contact IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. Get medical attention if irritation occurs.

Skin Contact Flush with water while removing contaminated clothing and shoes before reuse. If irritation

persists, get medical attention.

Inhalation Remove victim to fresh air and provide oxygen if breathing is difficult. Give artificial

respiration if not breathing. If symptoms persist, call a physician.

Ingestion Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth

to an unconscious person. Do NOT induce vomiting. Seek medical attention immediately.

Most Important Symptoms and Effects, both Acute and Delayed

Symptoms May cause drowsiness and dizziness. Headache. Nausea, vomiting. Irritation of the nose

and throat. Severe eye irritation. Symptoms may include stinging, tearing, redness,

swelling, and blurred vision.

Indication of any Immediate Medical Attention and Special Treatment Needed

Note to Physicians Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Dry chemical, foam, or carbon dioxide.

Unsuitable Extinguishing Media Not determined.

Specific Hazards Arising from the Chemical

Contents under pressure. Pressurized container may explode when exposed to heat or flame.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures

Personal Precautions Wear protective clothing as described in Section 8 of this safety data sheet. Avoid contact

with skin and eyes and inhalation of vapors.

Methods and Material for Containment and Cleaning Up

Methods for Containment Prevent further leakage or spillage if safe to do so. Absorb liquid with sawdust, sand or

industrial absorbent.

Methods for Cleaning Up Sweep up absorbed material and shovel into suitable containers for disposal. Discard any

product, residue, disposable container or liner in full compliance with federal, state, and

local regulations. For waste disposal, see section 13 of the SDS.

7. HANDLING AND STORAGE

Precautions for Safe Handling

Advice on Safe Handling Pressurized container. Do not pierce or burn, even after use. Do not use if spray button is

missing or defective. Do not spray on a naked flame or any other incandescent material. Do not smoke while using or until sprayed surface is thoroughly dray. Do not cut, weld, solder, drill, grind, or expose containers to heat, flame, sparks, or other sources of ignition. All equipment used when handling the product must be grounded. Ground and bond containers when transferring material. Do not re-use empty containers. Avoid contact with skin, eyes or clothing. Avoid breathing vapors. Avoid breathing mists. Use only in well-ventilated areas. Avoid prolonged exposure. Observe good industrial hygiene practices.

Conditions for Safe Storage, Including any Incompatibilities

Storage Conditions Keep container tightly closed and store in a cool, dry and well-ventilated place. Keep in

properly labeled containers. Store locked up.

Incompatible Materials Oxidizing agents.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Acetone	STEL: 750 ppm	TWA: 1000 ppm	IDLH: 2500 ppm
67-64-1	TWA: 500 ppm	TWA: 2400 mg/m ³	TWA: 250 ppm
		(vacated) TWA: 750 ppm	TWA: 590 mg/m ³
		(vacated) TWA: 1800 mg/m ³	_
		(vacated) STEL: 2400 mg/m ³	
		The acetone STEL does not apply	
		to the cellulose acetate fiber	
		industry. It is in effect for all other	
		sectors	
		(vacated) STEL: 1000 ppm	
Propane	TWA:: 1000 ppm	TWA: 1000 ppm	-
74-98-6			

Appropriate Engineering Controls

Engineering Controls Ventilation must be adequate to maintain the ambient workplace atmosphere below the

exposure limit(s) outlined in the SDS.

Individual Protection Measures, such as Personal Protective Equipment

Eye/Face Protection Goggles or face shield.

Skin and Body ProtectionWear impervious protective clothing, including boots, gloves, lab coat, apron or coveralls,

as appropriate, to prevent skin contact. Wear protective Neoprene™ gloves, Rubber

gloves.

Respiratory ProtectionUse self-contained breathing apparatus if there is a heavy vapor about 300 ppm.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice. Wash hands after

use and wash contaminated clothes before reuse.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on Basic Physical and Chemical Properties

Physical State Liquid / aerosol

Foremost 4571-ES Bombs Away TR Air Freshener

Revision Date 17-Oct-2023

Clear liquid Odor Orange **Appearance**

Color Light Yellow **Odor Threshold** Not determined

Remarks • Method **Property Values**

Not determined Not determined **Melting Point/Freezing Point Boiling Point/Boiling Range** Not determined

Flash Point Below 73°F Propellant estimated

Evaporation Rate Not determined Flammability (Solid, Gas) Not determined **Upper Flammability Limits** Not determined **Lower Flammability Limit** Not determined **Vapor Pressure** Not determined **Vapor Density** Not determined **Specific Gravity** 0.77 estimated

(1=Water)

Water Solubility Not determined **Solubility in Other Solvents** Not determined **Partition Coefficient** Not determined **Autoignition Temperature** Not determined **Decomposition Temperature** Not determined **Kinematic Viscosity** Not determined **Dvnamic Viscosity** Not determined **Explosive Properties** Not determined **Oxidizing Properties** Not determined

10. STABILITY AND REACTIVITY

Reactivity

Not reactive under normal conditions.

Chemical Stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Hazardous Polymerization Hazardous polymerization does not occur.

Conditions to Avoid

Avoid heat, sparks, open flames and other ignition sources.

Incompatible Materials

Acids, oxidizing agents. Nitrates, Fluorine, Chlorine.

Hazardous Decomposition Products

No hazardous decomposition products are known.

11. TOXICOLOGICAL INFORMATION

Information on Likely Routes of Exposure

Product Information

Eye Contact Causes serious eye irritation.

Skin Contact No irritation expected.

Inhalation Prolonged inhalation may be harmful. May cause drowsiness and dizziness. Nausea,

vomiting.

Ingestion

Expected to be a low ingestion hazard.

Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Acetone	= 5800 mg/kg (Rat)	>7426mg/kg, 24 Hours (Guinea Pig)	55700ppm, 3 Hours (Rat)
67-64-1			

Information on Physical, Chemical and Toxicological Effects

Symptoms Please see section 4 of this SDS for symptoms.

Delayed and Immediate Effects as well as Chronic Effects from Short and Long-term Exposure

Germ Cell Mutagenicity None.

Carcinogenicity None.

STOT - Single Exposure May cause drowsiness or dizziness.

Chronic Toxicity Prolonged inhalation may be harmful.

Aspiration Hazard Not likely.

Numerical Measures of Toxicity

Not determined

12. ECOLOGICAL INFORMATION

Ecotoxicity

Toxic to aquatic life with long lasting effects.

Component Information

Chemical Name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Acetone		4.74 - 6.33: 96 h	EC50 = 14500 mg/L 15 min	10294 - 17704: 48 h Daphnia
67-64-1		Oncorhynchus mykiss mL/L		magna mg/L EC50 Static
		LC50 6210 - 8120: 96 h		12600 - 12700: 48 h Daphnia
		Pimephales promelas mg/L		magna mg/L EC50
		LC50 static 8300: 96 h		
		Lepomis macrochirus mg/L		
		LC50		

Persistence and Degradability

Not determined.

Bioaccumulation

Not determined

Mobility

No data available.

Other Adverse Effects

Not determined

13. DISPOSAL CONSIDERATIONS

Waste Treatment Methods

Disposal of WastesDisposal should be in accordance with applicable regional, national and local laws and

regulations. Do not puncture, incinerate, or crush.

Contaminated Packaging Disposal should be in accordance with applicable regional, national and local laws and

regulations. Do not puncture, incinerate, or crush.

Chemical Name	RCRA	RCRA - Basis for Listing	RCRA - D Series Wastes	RCRA - U Series Wastes
Acetone		Included in waste stream:		U002
67-64-1		F039		

14. TRANSPORT INFORMATION

Note Please see current shipping paper for most up to date shipping information, including

exemptions and special circumstances.

DOT

UN/ID No UN1950
Proper Shipping Name Aerosols
Hazard Class 2.1
Packing Group N/A

IATA

UN/ID No UN1950
Proper Shipping Name Aerosols
Hazard Class 2.1
Packing Group N/A

IMDG

UN/ID NoUN1950Proper Shipping NameAerosolsHazard Class2.1Packing GroupN/A

15. REGULATORY INFORMATION

TSCA STATUS: All chemicals are listed or exempt.

CERCLA (COMPREHENSIVE RESPONSE COMPENSATION, AND LIABILITY ACT): Acetone (67-64-1) Reportable Quantity = 5,000 pounds.

SARA 311/312 HAZARD CATEGORIES: Flammable (gases, aerosols, liquids, solids). Gas under pressure. Serious eye damage or eye irritation. Respiratory or skin sensitization. Specific target organ toxicity (single or repeated exposure).

SARA 313 REPORTABLE INGREDIENTS: This product does not contain any chemical components with known CAS numbers that exceed the threshold (de minimis) reporting levels established by SARA Title III, Section 313.

CLEAN WATER ACT: Acetone (67-64-1) is a hazardous substance.

STATE REGULATIONS: California Proposition 65: This product does not contain chemicals regulated by California Proposition 65.

Acetona (67, 64, 1): Included on State Hazardous Substances Inventories. Bight to Know lists and/or Air

Acetone (67-64-1): Included on State Hazardous Substances Inventories, Right-to-Know lists and/or Air Quality or Air Pollutants lists for the following states: CA, DE, ID, ME, MA, MN, NJ, PA, RI, WA.

INTERNATIONAL REGULATIONS: No information available.

16. OTHER INFORMATION				
NFPA	Health Hazards	Flammability	Instability	Special Hazards
	1	3	0	Not determined
<u>HMIS</u>	Health Hazards	Flammability	Physical Hazards	Personal Protection
	1	3	0	В
Revision Date	17-Oct-	2023		
Revision Note	New for	rmat		

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet