



# SAFETY DATA SHEET

Revision Date 3-Nov-2022

Version 1

## 1. PRODUCT AND COMPANY IDENTIFICATION

### Product Identifier

**Product Name** Foremost 536-ES Brake & Clutch Cleaner Aerosol  
UN1950

**UN/ID No**

**Product Code** 536-ES

### Recommended Use of the Chemical and Restrictions on Use

**Recommended Use** Industrial cleaner.

### Details of the Supplier of the Safety Data Sheet

#### **Supplier Address**

Delta Foremost Chemical Corporation  
3915 Air Park St.  
Memphis, Tennessee 38118

#### **Emergency Telephone Number**

**Company Phone Number** (901) 363-4340  
**Emergency Telephone** INFOTRAC 1-352-323-3500 (International)  
1-800-535-5053 (North America)

## 2. HAZARDS IDENTIFICATION

### Classification

Skin Corrosion/Irritation	Category 2
Serious Eye Damage/Eye Irritation	Category 2A
Compressed Gas	Category 3
Germ Cell Mutagenicity	Category 2
Carcinogenicity	Category 1
Specific Target Organ Toxicity – Single Exposure	Category 3

### Signal Word

**DANGER**

### Hazard Statements

Causes skin irritation  
Causes serious eye irritation  
Contains gas under pressure; may explode if heated  
May cause drowsiness or dizziness  
Suspected of causing genetic defects  
May cause cancer



**Appearance** Clear, colorless liquid**Physical State** Liquid**Odor** Solvent**Precautionary Statements - Prevention**

Use personal protective equipment as required  
 Use only outdoors or in a well-ventilated area  
 Wash face, hands and any exposed skin thoroughly after handling  
 Do not spray on an open flame or other ignition source  
 Pressurized container. Do not pierce or burn, even after use.  
 Obtain special instructions before use  
 Do not handle until all safety precautions have been read and understood

**Precautionary Statements - Response**

IF exposed or concerned: Get medical advice/attention  
 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing  
 Get medical attention if irritation occurs  
 IF ON SKIN: Wash with plenty of soap and water  
 If skin irritation persists: Get medical advice/attention  
 Take off contaminated clothing and wash it before reuse  
 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing  
 IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician  
 Do NOT induce vomiting

**Precautionary Statements - Storage**

Store locked up  
 Store in a well-ventilated place. Keep container tightly closed  
 Protect from sunlight. Do not expose to temperatures exceeding 50°C.

**Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

**Hazards Not Otherwise Classified (HNOC)**

May be harmful if swallowed

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%
Trichloroethylene	79-01-6	Proprietary
Carbon Dioxide	124-38-9	Proprietary
Isopropyl Alcohol	67-63-0	Proprietary

Product contains a proprietary mixture of ingredients.

### 4. FIRST AID MEASURES

**First Aid Measures**

<b>General Advice</b>	If exposed or concerned: Get medical advice/attention. Provide this SDS to medical personnel for treatment.
<b>Eye Contact</b>	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation occurs.
<b>Skin Contact</b>	Flush with water while removing contaminated clothing and shoes before reuse. If irritation persists, get medical attention.
<b>Inhalation</b>	Remove victim to fresh air and provide oxygen if breathing is difficult. Give artificial respiration if not breathing. If symptoms persist, call a physician.

**Ingestion** Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth to an unconscious person. Do NOT induce vomiting. Seek medical attention immediately.

### **Most Important Symptoms and Effects, both Acute and Delayed**

**Symptoms** Liquid in eyes can cause pain and irritation. Corneal injury likely. May cause skin and eye irritation. Ingestion may result in irritation of mouth and gastrointestinal tract. Vomiting may cause chemical pneumonia. Overexposure by inhalation can cause irritation of the respiratory tract and adverse effects on the central nervous system. High concentrations or prolonged exposure can cause unconsciousness and death.

### **Indication of any Immediate Medical Attention and Special Treatment Needed**

**Note to Physicians** Treat symptomatically.

## **5. FIRE-FIGHTING MEASURES**

### **Suitable Extinguishing Media**

Water

**Unsuitable Extinguishing Media** Not determined.

### **Specific Hazards Arising from the Chemical**

Contents under pressure. Pressurized container may explode when exposed to heat or flame.

### **Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

## **6. ACCIDENTAL RELEASE MEASURES**

### **Personal Precautions, Protective Equipment and Emergency Procedures**

**Personal Precautions** Wear protective clothing as described in Section 8 of this safety data sheet. Avoid contact with skin and eyes and inhalation of vapors.

### **Methods and Material for Containment and Cleaning Up**

**Methods for Containment** Prevent further leakage or spillage if safe to do so. Absorb liquid with sawdust, sand or industrial absorbent.

**Methods for Cleaning Up** Sweep up absorbed material and shovel into suitable containers for disposal. Discard any product, residue, disposable container or liner in full compliance with federal, state, and local regulations. For waste disposal, see section 13 of the SDS.

## **7. HANDLING AND STORAGE**

### **Precautions for Safe Handling**

**Advice on Safe Handling** Pressurized container. Do not pierce or burn, even after use. Do not use if spray button is missing or defective. Do not spray on a naked flame or any other incandescent material. Do not smoke while using or until sprayed surface is thoroughly dry. Do not cut, weld, solder, drill, grind, or expose containers to heat, flame, sparks, or other sources of ignition. All equipment used when handling the product must be grounded. Ground and bond containers when transferring material. Do not re-use empty containers. Avoid contact with skin, eyes or clothing. Avoid breathing vapors. Avoid breathing mists. Use only in well-ventilated areas. Avoid prolonged exposure. Observe good industrial hygiene practices.

**Conditions for Safe Storage, Including any Incompatibilities**

<b>Storage Conditions</b>	Keep container tightly closed and store in a cool, dry and well-ventilated place. Keep in properly labeled containers. Store locked up.
<b>Incompatible Materials</b>	Oxidizing agents.

**8. EXPOSURE CONTROLS/PERSONAL PROTECTION****Exposure Guidelines**

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Trichloroethylene 79-01-6	STEL: 25 ppm TWA: 10 ppm	TWA: 100 ppm (vacated) TWA: 50 ppm (vacated) TWA: 270 mg/m <sup>3</sup> (vacated) STEL: 200 ppm (vacated) STEL: 1080 mg/m <sup>3</sup> Ceiling: 200 ppm	IDLH: 1000 ppm
Isopropyl Alcohol 6763-0	STEL: 400 ppm TWA: 200 ppm	TWA: 400 ppm TWA: 980 mg/m <sup>3</sup> STEL: 500 ppm STEL: 1,225 mg/m <sup>3</sup>	IDLH: 500 ppm IDLH: 1,225 mg/m <sup>3</sup> TWA: 400 ppm TWA: 980 mg/m <sup>3</sup>
Carbon Dioxide 124-38-9	STEL: 30,000 ppm TWA: 5,000 ppm	TWA: 9,000 mg/m <sup>3</sup>	STEL: 54,000 mg/m <sup>3</sup> STEL: 30,000 ppm TWA: 5,000 ppm

**Appropriate Engineering Controls**

<b>Engineering Controls</b>	Ventilation must be adequate to maintain the ambient workplace atmosphere below the exposure limit(s) outlined in the SDS.
-----------------------------	--

**Individual Protection Measures, such as Personal Protective Equipment**

<b>Eye/Face Protection</b>	Goggles or face shield.
<b>Skin and Body Protection</b>	Wear impervious protective clothing, including boots, gloves, lab coat, apron or coveralls, as appropriate, to prevent skin contact. Wear protective Neoprene™ gloves, Rubber gloves.
<b>Respiratory Protection</b>	Use self-contained breathing apparatus if there is a heavy vapor about 300 ppm.
<b>General Hygiene Considerations</b>	Handle in accordance with good industrial hygiene and safety practice. Wash hands after use and wash contaminated clothes before reuse.

**9. PHYSICAL AND CHEMICAL PROPERTIES****Information on Basic Physical and Chemical Properties**

<b>Physical State</b>	Liquid / aerosol	<b>Odor</b>	Solvent
<b>Appearance</b>	Clear liquid	<b>Odor Threshold</b>	Not determined
<b>Color</b>	Colorless		
<b>Property</b>	<b>Values</b>	<b>Remarks • Method</b>	
pH	Not determined		
Melting Point/Freezing Point	Not determined		
Boiling Point/Boiling Range	87 °C / 189 °F		
Flash Point	Not determined		
Evaporation Rate	Not established		
Flammability (Solid, Gas)	Not determined		
Upper Flammability Limits	Not applicable		
Lower Flammability Limit	Not determined		

<b>Vapor Pressure</b>	55 – 75 psig	
<b>Vapor Density</b>	Not established	
<b>Specific Gravity</b>	1.447	(1=Water)
<b>Water Solubility</b>	Soluble in water	
<b>Solubility in Other Solvents</b>	Not determined	
<b>Partition Coefficient</b>	Not determined	
<b>Autoignition Temperature</b>	Not determined	
<b>Decomposition Temperature</b>	Not determined	
<b>Kinematic Viscosity</b>	Not determined	
<b>Dynamic Viscosity</b>	Not determined	
<b>Explosive Properties</b>	Not determined	
<b>Oxidizing Properties</b>	Not determined	

## 10. STABILITY AND REACTIVITY

### Reactivity

Not reactive under normal conditions.

### Chemical Stability

Stable under recommended storage conditions.

### Possibility of Hazardous Reactions

None under normal processing.

**Hazardous Polymerization**      Hazardous polymerization does not occur.

### Conditions to Avoid

Avoid heat, sparks, open flames and other ignition sources.

### Incompatible Materials

Acids, oxidizing agents.

### Hazardous Decomposition Products

No hazardous decomposition products are known.

## 11. TOXICOLOGICAL INFORMATION

### Information on Likely Routes of Exposure

#### Product Information

<b>Eye Contact</b>	Causes serious eye irritation.
<b>Skin Contact</b>	Causes skin irritation.
<b>Inhalation</b>	Prolonged inhalation may be harmful.
<b>Ingestion</b>	Expected to be a low ingestion hazard.

### Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Trichloroethylene 79-01-6	= 4290 mg/kg ( Rat )	> 20 g/kg ( Rabbit )	= 8000 ppm ( Rat ) 4 h = 26300 ppm ( Rat ) 1 h
Isopropyl Alcohol 6763-0	= 5,045 mg/kg ( Rat )	= 12,800 mg/kg ( Rabbit )	= 16,000 ppm ( Rat ) 8 h

### Information on Physical, Chemical and Toxicological Effects

**Symptoms** Please see section 4 of this SDS for symptoms.

### **Delayed and Immediate Effects as well as Chronic Effects from Short and Long-term Exposure**

**Germ Cell Mutagenicity** Suspected of causing genetic defects.

**Carcinogenicity** May cause cancer. Potential cancer hazard.

**STOT - Single Exposure** May cause drowsiness or dizziness.

**Chronic Toxicity** Prolonged inhalation may be harmful.

**Aspiration Hazard** Not likely.

### **Numerical Measures of Toxicity**

Not determined

## **12. ECOLOGICAL INFORMATION**

### **Ecotoxicity**

This product is not classified as environmentally hazardous.

### **Component Information**

Chemical Name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Trichloroethylene 79-01-6	450: 96 h Desmodesmus subspicatus mg/L EC50 175: 96 h Pseudokirchneriella subcapitata mg/L EC50	31.4 - 71.8: 96 h Pimephales promelas mg/L LC50 flow-through 39 - 54: 96 h Lepomis macrochirus mg/L LC50 static	EC50 = 0.81 mg/L 24 h EC50 = 115 mg/L 10 min EC50 = 190 mg/L 15 min EC50 = 235 mg/L 24 h EC50 = 410 mg/L 24 h EC50 = 975 mg/L 5 min	2.2: 48 h Daphnia magna mg/L EC50
Isopropyl Alcohol 6763-0	>2,000: 72 h Desmodesmus subspicatus (green algae) mg/L EC50 >1,000: 24 h Algae mg/L EC50	9,640: 96 h Pimephales promelas mg/L LC50 static	EC50 = 5,102 mg/L 24 h Daphnia magna (Water flea)	-

### **Persistence and Degradability**

Not determined

### **Bioaccumulation**

Not determined

### **Mobility**

Chemical Name	Partition Coefficient
Trichloroethylene 79-01-6	2.29
Isopropyl Alcohol 6763-0	0.05

### **Other Adverse Effects**

Not determined

## **13. DISPOSAL CONSIDERATIONS**

### **Waste Treatment Methods**

**Disposal of Wastes** Disposal should be in accordance with applicable regional, national and local laws and regulations. Do not puncture, incinerate, or crush.

**Contaminated Packaging** Disposal should be in accordance with applicable regional, national and local laws and regulations. Do not puncture, incinerate, or crush.

Chemical Name	RCRA	RCRA - Basis for Listing	RCRA - D Series Wastes	RCRA - U Series Wastes
Trichloroethylene 79-01-6	U228	Included in waste streams: F001, F002, F024, F025, F039, K018, K019, K020	0.5 mg/L regulatory level	U228

**14. TRANSPORT INFORMATION**

**Note** Please see current shipping paper for most up to date shipping information, including exemptions and special circumstances.

**DOT**

UN/ID No UN1950  
 Proper Shipping Name Aerosols  
 Hazard Class 2.2  
 Packing Group N/A

**IATA**

UN/ID No UN1950  
 Proper Shipping Name Aerosols  
 Hazard Class 2.2  
 Packing Group N/A

**IMDG**

UN/ID No UN1950  
 Proper Shipping Name Aerosols  
 Hazard Class 2.2  
 Packing Group N/A

**15. REGULATORY INFORMATION**

**International Inventories**

Not Determined

**Legend:**

- TSCA - United States Toxic Substances Control Act Section 8(b) Inventory*
- DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List*
- EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances*
- ENCS - Japan Existing and New Chemical Substances*
- IECSC - China Inventory of Existing Chemical Substances*
- KECL - Korean Existing and Evaluated Chemical Substances*
- PICCS - Philippines Inventory of Chemicals and Chemical Substances*

**US Federal Regulations**

**CERCLA**

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Trichloroethylene 79-01-6	100 lb 1 lb		RQ 100 lb final RQ RQ 45.4 kg final RQ RQ 1 lb final RQ RQ 0.454 kg final RQ

**SARA 313**

Chemical Name	CAS No	Weight-%	SARA 313 - Threshold Values %
Trichloroethylene	79-01-6	Proprietary	0.1

**CWA (Clean Water Act)**

Component	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Trichloroethylene 79-01-6	100 lb	X	X	X

**US State Regulations**

**California Proposition 65**

This product contains the following Proposition 65 chemicals.

Chemical Name	California Proposition 65
Trichloroethylene 79-01-6	Carcinogen

**U.S. State Right-to-Know Regulations**

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Trichloroethylene 79-01-6	X	X	X
Isopropyl Alcohol 6763-0	X	X	X
Carbon Dioxide 124-38-9	X	X	X

**16. OTHER INFORMATION**

<b>NFPA</b>	<b>Health Hazards</b>	<b>Flammability</b>	<b>Instability</b>	<b>Special Hazards</b>
	2	0	1	Not determined
<b>HMIS</b>	<b>Health Hazards</b>	<b>Flammability</b>	<b>Physical Hazards</b>	<b>Personal Protection</b>
	2	0	1	Not determined

Revision Date 3-Nov-2022  
 Revision Note New format

**Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**