

SAFETY DATA SHEET

Revision Date 7-Feb-2024

Version 1

1. PRODUCT AND COMPANY IDENTIFICATION

Product Identifier

Product Name Foremost 540-ES Shinola - Watermelon

UN/ID No

Product Code 540-ES

Recommended Use of the Chemical and Restrictions on Use

Recommended Use Aerosol surface protector and restorer

Details of the Supplier of the Safety Data Sheet

Supplier Address

Delta Foremost Chemical Corporation 3915 Air Park St.

Memphis, Tennessee 38118

Emergency Telephone Number

Company Phone Number (901) 363-4340

Emergency Telephone INFOTRAC 1-352-323-3500 (International)

1-800-535-5053 (North America)

2. HAZARDS IDENTIFICATION

Classification

Aspiration Hazard	Category 1
Flammable Aerosols	Category 1
Gases Under Pressure	Liquefied Gas
Eye Irritation	Category 2
Skin Sensitizer	Category 2
Specific Target Organ Toxicity- Single Exposure	Category 3

Signal Word DANGER

Hazard Statements

Keep out of reach of children.

Read label and SDS before use.

Extremely flammable aerosol.

Contains gas under pressure; may explode if heated.

May be fatal if swallowed and enters airways.

May cause drowsiness or dizziness.

Causes skin irritation.

Causes serious eye irritation.

Appearance Clear, Colorless liquid

Physical State Liquid

Odor Watermelon

Precautionary Statements - Prevention

Avoid breathing mist/spray.

Use only outdoors or in a well-ventilated area.

Keep away from heat, sparks, open flames, and hot surfaces. No smoking.

Do not spray on an open flame or other ignition source.

Pressurized container: Do not pierce or burn, even after use.

Wash hands thoroughly after handling.

Wear protective gloves.

Wear eye protection.

Precautionary Statements - Response

IF exposed or concerned: Get medical advice/attention

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If eye irritation persists: Get medical attention.

IF ON SKIN: Wash with plenty of soap and water.

If skin irritation occurs get medical attention.

Take off contaminated clothing and wash it before reuse.

IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a poison center or a doctor if you feel unwell.

IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. Do NOT induce vomiting

Precautionary Statements - Storage

Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F.

Store in a well-ventilated place.

Store locked up.

Precautionary Statements - Disposal

Dispose of contents and container in accordance with all local, regional, and national regulations.

Hazards Not Otherwise Classified (HNOC)

Not applicable.

Other Hazards

None.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%
Heptane	142-82-5	Proprietary
Propane	74-98-6	Proprietary
Butane	106-97-8	Proprietary

Product contains a proprietary mixture of ingredients.

4. FIRST AID MEASURES

First Aid Measures

General Advice Extremely flammable. Contents under pressure. Harmful or fatal if swallowed. Aspiration

hazard if swallowed. Vapor harmful. Keep away from heat and flame. Can cause nervous

system depression.

Eye Contact IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. If eye irritation persists: Get medical attention.

Skin ContactWash with plenty of soap and water. If skin irritation or rash occurs get medical attention.

Take off contaminated clothing and wash it before reuse.

Inhalation Remove person to fresh air and keep comfortable for breathing. Call a poison center or a

doctor if you feel unwell.

Ingestion Harmful or fatal if swallowed. Seek medical attention immediately. Aspiration hazard - this

material can enter lungs during swallowing or vomiting and cause lung inflammation and

damage.

Most Important Symptoms and Effects, both Acute and Delayed

Symptoms May cause drowsiness and dizziness. Headache. Nausea, vomiting. Irritation of the nose

and throat. Severe eye irritation. Symptoms may include stinging, tearing, redness,

swelling, and blurred vision.

Indication of any Immediate Medical Attention and Special Treatment Needed

Note to Physicians Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Use water spray, fog, or foam.

Unsuitable Extinguishing Media Not determined.

Specific Hazards Arising from the Chemical

Flammable aerosol. In a fire or if heated, a pressure increase will occur and the container may burst, with the risk of subsequent explosion. Gas may accumulate in low or confined areas or travel a considerable distance to a source of ignition and flash back, causing fire or explosion. Bursting aerosol containers may be propelled from a fire at high speed. Runoff to sewer may create fire or explosion hazard. Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Move containers from fire area, if this can be done without risk. Use water spray to keep fire-exposed containers cool.

Protective Equipment and Precautions for Firefighters

Firefighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in a positive pressure mode.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures

Personal Precautions Put on appropriate personal protective equipment (see Section 8).

Methods and Material for Containment and Cleaning Up

Methods for Containment & Clean Up

Stop all leaks. Isolate hazard area. Keep unnecessary and unprotected personnel from entering. Eliminate all ignition sources. Disperse

vapors with water spray. Prevent runoff from entering drains, sewers, streams, or other

bodies of water. Absorb spill with inert material. Absorb

unrecoverable product. Transfer contaminated absorbent, soil, and other materials to

containers for disposal.

7. HANDLING AND STORAGE

Precautions for Safe Handling

Advice on Safe Handling Do not use or store near heat, sparks, or open flame. Exposure to temperatures above

120°F may cause bursting. Do not puncture or incinerate container. Store in a cool, dry place. Do not get in eyes, on skin, or on clothing. Intentional misuse by deliberately concentrating and inhaling may be harmful or fatal. Keep out of reach of children.

Conditions for Safe Storage, Including any Incompatibilities

Storage Conditions Keep container tightly closed and store in a cool, dry and well-ventilated place. Keep in

properly labeled containers. Store locked up.

Incompatible Materials Oxidizing agents.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Butane 106-97-8	1000 ppm	-	-
Heptane 142-82-5	50 ppm	50 ppm	-
Propane 74-98-6	1000 ppm	-	-

Appropriate Engineering Controls

Engineering Controls Good general ventilation required.

Individual Protection Measures, such as Personal Protective Equipment

Eye/Face Protection Wear safety glasses or goggles.

Skin and Body Protection To prevent repeated or prolonged contact, wear impervious gloves (made from rubber,

nitrile, or neoprene).

Respiratory Protection When respiratory protection is required use an organic vapor cartridge. A respiratory

program that meets OSHA's 29 CFR 1910.34 & ANSI Z88.2 requirements must be

followed.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice. Wash hands after

use and wash contaminated clothes before reuse.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on Basic Physical and Chemical Properties

Physical State Liquid / aerosol

AppearanceClear liquidOdorWatermelonColorColorlessOdor ThresholdNot determined

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

Not determined pН **Melting Point/Freezing Point** Not determined Boiling Point/Boiling Range Not determined **Flash Point** <0 F (liquid portion) **Evaporation Rate** Not determined Flammability (Solid, Gas) Not determined **Upper Flammability Limits** Not determined **Lower Flammability Limit** Not determined **Vapor Pressure** Not determined **Vapor Density** Not determined

Specific Gravity 0.8 (1=Water)

Water Solubility Insoluble **Solubility in Other Solvents** Not determined **Partition Coefficient** Not determined **Autoignition Temperature** Not determined **Decomposition Temperature** Not determined **Kinematic Viscosity** Not determined **Dynamic Viscosity** Not determined **Explosive Properties** Not determined **Oxidizing Properties** Not determined

VOC Content (Wt %) 87

10. STABILITY AND REACTIVITY

Reactivity

Under normal conditions of storage and use, hazardous reactions will not occur.

Chemical Stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Hazardous Polymerization Hazardous polymerization does not occur.

Conditions to Avoid

High temperatures, open flames, sparks, welding.

Incompatible Materials

Acids and strong oxidizers.

Hazardous Decomposition Products

CO, CO2.

*Vapors may ignite at temperatures exceeding flash point

11. TOXICOLOGICAL INFORMATION

Information on Likely Routes of Exposure

Product Information

Eye Contact: May cause serious eye irritation. Symptoms include stinging, tearing and redness.

Skin Contact May cause skin irritation. Prolonged or repeated contact may dry the skin. Symptoms may

include redness, burning, drying of skin, and skin burns.

Inhalation : High vapor/aerosol concentrations (>1000 ppm) are irritating to the eyes and respiratory

tract. May cause headaches, dizziness, anesthesia, drowsiness, unconsciousness, and other central nervous system effects, including death. May cause peripheral nervous

system disorder and/or damage.

Ingestion Harmful or fatal if swallowed. Aspiration hazard - this material can enter lungs during

swallowing or vomiting and cause lung inflammation and damage.

Information on Physical, Chemical and Toxicological Effects

Symptoms Please see section 4 of this SDS for symptoms.

Delayed and Immediate Effects as well as Chronic Effects from Short and Long-term Exposure

Germ Cell Mutagenicity None.

Carcinogenicity This material is not listed as a carcinogen by IARC, NTP, or OSHA.

STOT - Single Exposure May cause drowsiness or dizziness.

Chronic Toxicity Reports have associated repeated and prolonged occupational overexposure to solvents

with permanent brain and nervous system damage.

Signs and Symptoms of Overexposure:

Signs and symptoms of overexposure to this material through breathing, swallowing, and/or passage of material through the skin may include: stomach or intestinal upset (nausea vomiting, diarrhea) irritation (nose, throat, airways), central nervous system depression (dizziness, drowsiness, weakness, fatigue, nausea, headache, unconsciousness).

Aspiration Hazard Not likely.

Numerical Measures of Toxicity

Not determined

12. ECOLOGICAL INFORMATION

Ecotoxicity

Not available.

Persistence and Degradability

Not determined.

Bioaccumulation

Not determined

Mobility

No data available.

Other Adverse Effects

Not determined

13. DISPOSAL CONSIDERATIONS

Waste Treatment Methods

Disposal of Wastes Waste must be disposed of in accordance with federal, state, and local environmental

control regulations. See label for further instructions.

Contaminated Packaging Waste must be disposed of in accordance with federal, state, and local environmental

control regulations. See label for further instructions.

14. TRANSPORT INFORMATION

Note Please see current shipping paper for most up to date shipping information, including

exemptions and special circumstances.

DOT

UN/ID No UN1950
Proper Shipping Name Aerosols
Hazard Class 2.1
Packing Group N/A

<u>IATA</u>

UN/ID No UN1950
Proper Shipping Name Aerosols
Hazard Class 2.1
Packing Group N/A

IMDG

UN/ID No UN1950
Proper Shipping Name Aerosols
Hazard Class 2.1
Packing Group N/A

15. REGULATORY INFORMATION

If identified components of this product are **CERCLA** hazardous substances and/or listed under **Sections 302, 304, or 313 of Title III** of the Superfund Amendments and Reauthorization Act (SARA) of 1986 (also known as EPCRA, the Emergency Planning and Community Right-To-Know Act), or under **California Proposition 65** (Safe Drinking Water and Toxic Enforcement Act), they are listed above in Section 15 of this SDS.

If identified components of this product are listed under Section 313, this product contains toxic chemicals subject to the reporting requirements of Section 313. This information must be included in all SDS that are copied and distributed for this material.

Title III Section 311/312:

Hazardous Categories - 40 CFR 370.2:

ACUTE (X) Chronic (X) Fire (X) Pressure (X) Reactive () Not Applicable ()

T.S.C.A. Status:

All chemical substances found in this product comply with the Toxic Substances Control Act inventory reporting requirements.

RCRA Status:

Under RCRA, it is the responsibility of the product user to determine at the time of disposal, whether a material containing the product or derived from the product should be classified as a hazardous waste. If this product becomes hazardous waste it would be assigned RCRA Code(s): D001

16. OTHER INFORMATION

<u>NFPA</u>	Health Hazards	Flammability	Instability	Special Hazards
<u>HMIS</u>	1 Health Hazards	3 Flammability	0 Physical Hazards	Not determined Personal Protection
THINO	1	3	0	В

Revision Date 7-Feb-2024 Revision Note New format

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet