

# SAFETY DATA SHEET

# Revision Date 28-May-2015

Version 1

# **1. PRODUCT AND COMPANY IDENTIFICATION**

Product Identifier Product Name

Foremost 573-ES Deo Mist (Very Berry) Aerosol UN1950

UN/ID No Product Code

573-ES

Recommended Use of the Chemical and Restrictions on Use Recommended Use Air Freshener.

Details of the Supplier of the Safety Data Sheet Supplier Address Delta Foremost Chemical Corporation 3915 Air Park St. Memphis, Tennessee 38118

Emergency Telephone Number Company Phone Number Emergency Telephone

(901) 363-4340 INFOTRAC 1-352-323-3500 (International) 1-800-535-5053 (North America)

2. HAZARDS IDENTIFICATION

# **Classification**

Serious Eye Damage/Eye Irritation	Category 2A
Flammable Aerosols	Category 1
Specific Target Organ Toxicity – Single Exposure	Category 3

## Signal Word DANGER

## Hazard Statements

Causes serious eye irritation Extremely flammable aerosol May cause drowsiness or dizziness



Appearance Clear, colorless liquid

Physical State Liquid

Odor Berry

## Precautionary Statements - Prevention

Use personal protective equipment as required Use only outdoors or in a well-ventilated area Wash face, hands and any exposed skin thoroughly after handling Keep away from heat/sparks/open flames/hot surfaces. No smoking. Keep container tightly closed. Do not spray on an open flame or other ignition source Pressurized container. Do not pierce or burn, even after use. Protect from sunlight. Do not expose to temperatures exceeding 122°F. Avoid breathing mist or vapor.

## Precautionary Statements - Response

IF exposed or concerned: Get medical advice/attention IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Get medical attention if irritation occurs IF ON SKIN: Wash with plenty of soap and water If skin irritation persists: Get medical advice/attention Take off contaminated clothing and wash it before reuse IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician Do NOT induce vomiting

# Precautionary Statements - Storage

Store locked up Store in a well-ventilated place. Keep container tightly closed Protect from sunlight. Do not expose to temperatures exceeding 50°C.

#### **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

# Hazards Not Otherwise Classified (HNOC)

May be harmful if swallowed

Other Hazards

None.

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%
Acetone	67-64-1	Proprietary
Butane	106-97-8	Proprietary
Propane	74-98-6	Proprietary

Product contains a proprietary mixture of ingredients.

# 4. FIRST AID MEASURES

#### First Aid Measures

General Advice	If exposed or concerned: Get medical advice/attention. Provide this SDS to medical personnel for treatment.
Eye Contact	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation occurs.

Skin Contact	Flush with water while removing contaminated clothing and shoes before reuse. If irritation persists, get medical attention.
Inhalation	Remove victim to fresh air and provide oxygen if breathing is difficult. Give artificial respiration if not breathing. If symptoms persist, call a physician.
Ingestion	Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth to an unconscious person. Do NOT induce vomiting. Seek medical attention immediately.
Most Important Symptoms	and Effects, both Acute and Delayed

Symptoms Liquid in eyes can cause pain and irritation. Corneal injury likely. May cause skin and eye irritation. Ingestion may result in irritation of mouth and gastrointestinal tract. Vomiting may cause chemical pneumonia. Overexposure by inhalation can cause irritation of the respiratory tract and adverse effects on the central nervous system. High concentrations or prolonged exposure can cause unconsciousness and death.

#### Indication of any Immediate Medical Attention and Special Treatment Needed

**Note to Physicians** Treat symptomatically.

# 5. FIRE-FIGHTING MEASURES

## Suitable Extinguishing Media

Dry chemical, foam, or carbon dioxide.

# Unsuitable Extinguishing Media Not determined.

#### Specific Hazards Arising from the Chemical

Contents under pressure. Pressurized container may explode when exposed to heat or flame.

## Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

# 6. ACCIDENTAL RELEASE MEASURES

## Personal Precautions, Protective Equipment and Emergency Procedures

**Personal Precautions** Wear protective clothing as described in Section 8 of this safety data sheet. Avoid contact with skin and eyes and inhalation of vapors.

## Methods and Material for Containment and Cleaning Up

Methods for Containment	Prevent further leakage or spillage if safe to do so. Absorb liquid with sawdust, sand or industrial absorbent.
Methods for Cleaning Up	Sweep up absorbed material and shovel into suitable containers for disposal. Discard any product, residue, disposable container or liner in full compliance with federal, state, and local regulations. For waste disposal, see section 13 of the SDS.

# 7. HANDLING AND STORAGE

## **Precautions for Safe Handling**

Advice on Safe Handling Pressurized container. Do not pierce or burn, even after use. Do not use if spray button is missing or defective. Do not spray on a naked flame or any other incandescent material. Do not smoke while using or until sprayed surface is thoroughly dray. Do not cut, weld, solder, drill, grind, or expose containers to heat, flame, sparks, or other sources of ignition. All equipment used when handling the product must be grounded. Ground and bond containers when transferring material. Do not re-use empty containers. Avoid contact with skin, eyes or clothing. Avoid breathing vapors. Avoid breathing mists. Use only in wellventilated areas. Avoid prolonged exposure. Observe good industrial hygiene practices.

## Conditions for Safe Storage, Including any Incompatibilities

Storage ConditionsKeep container tightly closed and store in a cool, dry and well-ventilated place. Keep in<br/>properly labeled containers. Store locked up.

# Incompatible Materials Oxidizing agents.

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Acetone	STEL: 750 ppm	TWA: 1000 ppm	IDLH: 2500 ppm
67-64-1	TWA: 500 ppm	TWA: 2400 mg/m <sup>3</sup>	TWA: 250 ppm
		(vacated) TWA: 750 ppm	TWA: 590 mg/m <sup>3</sup>
		(vacated) TWA: 1800 mg/m <sup>3</sup>	-
		(vacated) STEL: 2400 mg/m <sup>3</sup>	
		The acetone STEL does not apply	
		to the cellulose acetate fiber	
		industry. It is in effect for all other	
		sectors	
		(vacated) STEL: 1000 ppm	
Butane	STEL: 1,000 ppm	-	TWA: 800 ppm
106-97-8			TWA: 1,900 mg/m <sup>3</sup>
Propane	-	TWA: 1,000 ppm	TWA: 1,000 ppm
74-98-6		TWA: 1,800 mg/m <sup>3</sup>	TWA: 1,800 mg/m <sup>3</sup>

# Appropriate Engineering Controls

**Engineering Controls** Ventilation must be adequate to maintain the ambient workplace atmosphere below the exposure limit(s) outlined in the SDS.

#### Individual Protection Measures, such as Personal Protective Equipment

Eye/Face Protection	Goggles or face shield.
Skin and Body Protection	Wear impervious protective clothing, including boots, gloves, lab coat, apron or coveralls, as appropriate, to prevent skin contact. Wear protective Neoprene™ gloves, Rubber gloves.
Respiratory Protection	Use self-contained breathing apparatus if there is a heavy vapor about 300 ppm.
General Hygiene Consideratior	Is Handle in accordance with good industrial hygiene and safety practice. Wash hands after use and wash contaminated clothes before reuse.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

### Information on Basic Physical and Chemical Properties

Physical State Appearance Color	Liquid / aerosol Clear liquid Colorless	Odor Odor Threshold	Berry Not determined
Property pH Melting Point/Freezing Point Boiling Point/Boiling Range Flash Point Evaporation Rate Flammability (Solid, Gas) Upper Flammability Limits Lower Flammability Limit Vapor Pressure Vapor Density Specific Gravity Water Solubility Solubility in Other Solvents Partition Coefficient Autoignition Temperature Decomposition Temperature Kinematic Viscosity Explosive Properties	ValuesNot determinedNot determined133°FNot determined>1Not determined9.5%1.9%Not determinedNot determined0.148Insoluble in waterNot determinedNot determined	Remarks • Method	
Oxidizing Properties	Not determined		

# **10. STABILITY AND REACTIVITY**

#### **Reactivity**

Not reactive under normal conditions.

#### **Chemical Stability**

Stable under recommended storage conditions.

# Possibility of Hazardous Reactions

None under normal processing.

# Hazardous Polymerization Hazardous polymerization does not occur.

## Conditions to Avoid

Avoid heat, sparks, open flames and other ignition sources.

# Incompatible Materials

Acids, oxidizing agents.

# Hazardous Decomposition Products

No hazardous decomposition products are known.

11. TOXICOLOGICAL INFORMATION

# Information on Likely Routes of Exposure

#### **Product Information**

**Eye Contact** 

Causes serious eye irritation.

Skin Contact	No irritation expected.
Inhalation	May cause drowsiness or dizziness.
Ingestion	Expected to be a low ingestion hazard.

# **Component Information**

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Acetone 67-64-1	= 5800 mg/kg (Rat)	-	-
Butane 106-97-8	= 1,658 mg/kg (Rat)	-	= 1,355 mg/L (Rat)2 h
Propane 74-98-6	-	-	= 1,237 mg/L(Mouse)120 min = 1,355 mg/L(Rat)4 h

# Information on Physical, Chemical and Toxicological Effects

# Delayed and Immediate Effects as well as Chronic Effects from Short and Long-term Exposure

Germ Cell Mutagenicity	None.
Carcinogenicity	None.
STOT - Single Exposure	May cause drowsiness or dizziness.
Chronic Toxicity	Prolonged inhalation may be harmful.
Aspiration Hazard	Not likely.

# **Numerical Measures of Toxicity**

Not determined

# 12. ECOLOGICAL INFORMATION

# **Ecotoxicity**

Toxic to aquatic life with long lasting effects.

# **Component Information**

Chemical Name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Acetone 67-64-1		4.74 - 6.33: 96 h Oncorhynchus mykiss mL/L LC50 6210 - 8120: 96 h Pimephales promelas mg/L LC50 static 8300: 96 h Lepomis macrochirus mg/L LC50	EC50 = 14500 mg/L 15 min	10294 - 17704: 48 h Daphnia magna mg/L EC50 Static 12600 - 12700: 48 h Daphnia magna mg/L EC50

# Persistence and Degradability

Not determined.

# **Bioaccumulation**

Not determined

U002

# Mobility

Chemical Name	Partition Coefficient
Acetone 67-64-1	-0.24
Butane 106-97-8	2.89
Propane 74-98-6	2.36

# **Other Adverse Effects**

Acetone

67-64-1

Not determined

13. DISPOSAL CONSIDERATIONS				
Waste Treatment Methods	<u>5</u>			
Disposal of Wastes	Disposal should be in accordance with applicable regional, national and local laws and regulations. Do not puncture, incinerate, or crush.			
<b>Contaminated Packaging</b> Disposal should be in accordance with applicable regional, national and local law regulations. Do not puncture, incinerate, or crush.			al and local laws and	
Chemical Name	RCRA	RCRA - Basis for Listing	RCRA - D Series Wastes	RCRA - U Series Wastes

# **14. TRANSPORT INFORMATION**

Included in waste stream:

F039

<u>Note</u>	Please see current shipping paper for most up to date shipping information, including exemptions and special circumstances.
<u>DOT</u> UN/ID No Proper Shipping Name Hazard Class Packing Group	UN1950 Aerosols 2.1 N/A
IATA UN/ID No Proper Shipping Name Hazard Class Packing Group	UN1950 Aerosols 2.1 N/A
IMDG UN/ID No Proper Shipping Name Hazard Class Packing Group	UN1950 Aerosols 2.1 N/A

# **15. REGULATORY INFORMATION**

#### **International Inventories**

Not Determined

#### Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

## **US Federal Regulations**

## **CERCLA**

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Acetone	5000 lb		RQ 5000 lb final RQ
67-64-1			RQ 2270 kg final RQ

## SARA 313

Not determined.

#### CAA (Clean Air Act)

Butane, CAS No. 106-97-8 Propane, CAS No. 74-98-6

#### US State Regulations

## U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Acetone 67-64-1	Х	X	X
Butane 106-97-8	Х	X	Х
Propane 74-98-6	Х	X	X

16. OTHER INFORMATION				
<u>NFPA</u>	Health Hazards	Flammability	Instability 0	Special Hazards Not determined
<u>HMIS</u>	Health Hazards	Flammability 3	<b>Physical Hazards</b> 0	Personal Protection Not determined
Revision Date Revision Note	28-May-2015 New format			

# **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

#### End of Safety Data Sheet