



SAFETY DATA SHEET

Revision Date 18-Aug-2023

Version 1

1. PRODUCT AND COMPANY IDENTIFICATION

Product Identifier

Product Name Foremost 587-ES Lectro-Solv Aerosol
UN1950

UN/ID No

Product Code 587-ES

Recommended Use of the Chemical and Restrictions on Use

Recommended Use Industrial cleaner.

Details of the Supplier of the Safety Data Sheet

Supplier Address

Delta Foremost Chemical Corporation
3915 Air Park St.
Memphis, Tennessee 38118

Emergency Telephone Number

Company Phone Number (901) 363-4340
Emergency Telephone INFOTRAC 1-352-323-3500 (International)
1-800-535-5053 (North America)

2. HAZARDS IDENTIFICATION

Classification

Skin Corrosion/Irritation	Category 2
Serious Eye Damage/Eye Irritation	Category 2
Compressed Gas	Category 3
Germ Cell Mutagenicity	Category 2
Carcinogenicity	Category 1
Specific Target Organ Toxicity – Single Exposure	Category 3

Signal Word

DANGER

Hazard Statements

Causes skin irritation
Causes serious eye irritation
Contains gas under pressure; may explode if heated
May cause drowsiness or dizziness
Suspected of causing genetic defects
May cause cancer



Appearance Clear, colorless liquid**Physical State** Liquid**Odor** Solvent**Precautionary Statements - Prevention**

Use personal protective equipment as required
 Use only outdoors or in a well-ventilated area
 Wash face, hands and any exposed skin thoroughly after handling
 Do not spray on an open flame or other ignition source
 Pressurized container. Do not pierce or burn, even after use.
 Obtain special instructions before use
 Do not handle until all safety precautions have been read and understood

Precautionary Statements - Response

IF exposed or concerned: Get medical advice/attention
 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
 Get medical attention if irritation occurs
 IF ON SKIN: Wash with plenty of soap and water
 If skin irritation persists: Get medical advice/attention
 Take off contaminated clothing and wash it before reuse
 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
 IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician
 Do NOT induce vomiting

Precautionary Statements - Storage

Store locked up
 Store in a well-ventilated place. Keep container tightly closed
 Protect from sunlight. Do not expose to temperatures exceeding 50°C.

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards Not Otherwise Classified (HNOC)

May be harmful if swallowed

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%
Trichloroethylene	79-01-6	Proprietary
Carbon Dioxide	124-38-9	Proprietary

Product contains a proprietary mixture of ingredients.

4. FIRST AID MEASURES

First Aid Measures

General Advice	If exposed or concerned: Get medical advice/attention. Provide this SDS to medical personnel for treatment.
Eye Contact	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation occurs.
Skin Contact	Flush with water while removing contaminated clothing and shoes before reuse. If irritation persists, get medical attention.
Inhalation	Remove victim to fresh air and provide oxygen if breathing is difficult. Give artificial respiration if not breathing. If symptoms persist, call a physician.

Ingestion	Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth to an unconscious person. Do NOT induce vomiting. Seek medical attention immediately.
------------------	---

Most Important Symptoms and Effects, both Acute and Delayed

Symptoms	Liquid in eyes can cause pain and irritation. Corneal injury likely. May cause skin and eye irritation. Ingestion may result in irritation of mouth and gastrointestinal tract. Vomiting may cause chemical pneumonia. Overexposure by inhalation can cause irritation of the respiratory tract and adverse effects on the central nervous system. High concentrations or prolonged exposure can cause unconsciousness and death.
-----------------	---

Indication of any Immediate Medical Attention and Special Treatment Needed

Note to Physicians	Treat symptomatically.
---------------------------	------------------------

5. FIRE-FIGHTING MEASURES**Suitable Extinguishing Media**

Water

Unsuitable Extinguishing Media Not determined.**Specific Hazards Arising from the Chemical**

Contents under pressure. Pressurized container may explode when exposed to heat or flame.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES**Personal Precautions, Protective Equipment and Emergency Procedures**

Personal Precautions	Wear protective clothing as described in Section 8 of this safety data sheet. Avoid contact with skin and eyes and inhalation of vapors.
-----------------------------	--

Methods and Material for Containment and Cleaning Up

Methods for Containment	Prevent further leakage or spillage if safe to do so. Absorb liquid with sawdust, sand or industrial absorbent.
--------------------------------	---

Methods for Cleaning Up	Sweep up absorbed material and shovel into suitable containers for disposal. Discard any product, residue, disposable container or liner in full compliance with federal, state, and local regulations. For waste disposal, see section 13 of the SDS.
--------------------------------	--

7. HANDLING AND STORAGE**Precautions for Safe Handling**

Advice on Safe Handling	Pressurized container. Do not pierce or burn, even after use. Do not use if spray button is missing or defective. Do not spray on a naked flame or any other incandescent material. Do not smoke while using or until sprayed surface is thoroughly dry. Do not cut, weld, solder, drill, grind, or expose containers to heat, flame, sparks, or other sources of ignition. All equipment used when handling the product must be grounded. Ground and bond containers when transferring material. Do not re-use empty containers. Avoid contact with skin, eyes or clothing. Avoid breathing vapors. Avoid breathing mists. Use only in well-ventilated areas. Avoid prolonged exposure. Observe good industrial hygiene practices.
--------------------------------	---

Conditions for Safe Storage, Including any Incompatibilities

Storage Conditions Keep container tightly closed and store in a cool, dry and well-ventilated place. Keep in properly labeled containers. Store locked up.

Incompatible Materials Oxidizing agents.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Trichloroethylene 79-01-6	STEL: 25 ppm TWA: 10 ppm	TWA: 100 ppm (vacated) TWA: 50 ppm (vacated) TWA: 270 mg/m ³ (vacated) STEL: 200 ppm (vacated) STEL: 1080 mg/m ³ Ceiling: 200 ppm	IDLH: 1000 ppm
Carbon Dioxide 124-38-9	STEL: 30,000 ppm TWA: 5,000 ppm	TWA: 9,000 mg/m ³	STEL: 54,000 mg/m ³ STEL: 30,000 ppm TWA: 5,000 ppm

Appropriate Engineering Controls

Engineering Controls Ventilation must be adequate to maintain the ambient workplace atmosphere below the exposure limit(s) outlined in the SDS.

Individual Protection Measures, such as Personal Protective Equipment

Eye/Face Protection Goggles or face shield.

Skin and Body Protection Wear impervious protective clothing, including boots, gloves, lab coat, apron or coveralls, as appropriate, to prevent skin contact. Wear protective Neoprene™ gloves, Rubber gloves.

Respiratory Protection Use self-contained breathing apparatus if there is a heavy vapor about 300 ppm.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice. Wash hands after use and wash contaminated clothes before reuse.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on Basic Physical and Chemical Properties

Physical State Liquid / aerosol
Appearance Clear liquid
Color Colorless

Odor Solvent
Odor Threshold Not determined

Property	Values	Remarks • Method
pH	Not determined	
Melting Point/Freezing Point	Not determined	
Boiling Point/Boiling Range	Not determined	
Flash Point	Not determined	
Evaporation Rate	Not established	
Flammability (Solid, Gas)	Not determined	
Upper Flammability Limits	Not applicable	
Lower Flammability Limit	Not determined	
Vapor Pressure	Not determined	
Vapor Density	Not established	
Specific Gravity	1.462	(1=Water)

Water Solubility	Soluble in water
Solubility in Other Solvents	Not determined
Partition Coefficient	Not determined
Autoignition Temperature	Not determined
Decomposition Temperature	Not determined
Kinematic Viscosity	Not determined
Dynamic Viscosity	Not determined
Explosive Properties	Not determined
Oxidizing Properties	Not determined
Density VOC	11.93 lb/gal
% VOC	97.75%

10. STABILITY AND REACTIVITY

Reactivity

Not reactive under normal conditions.

Chemical Stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Hazardous Polymerization Hazardous polymerization does not occur.

Conditions to Avoid

Avoid heat, sparks, open flames and other ignition sources.

Incompatible Materials

Acids, oxidizing agents.

Hazardous Decomposition Products

No hazardous decomposition products are known.

11. TOXICOLOGICAL INFORMATION

Information on Likely Routes of Exposure

Product Information

Eye Contact	Causes serious eye irritation.
Skin Contact	Causes skin irritation.
Inhalation	Prolonged inhalation may be harmful.
Ingestion	Expected to be a low ingestion hazard.

Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Trichloroethylene 79-01-6	= 4290 mg/kg (Rat)	> 20 g/kg (Rabbit)	= 8000 ppm (Rat) 4 h = 26300 ppm (Rat) 1 h

Information on Physical, Chemical and Toxicological Effects

Symptoms Please see section 4 of this SDS for symptoms.

Delayed and Immediate Effects as well as Chronic Effects from Short and Long-term Exposure

Germ Cell Mutagenicity	Suspected of causing genetic defects.
Carcinogenicity	May cause cancer. Potential cancer hazard.
STOT - Single Exposure	May cause drowsiness or dizziness.
Chronic Toxicity	Prolonged inhalation may be harmful.
Aspiration Hazard	Not likely.

Numerical Measures of Toxicity

Not determined

12. ECOLOGICAL INFORMATION

Ecotoxicity

Harmful to aquatic life with long lasting effects.

Component Information

Chemical Name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Trichloroethylene 79-01-6	450: 96 h Desmodesmus subspicatus mg/L EC50 175: 96 h Pseudokirchneriella subcapitata mg/L EC50	31.4 - 71.8: 96 h Pimephales promelas mg/L LC50 flow-through 39 - 54: 96 h Lepomis macrochirus mg/L LC50 static	EC50 = 0.81 mg/L 24 h EC50 = 115 mg/L 10 min EC50 = 190 mg/L 15 min EC50 = 235 mg/L 24 h EC50 = 410 mg/L 24 h EC50 = 975 mg/L 5 min	2.2: 48 h Daphnia magna mg/L EC50

Persistence and Degradability

Not determined

Bioaccumulation

Not determined

Mobility

Chemical Name	Partition Coefficient
Trichloroethylene 79-01-6	2.29

Other Adverse Effects

Not determined

13. DISPOSAL CONSIDERATIONS

Waste Treatment Methods

Disposal of Wastes	Disposal should be in accordance with applicable regional, national and local laws and regulations. Do not puncture, incinerate, or crush.
Contaminated Packaging	Disposal should be in accordance with applicable regional, national and local laws and regulations. Do not puncture, incinerate, or crush.

Chemical Name	RCRA	RCRA - Basis for Listing	RCRA - D Series Wastes	RCRA - U Series Wastes
Trichloroethylene 79-01-6	U228	Included in waste streams: F001, F002, F024, F025, F039, K018, K019, K020	0.5 mg/L regulatory level	U228

14. TRANSPORT INFORMATION

Note Please see current shipping paper for most up to date shipping information, including exemptions and special circumstances.

DOT
UN/ID No UN1950
Proper Shipping Name Aerosols
Hazard Class 2.2
Packing Group N/A

IATA
UN/ID No UN1950
Proper Shipping Name Aerosols
Hazard Class 2.2
Packing Group N/A

IMDG
UN/ID No UN1950
Proper Shipping Name Aerosols
Hazard Class 2.2
Packing Group N/A

15. REGULATORY INFORMATION

International Inventories

Not Determined

Legend:

- TSCA - United States Toxic Substances Control Act Section 8(b) Inventory*
- DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List*
- EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances*
- ENCS - Japan Existing and New Chemical Substances*
- IECSC - China Inventory of Existing Chemical Substances*
- KECL - Korean Existing and Evaluated Chemical Substances*
- PICCS - Philippines Inventory of Chemicals and Chemical Substances*

US Federal Regulations

CERCLA

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Trichloroethylene 79-01-6	100 lb 1 lb		RQ 100 lb final RQ RQ 45.4 kg final RQ RQ 1 lb final RQ RQ 0.454 kg final RQ

SARA 313

Chemical Name	CAS No	Weight-%	SARA 313 - Threshold Values %
Trichloroethylene	79-01-6	Proprietary	0.1

CWA (Clean Water Act)

Component	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Trichloroethylene 79-01-6	100 lb	X	X	X

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals.

Chemical Name	California Proposition 65
Trichloroethylene 79-01-6	Carcinogen

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Trichloroethylene 79-01-6	X	X	X
Carbon Dioxide 124-38-9	X	X	X

16. OTHER INFORMATION

NFPA	Health Hazards	Flammability	Instability	Special Hazards
	2	1	0	Not determined
HMIS	Health Hazards	Flammability	Physical Hazards	Personal Protection
	2	1	0	B

Revision Date 18-Aug-2023
Revision Note New format

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet