

SAFETY DATA SHEET

Version 1

Revision Date 14-June-2013

1. PRODUCT AND COMPANY IDENTIFICATION

Product Identifier

Product Name Foremost 633 Steam Supreme

UN/ID No UN3266 Product Code 633

Recommended Use of the Chemical and Restrictions on Use

Recommended Use Detergent, Degreaser.

Details of the Supplier of the Safety Data Sheet

Supplier Address

Delta Foremost Chemical Corporation

3915 Air Park St.

Memphis, Tennessee 38118

Emergency Telephone Number

Company Phone Number (901) 363-4340

Emergency Telephone INFOTRAC 1-352-323-3500 (International)

1-800-535-5053 (North America)

2. HAZARDS IDENTIFICATION

Classification

Skin Corrosion/Irritation	Category 1 Sub-category B
Serious Eye Damage/Eye Irritation	Category 1

Signal Word DANGER

Hazard Statements

Causes severe skin burns and eye damage



Appearance Clear blue liquid Physical State Liquid Odor Detergent, Solvent

Precautionary Statements - Prevention

Do not breathe dust/fume/gas/mist/vapors/spray
Wash face, hands and any exposed skin thoroughly after handling
Wear protective gloves/protective clothing/eye protection/face protection

Precautionary Statements - Response

Immediately call a POISON CENTER or doctor/physician

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a POISON CENTER or doctor/physician

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower

Wash contaminated clothing before reuse

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Immediately call a POISON CENTER or doctor/physician IF SWALLOWED: Rinse mouth. DO NOT induce vomiting

Precautionary Statements - Storage

Store locked up

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards Not Otherwise Classified (HNOC)

May be harmful if swallowed

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%
Sodium Silicate	1344-09-8	Proprietary
Ethylene Glycol Monobutyl Ether	111-76-2	Proprietary
Potassium hydroxide	1310-58-3	Proprietary

4. FIRST AID MEASURES

First Aid Measures

General Advice Provide this SDS to medical personnel for treatment.

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get

medical attention immediately.

Skin Contact Wash off immediately with soap and plenty of water while removing all contaminated

clothes and shoes. If irritation persists, seek medical attention.

Inhalation Remove exposed individual(s) to fresh air for 20 minutes. Consult a physician / poison

center if individual's condition declines or if symptoms persist.

Ingestion Do NOT induce vomiting. Give diluted vinegar or lemon juice to conscious person. Get

medical attention immediately.

Most Important Symptoms and Effects, both Acute and Delayed

Symptoms Causes skin irritation, Causes eye irritation, Ingestion may cause severe burns to mouth,

throat or stomach. May cause irritation to the mucous membranes and upper respiratory

tract.

Indication of any Immediate Medical Attention and Special Treatment Needed

Note to Physicians Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Foam, carbon dioxide or dry chemical extinguisher, or water.

Unsuitable Extinguishing Media Not determined.

Specific Hazards Arising from the Chemical

Product is not flammable or combustible.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures

Personal Precautions Wear protective clothing as described in Section 8 of this safety data sheet.

Methods and Material for Containment and Cleaning Up

Methods for Containment Prevent further leakage or spillage if safe to do so. Soak up and contain spill with an

absorbent material.

Methods for Cleaning Up Sweep up absorbed material and shovel into suitable containers for disposal. For waste

disposal, see section 13 of the SDS.

7. HANDLING AND STORAGE

Precautions for Safe Handling

Advice on Safe Handling Handle in accordance with good industrial hygiene and safety practice. Wash face, hands,

and any exposed skin thoroughly after handling. Use personal protection recommended in

Section 8. Do not breathe vapors or spray mist.

Conditions for Safe Storage, Including any Incompatibilities

Storage Conditions Keep container tightly closed and store in a cool, dry and well-ventilated place. Store locked

up.

Incompatible Materials Acids.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Ethylene Glycol Monobutyl Ether 111-76-2	TWA: 20 ppm	TWA: 50 ppm TWA: 240 mg/m³ (vacated) TWA: 25 ppm (vacated) TWA: 120 mg/m³ (vacated) S* S*	IDLH: 700 ppm TWA: 5 ppm TWA: 24 mg/m³
Potassium hydroxide 1310-58-3	Ceiling: 2 mg/m ³	(vacated) Ceiling: 2 mg/m ³	Ceiling: 2 mg/m ³

Appropriate Engineering Controls

Engineering Controls Ventilation must be adequate to maintain the ambient workplace atmosphere below the

exposure limit(s) outlined in the SDS. Eyewash stations, Showers.

Individual Protection Measures, such as Personal Protective Equipment

Eye/Face Protection Splash goggles or safety glasses.

Skin and Body Protection Wear protective Neoprene™ gloves, Rubber gloves.

Respiratory Protection Ensure adequate ventilation, especially in confined areas.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice. Wash contaminated

clothing before reuse.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on Basic Physical and Chemical Properties

Physical State Liquid

AppearanceClear blue liquidOdorDetergent, SolventColorBlueOdor ThresholdNot determined

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

pH 11.3-11.7

Melting Point/Freezing Point Not available

Boiling Point/Boiling Range 98.88 °C / 210 °F

Flash Point None

Evaporation Rate Same as water
Flammability (Solid, Gas) Not determined
Upper Flammability Limits Not determined
Lower Flammability Limit Not determined
Vapor Pressure Not established
Vapor Density Not established

Specific Gravity 1.090 (1=Water)

Water Solubility Soluble in water Solubility in Other Solvents Not determined **Partition Coefficient** Not determined **Autoignition Temperature** Not determined **Decomposition Temperature** Not determined **Kinematic Viscosity** Not determined **Dynamic Viscosity** Not determined **Explosive Properties** Not determined **Oxidizing Properties** Not determined

10. STABILITY AND REACTIVITY

Reactivity

Not reactive under normal conditions.

Chemical Stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Hazardous Polymerization Hazardous polymerization does not occur.

Conditions to Avoid

Keep out of reach of children.

Incompatible Materials

Acids.

Hazardous Decomposition Products

None known based on information supplied.

11. TOXICOLOGICAL INFORMATION

Information on Likely Routes of Exposure

Product Information

Eye Contact Causes eye damage.

Skin Contact Causes severe skin burns.

Inhalation May cause irritation to the mucous membranes and upper respiratory tract.

Ingestion May be harmful if swallowed.

Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Sodium Silicate	= 1153 mg/kg (Rat)	> 4640 mg/kg (Rabbit)	-
1344-09-8			
Ethylene Glycol Monobutyl Ether	= 470 mg/kg (Rat)	= 2270 mg/kg (Rat) = 220 mg/kg (= 2.21 mg/L (Rat) 4 h = 450 ppm
111-76-2		Rabbit)	(Rat) 4 h
Potassium hydroxide	= 214 mg/kg (Rat)	-	-
1310-58-3			

Information on Physical, Chemical and Toxicological Effects

Symptoms Please see section 4 of this SDS for symptoms.

Delayed and Immediate Effects as well as Chronic Effects from Short and Long-term Exposure

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

However, the product as a whole has not been tested.

Chemical Name	ACGIH	IARC	NTP	OSHA
Ethylene Glycol Monobutyl	A3	Group 3		
Ether				
111-76-2				

ACGIH (American Conference of Governmental Industrial Hygienists)

A3 - Animal Carcinogen

IARC (International Agency for Research on Cancer)

Group 3 IARC components are "not classifiable as human carcinogens"

Numerical Measures of Toxicity

Not determined

12. ECOLOGICAL INFORMATION

Ecotoxicity

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Chemical Name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Sodium Silicate		301 - 478: 96 h Lepomis		216: 96 h Daphnia magna
1344-09-8		macrochirus mg/L LC50		mg/L EC50
		3185: 96 h Brachydanio rerio		
		mg/L LC50 semi-static		
Ethylene Glycol Monobutyl		1490: 96 h Lepomis		1698 - 1940: 24 h Daphnia
Ether		macrochirus mg/L LC50		magna mg/L EC50 1000: 48
111-76-2		static 2950: 96 h Lepomis		h Daphnia magna mg/L
		macrochirus mg/L LC50		EC50
Potassium hydroxide		80: 96 h Gambusia affinis		
1310-58-3		mg/L LC50 static		!

Persistence and Degradability

Not determined

Bioaccumulation

Not determined

Mobility

Chemical Name	Partition Coefficient
Ethylene Glycol Monobutyl Ether 111-76-2	0.81
Potassium hydroxide	0.65
1310-58-3	0.83

Other Adverse Effects

Not determined

13. DISPOSAL CONSIDERATIONS

Waste Treatment Methods

Disposal of Wastes Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated Packaging Disposal should be in accordance with applicable regional, national and local laws and

regulations.

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical Name	California Hazardous Waste Status
Potassium hydroxide	Toxic
1310-58-3	Corrosive

14. TRANSPORT INFORMATION

Note Please see current shipping paper for most up to date shipping information, including

exemptions and special circumstances.

<u>DOT</u>

UN/ID No UN3266

Proper Shipping NameCorrosive liquid, basic, inorganic, n.o.s. (Potassium hydroxide, Sodium silicate)

Hazard Class 8
Packing Group ||

Reportable Quantity (RQ) 1000lbs for Potassium hydroxide

IATA

UN/ID No UN3266

Proper Shipping Name Corrosive liquid, basic, inorganic, n.o.s. (Potassium hydroxide, Sodium silicate)

Hazard Class 8
Packing Group II

IMDG

UN/ID No UN3266

Proper Shipping Name Corrosive liquid, basic, inorganic, n.o.s. (Potassium hydroxide, Sodium silicate)

Hazard Class 8
Packing Group | |

15. REGULATORY INFORMATION

International Inventories

Not Determined

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

US Federal Regulations

CERCLA

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Potassium hydroxide	1000 lb		RQ 1000 lb final RQ
1310-58-3			RQ 454 kg final RQ

SARA 313

Chemical Name	CAS No	Weight-%	SARA 313 - Threshold Values %
Ethylene Glycol Monobutyl Ether - 111-76-2	111-76-2	Proprietary	1.0

CWA (Clean Water Act)

Component	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Potassium hydroxide 1310-58-3 (Proprietary)	1000 lb			Х

US State Regulations

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Ethylene Glycol Monobutyl Ether 111-76-2	Х	X	X
Potassium hydroxide 1310-58-3	X	X	Х

16. OTHER INFORMATION

NFPAHealth HazardsFlammabilityInstabilitySpecial Hazards200Not determinedHMISHealth HazardsFlammabilityPhysical HazardsPersonal Protection300Not determined

Revision Date 14-June-2013 Revision Note 14-June-2013 New format

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet