



SAFETY DATA SHEET

Revision Date 13-April-2015

Version 1

1. PRODUCT AND COMPANY IDENTIFICATION

Product Identifier

Product Name Foremost 722B-ES Tire Burn Remover
UN1993

UN/ID No

Product Code 722-ES

Recommended Use of the Chemical and Restrictions on Use

Recommended Use Industrial cleaner.

Details of the Supplier of the Safety Data Sheet

Supplier Address

Delta Foremost Chemical Corporation
3915 Air Park St.
Memphis, Tennessee 38118

Emergency Telephone Number

Company Phone Number (901) 363-4340
Emergency Telephone INFOTRAC 1-352-323-3500 (International)
1-800-535-5053 (North America)

2. HAZARDS IDENTIFICATION

Classification

Acute toxicity – Inhalation (Vapors)	Category 5
Skin Corrosion/Irritation	Category 3
Serious Eye Damage/Eye Irritation	Category 2B
Flammable Liquids	Category 3

Signal Word

WARNING

Hazard Statements

May be harmful if inhaled
Causes mild skin irritation
Causes eye irritation
Flammable liquid and vapor



Appearance Clear amber liquid

Physical State Liquid

Odor Solvent

Precautionary Statements - Prevention

Obtain special instructions before use
Do not handle until all safety precautions have been read and understood
Use personal protective equipment as required
Avoid breathing dust/fume/gas/mist/vapors/spray
Use only outdoors or in a well-ventilated area
Wash face, hands and any exposed skin thoroughly after handling
Wear eye/face protection
Keep away from heat/sparks/open flames/hot surfaces. No smoking.
Keep container tightly closed.
Ground/bond container and receiving equipment.
Use only non-sparking tools.

Precautionary Statements - Response

IF exposed or concerned: Get medical advice/attention
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
Get medical attention if irritation occurs
IF ON SKIN: Wash with plenty of soap and water
If skin irritation persists: Get medical advice/attention
Take off contaminated clothing and wash it before reuse
IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician
Do NOT induce vomiting

Precautionary Statements - Storage

Store locked up
Store in a well-ventilated place. Keep container tightly closed

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards Not Otherwise Classified (HNOC)

May be harmful if swallowed

Other Hazards

Toxic to aquatic life with long lasting effects
Toxic to aquatic life

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%
Monochlorotoluene	106-43-4	Proprietary
Aromatic Hydrocarbon Solvent	64742-94-5	Proprietary
Xylene	1330-20-7	Proprietary
Isopropyl Alcohol	67-63-0	Proprietary

Product contains a proprietary mixture of ingredients.

4. FIRST AID MEASURES**First Aid Measures****General Advice**

If exposed or concerned: Get medical advice/attention. Provide this SDS to medical personnel for treatment.

Eye Contact	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation occurs.
Skin Contact	Flush with water while removing contaminated clothing and shoes before reuse. If irritation persists, get medical attention.
Inhalation	Remove victim to fresh air and provide oxygen if breathing is difficult. Give artificial respiration if not breathing. If symptoms persist, call a physician.
Ingestion	Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth to an unconscious person. Do NOT induce vomiting. Seek medical attention immediately.

Most Important Symptoms and Effects, both Acute and Delayed

Symptoms	Liquid in eyes can cause pain and irritation. Corneal injury likely. May cause skin and eye irritation. Ingestion may result in irritation of mouth and gastrointestinal tract. Vomiting may cause chemical pneumonia. Overexposure by inhalation can cause irritation of the respiratory tract and adverse effects on the central nervous system. High concentrations or prolonged exposure can cause unconsciousness and death.
-----------------	---

Indication of any Immediate Medical Attention and Special Treatment Needed

Note to Physicians	Alcoholism, acute and chronic kidney or liver disease, rhythmic disorders of the heart, neuritis and other disorders of the nervous system. Aspiration into the lungs may occur during ingestion or vomiting, causing lung damage or even death due to chemical pneumonia.
---------------------------	--

5. FIRE-FIGHTING MEASURES**Suitable Extinguishing Media**

Foam, carbon dioxide or dry chemical extinguisher, or water. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media Not determined.

Specific Hazards Arising from the Chemical

Vapor concentrated in a confined or poorly ventilated area can be ignited upon contact with a high energy spark, flame, or high intensity heat source.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES**Personal Precautions, Protective Equipment and Emergency Procedures**

Personal Precautions	Wear protective clothing as described in Section 8 of this safety data sheet. Avoid contact with skin and eyes and inhalation of vapors.
-----------------------------	--

Methods and Material for Containment and Cleaning Up

Methods for Containment	Prevent further leakage or spillage if safe to do so. Absorb liquid with sawdust, sand or industrial absorbent.
Methods for Cleaning Up	Sweep up absorbed material and shovel into suitable containers for disposal. Discard any product, residue, disposable container or liner in full compliance with federal, state, and local regulations. For waste disposal, see section 13 of the SDS.

7. HANDLING AND STORAGE

Precautions for Safe Handling

Advice on Safe Handling

Handle in accordance with good industrial hygiene and safety practice. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Use personal protection recommended in Section 8. Wear eye/face protection. Avoid contact with skin, eyes or clothing. Avoid breathing vapors. Avoid breathing mists. Use only in well-ventilated areas.

Conditions for Safe Storage, Including any Incompatibilities

Storage Conditions

Keep container tightly closed and store in a cool, dry and well-ventilated place. Keep in properly labeled containers. Store locked up.

Incompatible Materials

Caustic soda, caustic potash, liquid oxygen or other oxidizing materials, alkali metals.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Aromatic Hydrocarbon Solvent 64742-94-5	TWA: 10 ppm STEL: 15 ppm	TWA: 10 ppm	-
Isopropyl Alcohol 6763-0	STEL: 400 ppm TWA: 200 ppm	TWA: 400 ppm TWA: 980 mg/m ³ STEL: 500 ppm STEL: 1,225 mg/m ³	IDLH: 500 ppm IDLH: 1,225 mg/m ³ TWA: 400 ppm TWA: 980 mg/m ³
Xylene 1330-20-7	STEL: 150 ppm TWA: 100 ppm	TWA: 100 ppm TWA: 435 mg/m ³ (vacated) TWA: 100 ppm (vacated) TWA: 435 mg/m ³ (vacated) STEL: 150 ppm (vacated) STEL: 655 mg/m ³	-

Appropriate Engineering Controls

Engineering Controls

Ventilation must be adequate to maintain the ambient workplace atmosphere below the exposure limit(s) outlined in the SDS.

Individual Protection Measures, such as Personal Protective Equipment

Eye/Face Protection

Goggles or face shield.

Skin and Body Protection

Wear impervious protective clothing, including boots, gloves, lab coat, apron or coveralls, as appropriate, to prevent skin contact. Wear protective Neoprene™ gloves, Rubber gloves.

Respiratory Protection

Use self-contained breathing apparatus if there is a heavy vapor about 300 ppm.

General Hygiene Considerations

Handle in accordance with good industrial hygiene and safety practice. Wash hands after use and wash contaminated clothes before reuse.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on Basic Physical and Chemical Properties

Physical State
Appearance
Color

Liquid
Clear amber liquid
Amber

Odor
Odor Threshold

Solvent
Not determined

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
pH	Not determined	
Melting Point/Freezing Point	Not determined	
Boiling Point/Boiling Range	86.66 °C / 188 °F	
Flash Point	Not determined	
Evaporation Rate	Not established	
Flammability (Solid, Gas)	Not determined	
Upper Flammability Limits	Not applicable	
Lower Flammability Limit	Not determined	
Vapor Pressure	Not established	
Vapor Density	Not established	
Specific Gravity	1.010	(1=Water)
Water Solubility	Emulsifies in water	
Solubility in Other Solvents	Not determined	
Partition Coefficient	Not determined	
Autoignition Temperature	Not determined	
Decomposition Temperature	Not determined	
Kinematic Viscosity	Not determined	
Dynamic Viscosity	Not determined	
Explosive Properties	Not determined	
Oxidizing Properties	Not determined	

10. STABILITY AND REACTIVITY

Reactivity

Not reactive under normal conditions.

Chemical Stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Hazardous Polymerization

Hazardous polymerization does not occur.

Conditions to Avoid

Avoid heat, sparks, open flames and other ignition sources.

Incompatible Materials

Caustic soda, caustic potash, liquid oxygen or other oxidizing materials, alkali metals.

Hazardous Decomposition Products

Hydrogen chloride, and traces of chlorine or phosgene gases.

11. TOXICOLOGICAL INFORMATION

Information on Likely Routes of Exposure

Product Information

Eye Contact

Causes eye irritation.

Skin Contact

Causes mild skin irritation.

Inhalation

May be harmful if inhaled.

Ingestion

May be harmful if swallowed.

Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Monochlorotoluene 106-43-4	= 2389 mg/kg (Rat)	-	-
Aromatic Hydrocarbon Solvent 64742-94-5	= 7050 mg/kg (Rat)	>2000 mg/kg (Rabbit)	= 5100 mg/L (Rat) 4 h
Xylene 1330-20-7	= 4300 mg/kg (Rat)	> 1700 mg/kg (Rabbit)	= 5000 ppm (Rat) 4 h = 47635 mg/L (Rat) 4 h
Isopropyl Alcohol 6763-0	= 5,045 mg/kg (Rat)	= 12,800 mg/kg (Rabbit)	= 16,000 ppm (Rat) 8 h

Information on Physical, Chemical and Toxicological Effects**Symptoms**

Please see section 4 of this SDS for symptoms.

Delayed and Immediate Effects as well as Chronic Effects from Short and Long-term Exposure**Germ Cell Mutagenicity**

Suspected of causing genetic defects.

Carcinogenicity

May cause cancer; The table below indicates whether each agency has listed any ingredient as a carcinogen. However, the product as a whole has not been tested. Large doses caused malignant tumors in mice.

Chemical Name	ACGIH	IARC	NTP	OSHA
Xylene 1330-20-7		Group 3		
Aromatic Hydrocarbon Solvent 64742-94-5		Group 2B		

*ACGIH (American Conference of Governmental Industrial Hygienists)**A2 - Suspected Human Carcinogen**A3 - Animal Carcinogen**IARC (International Agency for Research on Cancer)**Group 1 - Carcinogenic to Humans**Group 2A - Probably Carcinogenic to Humans***STOT - Single Exposure**

May cause respiratory irritation. May cause drowsiness or dizziness.

Chronic Toxicity

Prolonged exposure above the OSHA permissible limits may result in liver and/or kidney damage.

Aspiration Hazard

May be fatal if swallowed and enters airways.

Numerical Measures of Toxicity

Not determined

12. ECOLOGICAL INFORMATION**Ecotoxicity**

Toxic to aquatic organisms. Toxic to aquatic life with long lasting effects.

Component Information

Chemical Name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Monochlorotoluene 106-43-4	6.1: 72 h Selenastrum capricornutum mg/L EC50	6.1: 96 h Oryzias latipes mg/L LC50		2: 48 h Daphnia magna mg/L EC50
Isopropyl Alcohol 6763-0	>2,000: 72 h Desmodesmus subspicatus (green algae) mg/L EC50 >1,000: 24 h Algae mg/L EC50	9,640: 96 h Pimephales promelas mg/L LC50 static	EC50 = 5,102 mg/L 24 h Daphnia magna (Water flea)	-

Xylene 1330-20-7		13.4: 96 h Pimephales promelas mg/L LC50 flow-through 2.661 - 4.093: 96 h Oncorhynchus mykiss mg/L LC50 static 13.5 - 17.3: 96 h Oncorhynchus mykiss mg/L LC50 13.1 - 16.5: 96 h Lepomis macrochirus mg/L LC50 flow-through 19: 96 h Lepomis macrochirus mg/L LC50 7.711 - 9.591: 96 h Lepomis macrochirus mg/L LC50 static 23.53 - 29.97: 96 h Pimephales promelas mg/L LC50 static 780: 96 h Cyprinus carpio mg/L LC50 semi-static 780: 96 h Cyprinus carpio mg/L LC50 30.26 - 40.75: 96 h Poecilia reticulata mg/L LC50 static	EC50 = 0.0084 mg/L 24 h	3.82: 48 h water flea mg/L EC50 0.6: 48 h Gammarus lacustris mg/L LC50
Aromatic Hydrocarbon Solvent 64742-94-5	<1: 96 h Skeletonema costatum mg/L EC50	41: 96 h Pimephales promelas mg/L LC50		0.95: 48 h Daphnia magna mg/L E50

Persistence and Degradability

Not determined

Bioaccumulation

Not determined

Mobility

Chemical Name	Partition Coefficient
Xylene 1330-20-7	2.77 - 3.15

Other Adverse Effects

Not determined

13. DISPOSAL CONSIDERATIONS**Waste Treatment Methods****Disposal of Wastes**

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated Packaging

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Chemical Name	RCRA	RCRA - Basis for Listing	RCRA - D Series Wastes	RCRA - U Series Wastes
Xylene 1330-20-7		Included in waste stream: F039		U239

Chemical Name	California Hazardous Waste Status
Isopropyl Alcohol 6763-0	Ignitable Toxic
Xylene 1330-20-7	Toxic Ignitable

14. TRANSPORT INFORMATION

Note

Please see current shipping paper for most up to date shipping information, including exemptions and special circumstances.

DOT

UN/ID No	UN1993
Proper Shipping Name	Contains xylenes
Hazard Class	3
Packing Group	II

IATA

UN/ID No	UN1993
Proper Shipping Name	Contains xylenes
Hazard Class	3
Packing Group	II

IMDG

UN/ID No	UN1993
Proper Shipping Name	Contains xylenes
Hazard Class	3
Packing Group	II

15. REGULATORY INFORMATION

International Inventories

Not Determined

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

US Federal Regulations**CERCLA**

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Xylene 1330-20-7	100 lb		RQ 100 lb final RQ RQ 45.4 kg final RQ

SARA 313

Chemical Name	CAS No	Weight-%	SARA 313 - Threshold Values %
Xylene	1330-20-7	Proprietary	1.0

CWA (Clean Water Act)

Component	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Xylene 1330-20-7	100 lb			X

US State Regulations

California Proposition 65

This product contains no Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Monochlorotoluene 106-43-4	X	X	X
Deodorized Kerosene 64742-88-7	X	X	X
Isopropyl Alcohol 6763-0	X	X	X
Xylene 1330-20-7	X	X	X

16. OTHER INFORMATION

NFPA	Health Hazards	Flammability	Instability	Special Hazards
	2	3	0	Not determined
HMIS	Health Hazards	Flammability	Physical Hazards	Personal Protection
	2	3	0	Not determined

Revision Date 13-April-2015
Revision Note New format

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet