

# SAFETY DATA SHEET

#### Revision Date 21-Feb-2023

Version 1

## **1. PRODUCT AND COMPANY IDENTIFICATION**

Product Identifier Product Name

Foremost 746-ES X-Coat Transit Coating Remover

UN/ID No Product Code NA1993 746-ES

Recommended Use of the Chemical and Restrictions on UseRecommended UseIndustrial cleaner.

Details of the Supplier of the Safety Data Sheet Supplier Address Delta Foremost Chemical Corporation 3915 Air Park St. Memphis, Tennessee 38118

## **Emergency Telephone Number**

Company Phone Number Emergency Telephone (901) 363-4340 INFOTRAC 1-352-323-3500 (International) 1-800-535-5053 (North America)

## 2. HAZARDS IDENTIFICATION

## **Classification**

| Skin Corrosion/Irritation | Category 2 |
|---------------------------|------------|
| Aspiration toxicity       | Category 1 |
| Flammable liquids         | Category 3 |

#### Signal Word DANGER

## Hazard Statements

Causes skin irritation May be fatal if swallowed and enters airways Flammable liquid and vapor Very toxic to aquatic life with long lasting effects



Appearance Clear amber liquid

Physical State Liquid

Odor Citrus oil or orange odor

#### Precautionary Statements - Prevention

Wash face, hands and any exposed skin thoroughly after handling Wear protective gloves/protective clothing/eye protection/face protection Keep away from heat/sparks/open flames/hot surfaces. — No smoking Keep container tightly closed Ground/bond container and receiving equipment Use explosion-proof equipment Use only non-sparking tools Take precautionary measures against static discharge

#### Precautionary Statements - Response

If skin irritation occurs: Get medical advice/attention IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower Wash contaminated clothing before reuse IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician Do NOT induce vomiting In case of fire: Use CO2, dry chemical, or foam for extinction

#### Precautionary Statements - Storage

Store locked up Store in a well-ventilated place.

#### **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

#### Hazards Not Otherwise Classified (HNOC)

May be harmful if swallowed May be harmful in contact with skin

#### Other Hazards

Very toxic to aquatic life with long lasting effects Very toxic to aquatic life

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

| Chemical Name                   | CAS No     | Weight-%    |
|---------------------------------|------------|-------------|
| d-Limonene                      | 5989-27-5  | Proprietary |
| Solvent Naphtha (Petroleum)     | 64742-94-5 | Proprietary |
| Ethylene Glycol Monobutyl Ether | 111-76-2   | Proprietary |

## 4. FIRST AID MEASURES

#### First Aid Measures

| General Advice | Provide this SDS to medical personnel for treatment.   |
|----------------|--|
| Eye Contact    | Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Get immediate medical advice/attention. |
| Skin Contact   | Wash affected areas with copious amount of soap and water. If there is dryness and skin irritation, use a skin cream or Vaseline on skin. If irritation persists, see physician. |
| Inhalation     | Remove exposed individual(s) to fresh air for 20 minutes. Consult a physician / poison center if individual's condition declines or if symptoms persist.                         |

| Ingestion                          | Do not induce vomiting unless directed by medical personnel. If vomiting occurs, lean patient forward to maintain an open airway & prevent aspiration. Get immediate medical attention.  |
|------------------------------------|--|
| Most Important Symptoms and Effe   | cts, both Acute and Delayed  |
| Symptoms                           | May cause skin and eye irritation. Direct contact with eyes may cause temporary irritation.<br>May cause nausea, vomiting, stomach ache, and diarrhea. May cause respiratory irritation. |
| Indication of any Immediate Medica | Attention and Special Treatment Needed   |
| Note to Physicians                 | Aspiration into the lungs may occur during ingestion or vomiting, causing lung damage or even death due to chemical pneumonia.   |

## 5. FIRE-FIGHTING MEASURES

#### Suitable Extinguishing Media

Foam, carbon dioxide or dry chemical extinguisher. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

#### Unsuitable Extinguishing Media Water.

#### Specific Hazards Arising from the Chemical

Closed containers may explode due to buildup of pressure when exposed to extreme heat.

#### **Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Water may be used to cool closed containers to prevent pressure buildups and possible ignition or explosion when exposed to extreme heat.

## 6. ACCIDENTAL RELEASE MEASURES

#### Personal Precautions, Protective Equipment and Emergency Procedures

**Personal Precautions** Wear protective clothing as described in Section 8 of this safety data sheet. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area).

#### Methods and Material for Containment and Cleaning Up

| Methods for Containment | Prevent further leakage or spillage if safe to do so. Absorb spill with inert material (e.g. dry sand or earth).  |
|-------------------------|---|
| Methods for Cleaning Up | Use clean non-sparking tools to collect absorbed material. Sweep up absorbed material and shovel into suitable containers for disposal. Discard any product, residue, disposable container or liner in full compliance with federal, state, and local regulations. For waste disposal, see section 13 of the SDS. |

## 7. HANDLING AND STORAGE

#### Precautions for Safe Handling

Advice on Safe Handling Handle in accordance with good industrial hygiene and safety practice. Wash face, hands, and any exposed skin thoroughly after handling. Use personal protection recommended in Section 8. Keep away from heat/sparks/open flames/hot surfaces. — No smoking. Use spark-proof tools and explosion-proof equipment. Take precautionary measures against static discharges. Keep container closed when not in use.

## Conditions for Safe Storage, Including any Incompatibilities

Storage Conditions

Keep container tightly closed and store in a cool, dry and well-ventilated place. Store locked up.

Incompatible Materials

Strong oxidizing agents.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### **Exposure Guidelines**

| Chemical Name                               | ACGIH TLV                                 | OSHA PEL  | NIOSH IDLH                  |
|---|---|---|-----------------------------|
| Ethylene Glycol Monobutyl Ether<br>111-76-2 | TWA: 20 ppm                               | TWA: 50 ppm<br>TWA: 240 mg/m <sup>3</sup>                                     | IDLH: 700 ppm<br>TWA: 5 ppm |
|   |   | (vacated) TWA: 25 ppm<br>(vacated) TWA: 120 mg/m <sup>3</sup><br>(vacated) S* | TWA: 24 mg/m <sup>3</sup>   |
| Solvent Naphtha (Petroleum)<br>64742-94-5   | TWA: 10 ppm (skin)<br>STEL: 15 ppm (skin) | TWA: 10 ppm (50 mg/m <sup>3</sup> )   | -                           |

#### Appropriate Engineering Controls

**Engineering Controls** Good general mechanical ventilation. Local exhaust recommended.

## Individual Protection Measures, such as Personal Protective Equipment

| Eye/Face Protection           | Goggles or face shield.                       |
|-------------------------------|---|
| Skin and Body Protection      | Wear rubber or neoprene gloves, Rubber apron. |
| <b>Respiratory Protection</b> | For normal use, none necessary.               |

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

#### Information on Basic Physical and Chemical Properties

| Physical State<br>Appearance<br>Color  | Liquid<br>Clear amber liquid<br>Clear amber  | Odor<br>Odor Threshold | Citrus oil or orange odor<br>Not determined |
|--|--|------------------------|---|
| <u>Property</u><br>pH<br>Melting Point/Freezing Point<br>Boiling Point/Boiling Range   | <u>Values</u><br>Not determined<br>Not applicable<br>210 °F  | Remarks • Method       |   |
| Flash Point<br>Evaporation Rate<br>Flammability (Solid, Gas)<br>Upper Flammability Limits<br>Lower Flammability Limit<br>Vapor Pressure  | 43.33-46.11 °C / 110-115 °F<br>Not applicable<br>Not determined<br>Not established<br>Not established<br>Not established         | Tag Closed Cup         |   |
| Vapor Density<br>Specific Gravity<br>Water Solubility<br>Solubility in Other Solvents<br>Partition Coefficient<br>Autoignition Temperature<br>Decomposition Temperature<br>Kinematic Viscosity | Not established<br>0.999<br>Emulsifier<br>Not determined<br>Not determined<br>Not determined<br>Not determined<br>Not determined | (1=Water)              |   |

| Dynamic Viscosity    | Not determined |
|----------------------|----------------|
| Explosive Properties | Not determined |
| Oxidizing Properties | Not determined |

## **10. STABILITY AND REACTIVITY**

#### **Reactivity**

Not reactive under normal conditions.

#### Chemical Stability

Stable under recommended storage conditions.

#### **Possibility of Hazardous Reactions**

None under normal processing.

Hazardous Polymerization Hazardous polymerization does not occur.

#### Conditions to Avoid

Heat, flames and sparks.

#### Incompatible Materials

. . .

Strong oxidizing agents.

#### Hazardous Decomposition Products

None known based on information supplied.

## **11. TOXICOLOGICAL INFORMATION**

#### Information on Likely Routes of Exposure

| Product Information |   |
|---------------------|---|
| Eye Contact         | Direct contact with eyes may cause temporary irritation.            |
| Skin Contact        | Causes skin irritation. May be harmful in contact with skin.        |
| Inhalation          | May cause irritation of respiratory tract.                          |
| Ingestion           | May be harmful if swallowed. Potential for aspiration if swallowed. |
|                     |   |

#### Component Information

| Chemical Name                               | Oral LD50          | Dermal LD50                                | Inhalation LC50                            |
|---|--------------------|--|--|
| d-Limonene<br>5989-27-5                     | = 4400 mg/kg (Rat) | > 2000 mg/kg (Rabbit)                      | -  |
| Ethylene Glycol Monobutyl Ether<br>111-76-2 | = 470 mg/kg (Rat)  | = 2270 mg/kg (Rat)<br>= 220 mg/kg (Rabbit) | = 2.21 mg/L (Rat)4 h<br>= 450 ppm (Rat)4 h |
| Solvent Naphtha (Petroleum)<br>64742-94-5   | >6,000 mg/kg       | >2,000 mg/kg                               | -  |

## Information on Physical, Chemical and Toxicological Effects

Symptoms

Please see section 4 of this SDS for symptoms.

#### Delayed and Immediate Effects as well as Chronic Effects from Short and Long-term Exposure

**Carcinogenicity** The table below indicates whether each agency has listed any ingredient as a carcinogen. However, the product as a whole has not been tested.

#### Foremost 746-ES X-Coat Transit Coating Remover

| Chemical Name                                  | ACGIH | IARC    | NTP | OSHA |
|--|-------|---------|-----|------|
| d-Limonene<br>5989-27-5                        |       | Group 3 |     | Х    |
| Ethylene Glycol Monobutyl<br>Ether<br>111-76-2 | A3    | Group 3 |     |      |

IARC (International Agency for Research on Cancer)

Group 3 IARC components are "not classifiable as human carcinogens" OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

**Aspiration Hazard** 

May be fatal if swallowed and enters airways.

#### Numerical Measures of Toxicity

Not determined

## 12. ECOLOGICAL INFORMATION

#### **Ecotoxicity**

Very toxic to aquatic life. Very toxic to aquatic life with long lasting effects.

| Chemical Name                      | Algae/aquatic plants | Fish   | Toxicity to<br>microorganisms | Crustacea   |
|------------------------------------|----------------------|--|-------------------------------|---|
| d-Limonene                         |                      | 0.619 - 0.796: 96 h                                    |                               |   |
| 5989-27-5                          |                      | Pimephales promelas mg/L<br>LC50 flow-through 35: 96 h |                               |   |
|                                    |                      | Oncorhynchus mykiss mg/L<br>LC50                       |                               |   |
| Ethylene Glycol Monobutyl<br>Ether |                      | 1490: 96 h Lepomis<br>macrochirus mg/L LC50            |                               | 1698 - 1940: 24 h Daphnia<br>magna mg/L EC50 1000: 48 |
| 111-76-2                           |                      | static 2950: 96 h Lepomis<br>macrochirus mg/L LC50     |                               | h Daphnia magna mg/L<br>EC50                          |

#### Persistence and Degradability

Not determined

#### **Bioaccumulation**

Not determined

## <u>Mobility</u>

Not determined

#### Other Adverse Effects

Not determined

## 13. DISPOSAL CONSIDERATIONS

#### Waste Treatment Methods

**Disposal of Wastes** Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated Packaging

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Chemical NameCalifornia Hazardous Waste Statusd-Limonene<br/>5989-27-5ToxicSolvent Naphtha (Petroleum)<br/>64742-94-5Toxic, Ignitable

## **14. TRANSPORT INFORMATION**

## <u>Note</u>

Please see current shipping paper for most up to date shipping information, including exemptions and special circumstances.

## DOT

| UN/ID No<br>Proper Shipping Name<br>Hazard Class<br>Packing Group | NA1993<br>Combustible liquid, n.o.s. (petroleum distillates)<br>Combustible liquid<br>III |
|---|---|
|   |   |
| UN/ID No  | UN1993  |
| Proper Shipping Name  | Flammable liquid, n.o.s. (petroleum distillates)  |
| Hazard Class  | 3   |
| Packing Group   | III   |
| IMDG  |   |
| UN/ID No  | UN1993  |
| Proper Shipping Name  | Flammable liquid, n.o.s. (petroleum distillates)  |
| Hazard Class  | 3   |
| Packing Group   |   |
| i adming eroup  |   |

## **15. REGULATORY INFORMATION**

## International Inventories

Not Determined

#### Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

#### **US Federal Regulations**

## SARA 313

Not determined

#### **US State Regulations**

#### U.S. State Right-to-Know Regulations

Not Determined

#### **16. OTHER INFORMATION NFPA Health Hazards** Flammability Instability **Special Hazards** 2 2 0 Not determined HMIS **Health Hazards** Flammability **Physical Hazards Personal Protection** Not determined 2 2 0 **Revision Date** 21-Feb-2023 **Revision Note** New format

#### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet